









11AC20MIMO-Ant1-5180-PASS




11AC20MIMO-Ant2-5180-PASS







11AC20MIMO-Ant1-5200-PASS




11AC20MIMO-Ant2-5200-PASS








11AC20MIMO-Ant1-5745-PASS




11AC20MIMO-Ant2-5745-PASS






11AC20MIMO-Ant1-5785-PASS




11AC20MIMO-Ant2-5785-PASS






11AC20MIMO-Ant1-5825-PASS




11AC20MIMO-Ant2-5825-PASS







11AC40MIMO-Ant1-5190-PASS





11AC40MIMO-Ant2-5190-PASS
















11AC80MIMO-Ant1-5775-PASS




11AC80MIMO-Ant2-5775-PASS







11AX20MIMO-Ant1-5180-PASS




11AX20MIMO-Ant2-5180-PASS









11AX20MIMO-Ant1-5240-PASS




11AX20MIMO-Ant2-5240-PASS









11AX20MIMO-Ant1-5785-PASS





11AX20MIMO-Ant2-5785-PASS













11AX40MIMO-Ant1-5755-PASS




11AX40MIMO-Ant2-5755-PASS






11AX40MIMO-Ant1-5795-PASS




11AX40MIMO-Ant2-5795-PASS







11AX80MIMO-Ant1-5775-PASS



11AX80MIMO-Ant2-5775-PASS



Appendix E: Band edge measurements

Test Result B1

TestMode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-29.02	≤-27	PASS
11A	Ant2	Low	5180	-27.93	≤-27	PASS
11A	Ant1	High	5240	-46.64	≤-27	PASS
11A	Ant2	High	5240	-48.7	≤-27	PASS
11N20MIMO	Ant1	Low	5180	-27.26	≤-27	PASS
11N20MIMO	Ant2	Low	5180	-29.27	≤-27	PASS
11N20MIMO	Ant1	High	5240	-49.86	≤-27	PASS
11N20MIMO	Ant2	High	5240	-49.12	≤-27	PASS
11N40MIMO	Ant1	Low	5190	-31.05	≤-27	PASS
11N40MIMO	Ant2	Low	5190	-28.59	≤-27	PASS
11N40MIMO	Ant1	High	5230	-37.9	≤-27	PASS
11N40MIMO	Ant2	High	5230	-45.4	≤-27	PASS
11AC20MIMO	Ant1	Low	5180	-29.74	≤-27	PASS
11AC20MIMO	Ant2	Low	5180	-31.32	≤-27	PASS
11AC20MIMO	Ant1	High	5240	-48.95	≤-27	PASS
11AC20MIMO	Ant2	High	5240	-49.24	≤-27	PASS
11AC40MIMO	Ant1	Low	5190	-32.63	≤-27	PASS
11AC40MIMO	Ant2	Low	5190	-33.26	≤-27	PASS
11AC40MIMO	Ant1	High	5230	-43.31	≤-27	PASS
11AC40MIMO	Ant2	High	5230	-46.66	≤-27	PASS
11AC80MIMO	Ant1	Low	5210	-28.51	≤-27	PASS
11AC80MIMO	Ant1	High	5210	-35.65	≤-27	PASS
11AC80MIMO	Ant2	Low	5210	-31.05	≤-27	PASS
11AC80MIMO	Ant2	High	5210	-34.84	≤-27	PASS
11AX20MIMO	Ant1	Low	5180	-27.51	≤-27	PASS
11AX20MIMO	Ant2	Low	5180	-29.91	≤-27	PASS
11AX20MIMO	Ant1	High	5240	-44.26	≤-27	PASS
11AX20MIMO	Ant2	High	5240	-46.9	≤-27	PASS
11AX40MIMO	Ant1	Low	5190	-34.11	≤-27	PASS
11AX40MIMO	Ant2	Low	5190	-28.53	≤-27	PASS
11AX40MIMO	Ant1	High	5230	-41.54	≤-27	PASS
11AX40MIMO	Ant2	High	5230	-41.02	≤-27	PASS
11AX80MIMO	Ant1	High	5210	-35.35	≤-27	PASS
11AX80MIMO	Ant1	Low	5210	-35.75	≤-27	PASS
11AX80MIMO	Ant2	Low	5210	-27.12	≤-27	PASS
11AX80MIMO	Ant2	High	5210	-39.08	≤-27	PASS

Note: 1. The margin is at least greater than the antenna gain plus the cable loss.

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



2. Note: 11N20, 11N40, 11AC20, 11AC40, 11AC80, 11AX20, 11AX40 and 11AX80 support MIMO mode, with sufficient margin, and increasing the MIMO calculation value also meets the limit requirements.

Test Result B4

TestMode	Antenna	ChName	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-25.63	≤15.98	PASS
11A	Ant1	Low	5745	5700~5720	-24.33	≤14.85	PASS
11A	Ant1	Low	5745	5650~5700	-47.74	≤-26.88	PASS
11A	Ant1	Low	5745	5760~5650	-47.37	≤-27	PASS
11A	Ant2	Low	5745	5720~5725	-17.97	≤18.64	PASS
11A	Ant2	Low	5745	5700~5720	-21.16	≤15.18	PASS
11A	Ant2	Low	5745	5650~5700	-42.41	≤-26.63	PASS
11A	Ant2	Low	5745	5760~5650	-43.17	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-28.18	≤15.65	PASS
11A	Ant1	High	5825	5855~5875	-29.55	≤12.43	PASS
11A	Ant1	High	5825	5875~5925	-48.95	≤-26.87	PASS
11A	Ant1	High	5825	5925~5935	-49.14	≤-27	PASS
11A	Ant2	High	5825	5850~5855	-27.45	≤19.22	PASS
11A	Ant2	High	5825	5855~5875	-31.15	≤15.28	PASS
11A	Ant2	High	5825	5875~5925	-49.81	≤-26.44	PASS
11A	Ant2	High	5825	5925~5935	-50.98	≤-27	PASS
11N20MI MO	Ant1	Low	5745	5720~5725	-29.38	≤18.26	PASS
11N20MI MO	Ant1	Low	5745	5700~5720	-29.06	≤12.80	PASS
11N20MI MO	Ant1	Low	5745	5650~5700	-49.49	≤-26.38	PASS
11N20MI MO	Ant1	Low	5745	5760~5650	-50.22	≤-27	PASS
11N20MI MO	Ant2	Low	5745	5720~5725	-18.02	≤15.98	PASS
11N20MI MO	Ant2	Low	5745	5700~5720	-17.69	≤15.55	PASS
11N20MI MO	Ant2	Low	5745	5650~5700	-45.17	≤-26.75	PASS
11N20MI MO	Ant2	Low	5745	5760~5650	-44.95	≤-27	PASS
11N20MI MO	Ant1	High	5825	5850~5855	-30.45	≤15.65	PASS
11N20MI	Ant1	High	5825	5855~5875	-30.41	≤13.36	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



MO							
11N20MI MO	Ant1	High	5825	5875~5925	-49.96	≤-26.87	PASS
11N20MI MO	Ant1	High	5825	5925~5935	-49.67	≤-27	PASS
11N20MI MO	Ant2	High	5825	5850~5855	-25.14	≤15.65	PASS
11N20MI MO	Ant2	High	5825	5855~5875	-22.82	≤15.06	PASS
11N20MI MO	Ant2	High	5825	5875~5925	-47.4	≤-25.28	PASS
11N20MI MO	Ant2	High	5825	5925~5935	-48.06	≤-27	PASS
11N40MI MO	Ant1	Low	5755	5720~5725	-18.47	≤22.14	PASS
11N40MI MO	Ant1	Low	5755	5700~5720	-20.36	≤14.87	PASS
11N40MI MO	Ant1	Low	5755	5650~5700	-41.77	≤-25.78	PASS
11N40MI MO	Ant1	Low	5755	5780~5650	-42.35	≤-27	PASS
11N40MI MO	Ant2	Low	5755	5720~5725	-19.62	≤15.90	PASS
11N40MI MO	Ant2	Low	5755	5700~5720	-16.96	≤15.31	PASS
11N40MI MO	Ant2	Low	5755	5650~5700	-37.2	≤-25.92	PASS
11N40MI MO	Ant2	Low	5755	5780~5650	-38.63	≤-27	PASS
11N40MI MO	Ant1	High	5795	5850~5855	-32.86	≤15.85	PASS
11N40MI MO	Ant1	High	5795	5855~5875	-34.45	≤10.61	PASS
11N40MI MO	Ant1	High	5795	5875~5925	-50.31	≤-26.61	PASS
11N40MI MO	Ant1	High	5795	5925~5935	-49.29	≤-27	PASS
11N40MI MO	Ant2	High	5795	5850~5855	-31.99	≤15.85	PASS
11N40MI MO	Ant2	High	5795	5855~5875	-30.86	≤15.50	PASS
11N40MI MO	Ant2	High	5795	5875~5925	-45.83	≤-25.73	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
 Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline
 400-003-0500
www.anbotek.com



11N40MI MO	Ant2	High	5795	5925~5935	-45.87	≤-27	PASS
11AC20M IMO	Ant1	Low	5745	5720~5725	-27.9	≤17.50	PASS
11AC20M IMO	Ant1	Low	5745	5700~5720	-30.12	≤13.22	PASS
11AC20M IMO	Ant1	Low	5745	5650~5700	-50.83	≤-26.88	PASS
11AC20M IMO	Ant1	Low	5745	5760~5650	-50.91	≤-27	PASS
11AC20M IMO	Ant2	Low	5745	5720~5725	-18.13	≤15.98	PASS
11AC20M IMO	Ant2	Low	5745	5700~5720	-18.41	≤15.60	PASS
11AC20M IMO	Ant2	Low	5745	5650~5700	-45.42	≤-26.01	PASS
11AC20M IMO	Ant2	Low	5745	5760~5650	-45.3	≤-27	PASS
11AC20M IMO	Ant1	High	5825	5850~5855	-31.66	≤15.65	PASS
11AC20M IMO	Ant1	High	5825	5855~5875	-28.47	≤15.17	PASS
11AC20M IMO	Ant1	High	5825	5875~5925	-49.48	≤-25.57	PASS
11AC20M IMO	Ant1	High	5825	5925~5935	-49.08	≤-27	PASS
11AC20M IMO	Ant2	High	5825	5850~5855	-21.29	≤19.66	PASS
11AC20M IMO	Ant2	High	5825	5855~5875	-24.13	≤15.06	PASS
11AC20M IMO	Ant2	High	5825	5875~5925	-49.77	≤-26.87	PASS
11AC20M IMO	Ant2	High	5825	5925~5935	-49.28	≤-27	PASS
11AC40M IMO	Ant1	Low	5755	5720~5725	-23.54	≤15.90	PASS
11AC40M IMO	Ant1	Low	5755	5700~5720	-22.31	≤14.54	PASS
11AC40M IMO	Ant1	Low	5755	5650~5700	-43.51	≤-26.94	PASS
11AC40M IMO	Ant1	Low	5755	5780~5650	-42.56	≤-27	PASS
11AC40M	Ant2	Low	5755	5720~5725	-18.05	≤16.79	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
 Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline
 400-003-0500
www.anbotek.com



IMO							
11AC40M IMO	Ant2	Low	5755	5700~5720	-20.13	≤13.99	PASS
11AC40M IMO	Ant2	Low	5755	5650~5700	-39.72	≤-26.50	PASS
11AC40M IMO	Ant2	Low	5755	5780~5650	-39.49	≤-27	PASS
11AC40M IMO	Ant1	High	5795	5850~5855	-32.5	≤15.85	PASS
11AC40M IMO	Ant1	High	5795	5855~5875	-33.75	≤13.69	PASS
11AC40M IMO	Ant1	High	5795	5875~5925	-48.68	≤-25.73	PASS
11AC40M IMO	Ant1	High	5795	5925~5935	-49.1	≤-27	PASS
11AC40M IMO	Ant2	High	5795	5850~5855	-30.92	≤15.85	PASS
11AC40M IMO	Ant2	High	5795	5855~5875	-31.02	≤14.22	PASS
11AC40M IMO	Ant2	High	5795	5875~5925	-47.49	≤-26.97	PASS
11AC40M IMO	Ant2	High	5795	5925~5935	-45.92	≤-27	PASS
11AC80M IMO	Ant1	Low	5775	5720~5725	-24.41	≤15.67	PASS
11AC80M IMO	Ant1	Low	5775	5700~5720	-27.61	≤10.07	PASS
11AC80M IMO	Ant1	Low	5775	5650~5700	-39.33	≤-26.38	PASS
11AC80M IMO	Ant1	Low	5775	5800~5650	-38.45	≤-27	PASS
11AC80M IMO	Ant1	High	5775	5850~5855	-27.8	≤15.98	PASS
11AC80M IMO	Ant1	High	5775	5855~5875	-26.83	≤10.84	PASS
11AC80M IMO	Ant1	High	5775	5875~5925	-38.43	≤-26.86	PASS
11AC80M IMO	Ant1	High	5775	5925~5935	-34.09	≤-27	PASS
11AC80M IMO	Ant2	Low	5775	5720~5725	-20.75	≤15.67	PASS
11AC80M IMO	Ant2	Low	5775	5700~5720	-23.1	≤10.01	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
 Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline
 400-003-0500

www.anbotek.com



11AC80M IMO	Ant2	Low	5775	5650~5700	-35.14	≤-26.88	PASS
11AC80M IMO	Ant2	Low	5775	5800~5650	-33.84	≤-27	PASS
11AC80M IMO	Ant2	High	5775	5850~5855	-24.8	≤15.98	PASS
11AC80M IMO	Ant2	High	5775	5855~5875	-26.13	≤11.29	PASS
11AC80M IMO	Ant2	High	5775	5875~5925	-38.04	≤-26.86	PASS
11AC80M IMO	Ant2	High	5775	5925~5935	-35.97	≤-27	PASS
11AX20M IMO	Ant1	Low	5745	5720~5725	-26.61	≤16.74	PASS
11AX20M IMO	Ant1	Low	5745	5700~5720	-26.34	≤14.71	PASS
11AX20M IMO	Ant1	Low	5745	5650~5700	-41.14	≤-19.48	PASS
11AX20M IMO	Ant1	Low	5745	5760~5650	-46.56	≤-27	PASS
11AX20M IMO	Ant2	Low	5745	5720~5725	-18.05	≤22.82	PASS
11AX20M IMO	Ant2	Low	5745	5700~5720	-24.48	≤15.51	PASS
11AX20M IMO	Ant2	Low	5745	5650~5700	-48.43	≤-26.88	PASS
11AX20M IMO	Ant2	Low	5745	5760~5650	-46.62	≤-27	PASS
11AX20M IMO	Ant1	High	5825	5850~5855	-30.47	≤15.65	PASS
11AX20M IMO	Ant1	High	5825	5855~5875	-33.74	≤10.35	PASS
11AX20M IMO	Ant1	High	5825	5875~5925	-49.49	≤-26.87	PASS
11AX20M IMO	Ant1	High	5825	5925~5935	-49.16	≤-27	PASS
11AX20M IMO	Ant2	High	5825	5850~5855	-26.62	≤15.65	PASS
11AX20M IMO	Ant2	High	5825	5855~5875	-25.04	≤14.95	PASS
11AX20M IMO	Ant2	High	5825	5875~5925	-44.31	≤-24.99	PASS
11AX20M	Ant2	High	5825	5925~5935	-45.57	≤-27	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
 Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline
 400-003-0500
www.anbotek.com



IMO							
11AX40M IMO	Ant1	Low	5755	5720~5725	-24.23	≤15.90	PASS
11AX40M IMO	Ant1	Low	5755	5700~5720	-23.38	≤14.81	PASS
11AX40M IMO	Ant1	Low	5755	5650~5700	-42.27	≤-26.94	PASS
11AX40M IMO	Ant1	Low	5755	5780~5650	-39.81	≤-27	PASS
11AX40M IMO	Ant2	Low	5755	5720~5725	-18.38	≤17.68	PASS
11AX40M IMO	Ant2	Low	5755	5700~5720	-19.75	≤13.06	PASS
11AX40M IMO	Ant2	Low	5755	5650~5700	-36.71	≤-26.36	PASS
11AX40M IMO	Ant2	Low	5755	5780~5650	-39.71	≤-27	PASS
11AX40M IMO	Ant1	High	5795	5850~5855	-34.54	≤15.85	PASS
11AX40M IMO	Ant1	High	5795	5855~5875	-34.21	≤10.74	PASS
11AX40M IMO	Ant1	High	5795	5875~5925	-50.48	≤-26.79	PASS
11AX40M IMO	Ant1	High	5795	5925~5935	-49.01	≤-27	PASS
11AX40M IMO	Ant2	High	5795	5850~5855	-28.9	≤15.85	PASS
11AX40M IMO	Ant2	High	5795	5855~5875	-29.6	≤14.16	PASS
11AX40M IMO	Ant2	High	5795	5875~5925	-46.55	≤-26.61	PASS
11AX40M IMO	Ant2	High	5795	5925~5935	-47.6	≤-27	PASS
11AX80M IMO	Ant1	Low	5775	5720~5725	-25.95	≤17.20	PASS
11AX80M IMO	Ant1	Low	5775	5700~5720	-22.39	≤15.17	PASS
11AX80M IMO	Ant1	Low	5775	5650~5700	-37.18	≤-25.88	PASS
11AX80M IMO	Ant1	Low	5775	5800~5650	-37.86	≤-27	PASS
11AX80M IMO	Ant1	High	5775	5850~5855	-28.2	≤15.98	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
 Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline
 400-003-0500
www.anbotek.com




11AX80M IMO	Ant1	High	5775	5855~5875	-26.74	≤ 10.77	PASS
11AX80M IMO	Ant1	High	5775	5875~5925	-38.41	≤ -26.07	PASS
11AX80M IMO	Ant1	High	5775	5925~5935	-38.04	≤ -27	PASS
11AX80M IMO	Ant2	Low	5775	5720~5725	-19.09	≤ 16.18	PASS
11AX80M IMO	Ant2	Low	5775	5700~5720	-17.8	≤ 15.10	PASS
11AX80M IMO	Ant2	Low	5775	5650~5700	-31.87	≤ -26.54	PASS
11AX80M IMO	Ant2	Low	5775	5800~5650	-30.12	≤ -27	PASS
11AX80M IMO	Ant2	High	5775	5850~5855	-20.12	≤ 15.98	PASS
11AX80M IMO	Ant2	High	5775	5855~5875	-21.78	≤ 14.00	PASS
11AX80M IMO	Ant2	High	5775	5875~5925	-35.76	≤ -26.46	PASS
11AX80M IMO	Ant2	High	5775	5925~5935	-33.75	≤ -27	PASS


Note: 1. The margin is at least greater than the antenna gain plus the cable loss.

2. Note: 11N20, 11N40, 11AC20, 11AC40, 11AC80, 11AX20, 11AX40 and 11AX80 support MIMO mode, with sufficient margin, and increasing the MIMO calculation value also meets the limit requirements.




Test Graphs B1







11A-Ant1-5240-PASS




11A-Ant2-5240-PASS









11N20MIMO-Ant1-5240-PASS




11N20MIMO-Ant2-5240-PASS








11N40MIMO-Ant1-5230-PASS



11N40MIMO-Ant2-5230-PASS








11AC20MIMO-Ant1-5240-PASS




11AC20MIMO-Ant2-5240-PASS






11AC40MIMO-Ant1-5190-PASS




11AC40MIMO-Ant2-5190-PASS






11AC40MIMO-Ant1-5230-PASS




11AC40MIMO-Ant2-5230-PASS






11AC80MIMO-Ant1-5210-PASS




11AC80MIMO-Ant1-5210-PASS







11AC80MIMO-Ant2-5210-PASS




11AC80MIMO-Ant2-5210-PASS








11AX20MIMO-Ant1-5240-PASS




11AX20MIMO-Ant2-5240-PASS






11AX40MIMO-Ant1-5190-PASS




11AX40MIMO-Ant2-5190-PASS






11AX40MIMO-Ant1-5230-PASS




11AX40MIMO-Ant2-5230-PASS






11AX80MIMO-Ant1-5210-PASS




11AX80MIMO-Ant1-5210-PASS






11AX80MIMO-Ant2-5210-PASS





11AX80MIMO-Ant2-5210-PASS





Test Graphs B4














11N40MIMO-Ant1-5755-PASS




11N40MIMO-Ant2-5755-PASS








11AC20MIMO-Ant1-5745-PASS



11AC20MIMO-Ant2-5745-PASS






11AC20MIMO-Ant1-5825-PASS



11AC20MIMO-Ant2-5825-PASS







11AC40MIMO-Ant1-5755-PASS




11AC40MIMO-Ant2-5755-PASS










11AC80MIMO-Ant2-5775-PASS




11AC80MIMO-Ant2-5775-PASS







11AX20MIMO-Ant1-5745-PASS




11AX20MIMO-Ant2-5745-PASS








11AX40MIMO-Ant1-5755-PASS




11AX40MIMO-Ant2-5755-PASS






11AX40MIMO-Ant1-5795-PASS



11AX40MIMO-Ant2-5795-PASS






11AX80MIMO-Ant1-5775-PASS



11AX80MIMO-Ant1-5775-PASS





---END---

