



HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	52.94	-11.02	41.92	74.00	-32.08	peak
2	5341.000	41.87	0.82	42.69	74.00	-31.31	peak
3	5500.000	50.25	1.17	51.42	74.00	-22.58	peak
4	5860.000	39.48	1.68	41.16	74.00	-32.84	peak
5	6655.000	37.37	4.52	41.89	74.00	-32.11	peak
6	6778.000	37.02	4.56	41.58	74.00	-32.42	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1207.000	49.11	-13.75	35.36	74.00	-38.64	peak
2	1918.000	51.38	-11.02	40.36	74.00	-33.64	peak
3	4699.000	41.76	-1.15	40.61	74.00	-33.39	peak
4	5659.000	39.77	1.44	41.21	74.00	-32.79	peak
5	5860.000	39.11	1.68	40.79	74.00	-33.21	peak
6	6664.000	36.92	4.53	41.45	74.00	-32.55	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	53.22	-11.02	42.20	74.00	-31.80	peak
2	4675.000	41.79	-1.27	40.52	74.00	-33.48	peak
3	5362.000	42.31	0.80	43.11	74.00	-30.89	peak
4	5584.000	44.96	1.39	46.35	74.00	-27.65	peak
5	5881.000	39.49	1.75	41.24	74.00	-32.76	peak
6	6658.000	37.89	4.51	42.40	74.00	-31.60	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1129.000	49.79	-14.24	35.55	74.00	-38.45	peak
2	1918.000	51.07	-11.02	40.05	74.00	-33.95	peak
3	4552.000	42.78	-1.93	40.85	74.00	-33.15	peak
4	5662.000	39.64	1.44	41.08	74.00	-32.92	peak
5	5860.000	39.43	1.68	41.11	74.00	-32.89	peak
6	6589.000	37.08	4.43	41.51	74.00	-32.49	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	52.29	-11.02	41.27	74.00	-32.73	peak
2	4411.000	42.50	-2.82	39.68	74.00	-34.32	peak
3	4864.000	41.54	-0.60	40.94	74.00	-33.06	peak
4	5698.000	48.97	1.45	50.42	74.00	-23.58	peak
5	5863.000	40.85	1.68	42.53	74.00	-31.47	peak
6	6625.000	37.35	4.51	41.86	74.00	-32.14	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

STRADDLE CHANNEL 144 – PCB ANTENNA

MIMO MODE TEST RESULTS (WORST CASE)


HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1225.000	49.20	-13.69	35.51	74.00	-38.49	peak
2	1918.000	51.90	-11.02	40.88	74.00	-33.12	peak
3	4585.000	42.31	-1.73	40.58	74.00	-33.42	peak
4	4867.000	41.16	-0.60	40.56	74.00	-33.44	peak
5	5821.000	40.00	1.52	41.52	74.00	-32.48	peak
6	6625.000	36.87	4.51	41.38	74.00	-32.62	peak

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.
 5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
 6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	53.17	-11.02	42.15	74.00	-31.85	peak
2	3841.000	43.74	-4.43	39.31	74.00	-34.69	peak
3	4759.000	41.67	-0.86	40.81	74.00	-33.19	peak
4	5407.000	40.18	0.82	41.00	74.00	-33.00	peak
5	5722.000	50.00	1.44	51.44	74.00	-22.56	peak
6	6622.000	37.91	4.51	42.42	74.00	-31.58	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.


5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-3 BAND – PCB ANTENNA


MIMO MODE TEST RESULTS (WORST CASE)

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1198.000	49.91	-13.79	36.12	74.00	-37.88	peak
2	1918.000	51.52	-11.02	40.50	74.00	-33.50	peak
3	4777.000	41.64	-0.76	40.88	74.00	-33.12	peak
4	5671.000	43.27	1.44	44.71	74.00	-29.29	peak
5	5743.000	50.07	1.44	51.51	74.00	-22.49	peak
6	6625.000	36.96	4.51	41.47	74.00	-32.53	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	53.69	-11.02	42.67	74.00	-31.33	peak
2	3841.000	45.90	-4.43	41.47	74.00	-32.53	peak
3	5119.000	41.07	0.32	41.39	74.00	-32.61	peak
4	5743.000	50.18	1.44	51.62	74.00	-22.38	peak
5	5887.000	41.27	1.77	43.04	74.00	-30.96	peak
6	6655.000	37.40	4.52	41.92	74.00	-32.08	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1201.000	51.21	-13.77	37.44	74.00	-36.56	peak
2	1918.000	52.09	-11.02	41.07	74.00	-32.93	peak
3	4267.000	42.84	-2.79	40.05	74.00	-33.95	peak
4	4867.000	41.02	-0.60	40.42	74.00	-33.58	peak
5	5686.000	42.70	1.44	44.14	74.00	-29.86	peak
6	5788.000	49.00	1.44	50.44	74.00	-23.56	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	53.86	-11.02	42.84	74.00	-31.16	peak
2	3841.000	44.88	-4.43	40.45	74.00	-33.55	peak
3	5662.000	45.26	1.44	46.70	74.00	-27.30	peak
4	5785.000	48.04	1.44	49.48	74.00	-24.52	peak
5	5884.000	43.43	1.76	45.19	74.00	-28.81	peak
6	6781.000	37.66	4.57	42.23	74.00	-31.77	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	51.90	-11.02	40.88	74.00	-33.12	peak
2	3841.000	42.77	-4.43	38.34	74.00	-35.66	peak
3	4846.000	40.90	-0.62	40.28	74.00	-33.72	peak
4	5668.000	41.29	1.44	42.73	74.00	-31.27	peak
5	5830.000	52.36	1.56	53.92	74.00	-20.08	peak
6	6622.000	37.17	4.51	41.68	74.00	-32.32	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1219.000	48.69	-13.72	34.97	74.00	-39.03	peak
2	1918.000	53.18	-11.02	42.16	74.00	-31.84	peak
3	3841.000	44.55	-4.43	40.12	74.00	-33.88	peak
4	5116.000	40.33	0.29	40.62	74.00	-33.38	peak
5	5830.000	50.24	1.56	51.80	74.00	-22.20	peak
6	6658.000	37.43	4.51	41.94	74.00	-32.06	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for Band reject filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

Note: All the modes, bands and antennas had been tested, but only the worst data was recorded in the report.


UNII-1 BAND – FPC ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1234.000	50.98	-13.67	37.31	74.00	-36.69	peak
2	1918.000	53.22	-11.02	42.20	74.00	-31.80	peak
3	3088.000	43.73	-6.88	36.85	74.00	-37.15	peak
4	4270.000	42.72	-2.78	39.94	74.00	-34.06	peak
5	5128.000	47.31	0.38	47.69	74.00	-26.31	peak
6	6664.000	37.18	4.53	41.71	74.00	-32.29	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1240.000	50.63	-13.65	36.98	74.00	-37.02	peak
2	1918.000	52.45	-11.02	41.43	74.00	-32.57	peak
3	2788.000	44.44	-7.74	36.70	74.00	-37.30	peak
4	3838.000	44.26	-4.42	39.84	74.00	-34.16	peak
5	5116.000	51.01	0.29	51.30	74.00	-22.70	peak
6	6658.000	36.92	4.51	41.43	74.00	-32.57	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1702.000	44.47	-11.38	33.09	74.00	-40.91	peak
2	2566.000	43.93	-8.71	35.22	74.00	-38.78	peak
3	3562.000	43.13	-5.49	37.64	74.00	-36.36	peak
4	4876.000	40.58	-0.59	39.99	74.00	-34.01	peak
5	5986.000	38.94	2.16	41.10	74.00	-32.90	peak
6	6664.000	35.99	4.53	40.52	74.00	-33.48	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.


8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1234.000	49.87	-13.67	36.20	74.00	-37.80	peak
2	2662.000	43.49	-8.35	35.14	74.00	-38.86	peak
3	3838.000	42.04	-4.42	37.62	74.00	-36.38	peak
4	5116.000	41.26	0.29	41.55	74.00	-32.45	peak
5	5686.000	39.34	1.44	40.78	74.00	-33.22	peak
6	6634.000	35.89	4.51	40.40	74.00	-33.60	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1288.000	46.23	-13.50	32.73	74.00	-41.27	peak
2	3160.000	41.86	-6.69	35.17	74.00	-38.83	peak
3	4264.000	41.02	-2.78	38.24	74.00	-35.76	peak
4	5164.000	39.91	0.62	40.53	74.00	-33.47	peak
5	5662.000	39.33	1.44	40.77	74.00	-33.23	peak
6	6622.000	36.10	4.51	40.61	74.00	-33.39	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1240.000	49.00	-13.65	35.35	74.00	-38.65	peak
2	2476.000	43.70	-8.88	34.82	74.00	-39.18	peak
3	3880.000	41.78	-4.50	37.28	74.00	-36.72	peak
4	5116.000	42.54	0.29	42.83	74.00	-31.17	peak
5	5866.000	38.61	1.70	40.31	74.00	-33.69	peak
6	6658.000	36.05	4.51	40.56	74.00	-33.44	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2A BAND – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1288.000	45.83	-13.50	32.33	74.00	-41.67	peak
2	2314.000	44.15	-9.42	34.73	74.00	-39.27	peak
3	3568.000	41.87	-5.45	36.42	74.00	-37.58	peak
4	4552.000	41.00	-1.93	39.07	74.00	-34.93	peak
5	5656.000	38.56	1.44	40.00	74.00	-34.00	peak
6	6778.000	36.19	4.56	40.75	74.00	-33.25	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1240.000	49.65	-13.65	36.00	74.00	-38.00	peak
2	1762.000	45.84	-11.00	34.84	74.00	-39.16	peak
3	3118.000	43.08	-6.80	36.28	74.00	-37.72	peak
4	4666.000	40.98	-1.31	39.67	74.00	-34.33	peak
5	5116.000	40.82	0.29	41.11	74.00	-32.89	peak
6	6628.000	36.34	4.50	40.84	74.00	-33.16	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1246.000	45.81	-13.63	32.18	74.00	-41.82	peak
2	2572.000	44.31	-8.69	35.62	74.00	-38.38	peak
3	3496.000	42.31	-5.83	36.48	74.00	-37.52	peak
4	4756.000	41.06	-0.87	40.19	74.00	-33.81	peak
5	5866.000	38.21	1.70	39.91	74.00	-34.09	peak
6	6658.000	35.57	4.51	40.08	74.00	-33.92	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1240.000	49.56	-13.65	35.91	74.00	-38.09	peak
2	1774.000	45.74	-10.92	34.82	74.00	-39.18	peak
3	2686.000	44.01	-8.24	35.77	74.00	-38.23	peak
4	4174.000	40.70	-2.98	37.72	74.00	-36.28	peak
5	5116.000	40.56	0.29	40.85	74.00	-33.15	peak
6	6622.000	36.25	4.51	40.76	74.00	-33.24	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1516.000	44.85	-12.44	32.41	74.00	-41.59	peak
2	2626.000	43.26	-8.52	34.74	74.00	-39.26	peak
3	3886.000	41.71	-4.51	37.20	74.00	-36.80	peak
4	4864.000	39.89	-0.60	39.29	74.00	-34.71	peak
5	5668.000	39.46	1.44	40.90	74.00	-33.10	peak
6	6664.000	36.12	4.53	40.65	74.00	-33.35	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1234.000	49.48	-13.67	35.81	74.00	-38.19	peak
2	2470.000	43.66	-8.90	34.76	74.00	-39.24	peak
3	3838.000	43.22	-4.42	38.80	74.00	-35.20	peak
4	4858.000	40.35	-0.61	39.74	74.00	-34.26	peak
5	5680.000	39.69	1.44	41.13	74.00	-32.87	peak
6	6844.000	35.81	4.70	40.51	74.00	-33.49	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



UNII-2C BAND – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1636.000	44.77	-11.77	33.00	74.00	-41.00	peak
2	2632.000	43.25	-8.49	34.76	74.00	-39.24	peak
3	3694.000	41.64	-4.85	36.79	74.00	-37.21	peak
4	4402.000	41.99	-2.87	39.12	74.00	-34.88	peak
5	5704.000	38.14	1.44	39.58	74.00	-34.42	peak
6	6784.000	35.92	4.56	40.48	74.00	-33.52	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1234.000	48.58	-13.67	34.91	74.00	-39.09	peak
2	2332.000	44.48	-9.35	35.13	74.00	-38.87	peak
3	3634.000	42.44	-5.13	37.31	74.00	-36.69	peak
4	4864.000	40.54	-0.60	39.94	74.00	-34.06	peak
5	5392.000	40.19	0.79	40.98	74.00	-33.02	peak
6	6796.000	37.07	4.57	41.64	74.00	-32.36	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1780.000	48.07	-10.89	37.18	74.00	-36.82	peak
2	3178.000	42.71	-6.65	36.06	74.00	-37.94	peak
3	4408.000	42.66	-2.83	39.83	74.00	-34.17	peak
4	5164.000	38.56	0.62	39.18	74.00	-34.82	peak
5	5668.000	39.76	1.44	41.20	74.00	-32.80	peak
6	6664.000	36.17	4.53	40.70	74.00	-33.30	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1234.000	49.16	-13.67	35.49	74.00	-38.51	peak
2	2932.000	42.97	-7.30	35.67	74.00	-38.33	peak
3	4582.000	40.94	-1.76	39.18	74.00	-34.82	peak
4	5656.000	38.62	1.44	40.06	74.00	-33.94	peak
5	5866.000	39.62	1.70	41.32	74.00	-32.68	peak
6	6790.000	35.89	4.57	40.46	74.00	-33.54	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1762.000	51.34	-11.00	40.34	74.00	-33.66	peak
2	2764.000	42.71	-7.86	34.85	74.00	-39.15	peak
3	4318.000	40.76	-2.82	37.94	74.00	-36.06	peak
4	5668.000	38.86	1.44	40.30	74.00	-33.70	peak
5	6298.000	36.26	2.76	39.02	74.00	-34.98	peak
6	6784.000	36.14	4.56	40.70	74.00	-33.30	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1240.000	48.66	-13.65	35.01	74.00	-38.99	peak
2	2626.000	43.34	-8.52	34.82	74.00	-39.18	peak
3	4138.000	41.37	-3.34	38.03	74.00	-35.97	peak
4	4846.000	40.25	-0.62	39.63	74.00	-34.37	peak
5	5866.000	40.41	1.70	42.11	74.00	-31.89	peak
6	6658.000	36.18	4.51	40.69	74.00	-33.31	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

STRADDLE CHANNEL 144 – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	46.54	-11.02	35.52	74.00	-38.48	peak
2	2998.000	42.28	-7.09	35.19	54.00	-18.81	RMS
3	4432.000	40.42	-2.68	37.74	74.00	-36.26	peak
4	5716.000	50.95	1.44	52.39	74.00	-21.61	peak
5	5890.000	47.84	1.79	49.63	74.00	-24.37	peak
6	6622.000	36.48	4.51	40.99	74.00	-33.01	peak

Note: 1. Measurement = Reading Level + Correct Factor.
 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Peak: Peak detector.
 4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
 5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
 6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	46.57	-11.02	35.55	74.00	-38.45	peak
2	3178.000	42.49	-6.65	35.84	74.00	-38.16	peak
3	4558.000	40.94	-1.89	39.05	74.00	-34.95	peak
4	5716.000	48.00	1.44	49.44	74.00	-24.56	peak
5	6376.000	35.67	3.22	38.89	74.00	-35.11	peak
6	6790.000	35.90	4.57	40.47	74.00	-33.53	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-3 BAND – FPC ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1762.000	53.33	-11.00	42.33	74.00	-31.67	peak
2	2554.000	44.21	-8.72	35.49	74.00	-38.51	peak
3	4138.000	42.04	-3.34	38.70	74.00	-35.30	peak
4	5116.000	39.65	0.29	39.94	74.00	-34.06	peak
5	5746.000	51.03	1.45	52.48	74.00	-21.52	peak
6	6670.000	35.54	4.53	40.07	74.00	-33.93	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.




HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1606.000	45.15	-11.97	33.18	74.00	-40.82	peak
2	2302.000	44.23	-9.47	34.76	74.00	-39.24	peak
3	3700.000	42.28	-4.82	37.46	74.00	-36.54	peak
4	4600.000	41.78	-1.64	40.14	74.00	-33.86	peak
5	5746.000	50.71	1.45	52.16	74.00	-21.84	peak
6	6664.000	35.67	4.53	40.20	74.00	-33.80	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1546.000	45.72	-12.28	33.44	74.00	-40.56	peak
2	2332.000	43.73	-9.35	34.38	74.00	-39.62	peak
3	3496.000	41.68	-5.83	35.85	74.00	-38.15	peak
4	4696.000	40.76	-1.17	39.59	74.00	-34.41	peak
5	5782.000	41.86	1.44	43.30	74.00	-30.70	peak
6	6628.000	35.85	4.50	40.35	74.00	-33.65	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1228.000	48.97	-13.68	35.29	74.00	-38.71	peak
2	2332.000	44.34	-9.35	34.99	74.00	-39.01	peak
3	3730.000	42.24	-4.68	37.56	74.00	-36.44	peak
4	4630.000	41.51	-1.49	40.02	74.00	-33.98	peak
5	5782.000	51.18	1.44	52.62	74.00	-21.38	peak
6	6658.000	36.05	4.51	40.56	74.00	-33.44	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/T_{on}$, where: T_{on} is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1294.000	45.65	-13.48	32.17	74.00	-41.83	peak
2	1918.000	46.75	-11.02	35.73	74.00	-38.27	peak
3	3292.000	42.05	-6.45	35.60	74.00	-38.40	peak
4	4750.000	41.03	-0.90	40.13	74.00	-33.87	peak
5	5830.000	42.34	1.56	43.90	74.00	-30.10	peak
6	6670.000	35.91	4.53	40.44	74.00	-33.56	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	46.01	-11.02	34.99	74.00	-39.01	peak
2	2674.000	43.49	-8.29	35.20	74.00	-38.80	peak
3	4138.000	40.59	-3.34	37.25	74.00	-36.75	peak
4	4630.000	42.02	-1.49	40.53	74.00	-33.47	peak
5	5830.000	47.46	1.56	49.02	74.00	-24.98	peak
6	6628.000	36.79	4.50	41.29	74.00	-32.71	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.


6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-1 BAND – PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1096.000	48.86	-14.45	34.41	74.00	-39.59	peak
2	1918.000	50.38	-11.02	39.36	74.00	-34.64	peak
3	3838.000	43.25	-4.42	38.83	74.00	-35.17	peak
4	5182.000	44.94	0.74	45.68	74.00	-28.32	peak
5	5950.000	38.57	2.01	40.58	74.00	-33.42	peak
6	6622.000	37.43	4.51	41.94	74.00	-32.06	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1102.000	49.44	-14.41	35.03	74.00	-38.97	peak
2	1918.000	47.95	-11.02	36.93	74.00	-37.07	peak
3	5116.000	46.26	0.29	46.55	74.00	-27.45	peak
4	5180.000	42.55	0.73	43.28	74.00	-30.72	peak
5	5950.000	39.51	2.01	41.52	74.00	-32.48	peak
6	6592.000	37.63	4.45	42.08	74.00	-31.92	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.26	-11.02	39.24	74.00	-34.76	peak
2	3838.000	44.54	-4.42	40.12	74.00	-33.88	peak
3	4864.000	41.35	-0.60	40.75	74.00	-33.25	peak
4	5200.000	43.54	0.86	44.40	74.00	-29.60	peak
5	5668.000	39.80	1.44	41.24	74.00	-32.76	peak
6	6622.000	36.78	4.51	41.29	74.00	-32.71	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1090.000	49.30	-14.49	34.81	74.00	-39.19	peak
2	1918.000	48.86	-11.02	37.84	74.00	-36.16	peak
3	4180.000	42.02	-2.93	39.09	74.00	-34.91	peak
4	5116.000	46.14	0.29	46.43	74.00	-27.57	peak
5	5662.000	39.51	1.44	40.95	74.00	-33.05	peak
6	6790.000	36.75	4.57	41.32	74.00	-32.68	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	48.26	-12.92	35.34	74.00	-38.66	peak
2	1918.000	50.19	-11.02	39.17	74.00	-34.83	peak
3	4750.000	41.61	-0.90	40.71	74.00	-33.29	peak
4	5116.000	40.71	0.29	41.00	74.00	-33.00	peak
5	5674.000	39.28	1.44	40.72	74.00	-33.28	peak
6	6664.000	36.87	4.53	41.40	74.00	-32.60	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	47.57	-11.02	36.55	74.00	-37.45	peak
2	4270.000	42.68	-2.78	39.90	74.00	-34.10	peak
3	5122.000	44.00	0.33	44.33	74.00	-29.67	peak
4	5404.000	41.88	0.82	42.70	74.00	-31.30	peak
5	5866.000	39.65	1.70	41.35	74.00	-32.65	peak
6	6784.000	36.43	4.56	40.99	74.00	-33.01	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2A BAND – PIFA ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.37	-11.02	39.35	74.00	-34.65	peak
2	3838.000	43.57	-4.42	39.15	74.00	-34.85	peak
3	4666.000	42.38	-1.31	41.07	74.00	-32.93	peak
4	5260.000	43.48	0.84	44.32	74.00	-29.68	peak
5	5662.000	39.66	1.44	41.10	74.00	-32.90	peak
6	6658.000	37.02	4.51	41.53	74.00	-32.47	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1096.000	49.21	-14.45	34.76	74.00	-39.24	peak
2	1918.000	48.18	-11.02	37.16	74.00	-36.84	peak
3	5098.000	42.87	0.17	43.04	74.00	-30.96	peak
4	5398.000	40.77	0.80	41.57	74.00	-32.43	peak
5	5668.000	40.44	1.44	41.88	74.00	-32.12	peak
6	6796.000	37.00	4.57	41.57	74.00	-32.43	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.




HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.19	-11.02	39.17	74.00	-34.83	peak
2	3838.000	44.03	-4.42	39.61	74.00	-34.39	peak
3	5116.000	40.68	0.29	40.97	74.00	-33.03	peak
4	5686.000	39.50	1.44	40.94	74.00	-33.06	peak
5	6586.000	36.70	4.41	41.11	74.00	-32.89	peak
6	6790.000	36.51	4.57	41.08	74.00	-32.92	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	49.24	-13.76	35.48	74.00	-38.52	peak
2	1918.000	50.08	-11.02	39.06	74.00	-34.94	peak
3	3178.000	43.16	-6.65	36.51	74.00	-37.49	peak
4	3838.000	44.02	-4.42	39.60	74.00	-34.40	peak
5	5278.000	48.54	0.84	49.38	74.00	-24.62	peak
6	6790.000	37.57	4.57	42.14	74.00	-31.86	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.51	-11.02	39.49	74.00	-34.51	peak
2	3838.000	43.61	-4.42	39.19	74.00	-34.81	peak
3	4876.000	40.71	-0.59	40.12	74.00	-33.88	peak
4	5320.000	50.32	0.82	51.14	74.00	-22.86	peak
5	5692.000	39.81	1.43	41.24	74.00	-32.76	peak
6	6658.000	36.53	4.51	41.04	74.00	-32.96	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/T_{on}$, where: T_{on} is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	49.25	-11.02	38.23	74.00	-35.77	peak
2	4294.000	42.08	-2.80	39.28	74.00	-34.72	peak
3	5116.000	41.12	0.29	41.41	74.00	-32.59	peak
4	5386.000	42.46	0.80	43.26	74.00	-30.74	peak
5	5662.000	40.41	1.44	41.85	74.00	-32.15	peak
6	6784.000	36.71	4.56	41.27	74.00	-32.73	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



UNII-2C BAND– PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	49.45	-13.76	35.69	74.00	-38.31	peak
2	1918.000	50.81	-11.02	39.79	74.00	-34.21	peak
3	3838.000	45.01	-4.42	40.59	74.00	-33.41	peak
4	4672.000	41.44	-1.29	40.15	74.00	-33.85	peak
5	5332.000	40.43	0.81	41.24	74.00	-32.76	peak
6	6784.000	37.23	4.56	41.79	74.00	-32.21	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	48.52	-11.02	37.50	74.00	-36.50	peak
2	2578.000	44.28	-8.69	35.59	74.00	-38.41	peak
3	4240.000	41.50	-2.76	38.74	74.00	-35.26	peak
4	5338.000	44.60	0.81	45.41	74.00	-28.59	peak
5	5932.000	39.17	1.94	41.11	74.00	-32.89	peak
6	6838.000	36.69	4.69	41.38	74.00	-32.62	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	50.98	-11.02	39.96	74.00	-34.04	peak
2	3838.000	43.61	-4.42	39.19	74.00	-34.81	peak
3	4696.000	41.51	-1.17	40.34	74.00	-33.66	peak
4	5656.000	39.38	1.44	40.82	74.00	-33.18	peak
5	5842.000	39.38	1.60	40.98	74.00	-33.02	peak
6	6658.000	36.77	4.51	41.28	74.00	-32.72	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	48.90	-12.92	35.98	74.00	-38.02	peak
2	1918.000	48.33	-11.02	37.31	74.00	-36.69	peak
3	4522.000	42.01	-2.11	39.90	74.00	-34.10	peak
4	5416.000	40.69	0.85	41.54	74.00	-32.46	peak
5	5860.000	39.16	1.68	40.84	74.00	-33.16	peak
6	6622.000	37.08	4.51	41.59	74.00	-32.41	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	47.96	-12.92	35.04	74.00	-38.96	peak
2	1918.000	51.12	-11.02	40.10	74.00	-33.90	peak
3	4696.000	41.64	-1.17	40.47	74.00	-33.53	peak
4	5698.000	41.11	1.45	42.56	74.00	-31.44	peak
5	5824.000	40.87	1.54	42.41	74.00	-31.59	peak
6	6808.000	36.55	4.59	41.14	74.00	-32.86	peak

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1096.000	49.28	-14.45	34.83	74.00	-39.17	peak
2	1438.000	48.31	-12.92	35.39	74.00	-38.61	peak
3	1918.000	48.92	-11.02	37.90	74.00	-36.10	peak
4	4846.000	41.00	-0.62	40.38	74.00	-33.62	peak
5	5818.000	45.35	1.51	46.86	74.00	-27.14	peak
6	6790.000	37.25	4.57	41.82	74.00	-32.18	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.


6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

STRADDLE CHANNEL 144 – PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1096.000	50.70	-14.45	36.25	74.00	-37.75	peak
2	1438.000	49.55	-12.92	36.63	74.00	-37.37	peak
3	1918.000	51.29	-11.02	40.27	74.00	-33.73	peak
4	4666.000	41.41	-1.31	40.10	74.00	-33.90	peak
5	5746.000	45.53	1.45	46.98	74.00	-27.02	peak
6	6592.000	36.63	4.45	41.08	74.00	-32.92	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	48.00	-12.92	35.08	74.00	-38.92	peak
2	1918.000	48.56	-11.02	37.54	74.00	-36.46	peak
3	2578.000	45.36	-8.69	36.67	74.00	-37.33	peak
4	5116.000	40.53	0.29	40.82	74.00	-33.18	peak
5	5752.000	48.87	1.44	50.31	74.00	-23.69	peak
6	6628.000	37.18	4.50	41.68	74.00	-32.32	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-3 BAND – PIFA ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1204.000	49.54	-13.76	35.78	74.00	-38.22	peak
2	1918.000	51.18	-11.02	40.16	74.00	-33.84	peak
3	3838.000	44.58	-4.42	40.16	74.00	-33.84	peak
4	4828.000	40.76	-0.63	40.13	74.00	-33.87	peak
5	5745.000	48.43	1.45	49.88	74.00	-24.12	peak
6	6598.000	36.75	4.49	41.24	74.00	-32.76	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.




HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1096.000	49.27	-14.45	34.82	74.00	-39.18	peak
2	1918.000	48.54	-11.02	37.52	74.00	-36.48	peak
3	3838.000	43.11	-4.42	38.69	74.00	-35.31	peak
4	4594.000	42.42	-1.68	40.74	74.00	-33.26	peak
5	5745.000	50.19	1.45	51.64	74.00	-22.36	peak
6	6820.000	36.57	4.64	41.21	74.00	-32.79	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1096.000	50.79	-14.45	36.34	74.00	-37.66	peak
2	1918.000	52.01	-11.02	40.99	74.00	-33.01	peak
3	3838.000	43.74	-4.42	39.32	74.00	-34.68	peak
4	5674.000	40.82	1.44	42.26	74.00	-31.74	peak
5	5785.000	49.96	1.44	51.40	74.00	-22.60	peak
6	6628.000	37.26	4.50	41.76	74.00	-32.24	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1102.000	49.29	-14.41	34.88	74.00	-39.12	peak
2	1918.000	49.84	-11.02	38.82	74.00	-35.18	peak
3	5662.000	45.81	1.44	47.25	74.00	-26.75	peak
4	5785.000	48.06	1.44	49.50	74.00	-24.50	peak
5	5884.000	42.50	1.76	44.26	74.00	-29.74	peak
6	6652.000	37.21	4.52	41.73	74.00	-32.27	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1438.000	48.54	-12.92	35.62	74.00	-38.38	peak
2	1918.000	50.80	-11.02	39.78	74.00	-34.22	peak
3	2158.000	54.21	-10.16	44.05	74.00	-29.95	peak
4	5830.000	49.38	1.56	50.94	74.00	-23.06	peak
5	6328.000	37.09	2.94	40.03	74.00	-33.97	peak
6	6586.000	36.73	4.41	41.14	74.00	-32.86	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1096.000	50.49	-14.45	36.04	74.00	-37.96	peak
2	1438.000	48.88	-12.92	35.96	74.00	-38.04	peak
3	1918.000	48.20	-11.02	37.18	74.00	-36.82	peak
4	4876.000	41.41	-0.59	40.82	74.00	-33.18	peak
5	5825.000	50.07	1.55	51.62	74.00	-22.38	peak
6	6622.000	37.04	4.51	41.55	74.00	-32.45	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


Note: All the modes and antennas had been tested, but only the worst data was recorded in the report.

8.3. SPURIOUS EMISSIONS (7 GHz ~ 18 GHz)

8.3.1. 802.11a SISO MODE

UNII-1 BAND – PCB ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	38.27	10.39	48.66	74.00	-25.34	peak
2	10366.000	52.67	12.61	65.28	74.00	-8.72	peak
3	10366.000	38.87	12.61	51.48	54.00	-2.52	AVG
4	11697.000	34.49	17.10	51.59	74.00	-22.41	peak
5	13556.000	33.11	19.11	52.22	74.00	-21.78	peak
6	15536.000	35.65	15.32	50.97	74.00	-23.03	peak
7	17758.000	29.41	23.83	53.24	74.00	-20.76	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	39.36	8.64	48.00	74.00	-26.00	peak
2	10366.000	49.15	12.61	61.76	74.00	-12.24	peak
3	10366.000	35.89	12.61	48.50	54.00	-5.50	AVG
4	11840.000	35.44	17.08	52.52	74.00	-21.48	peak
5	14062.000	33.10	19.07	52.17	74.00	-21.83	peak
6	15547.000	41.23	15.38	56.61	74.00	-17.39	peak
7	15547.000	27.61	15.38	42.99	54.00	-11.01	AVG
8	16933.000	32.41	19.67	52.08	74.00	-21.92	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7869.000	39.30	8.39	47.69	74.00	-26.31	peak
2	10399.000	52.64	12.75	65.39	74.00	-8.61	peak
3	10399.000	37.33	12.75	50.08	54.00	-3.92	AVG
4	11840.000	34.65	17.08	51.73	74.00	-22.27	peak
5	13446.000	32.62	19.06	51.68	74.00	-22.32	peak
6	15602.000	34.63	15.64	50.27	74.00	-23.73	peak
7	17725.000	28.97	23.54	52.51	74.00	-21.49	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8078.000	38.42	9.22	47.64	74.00	-26.36	peak
2	10410.000	47.78	12.76	60.54	74.00	-13.46	peak
3	10410.000	35.92	12.76	48.68	54.00	-5.32	AVG
4	12060.000	34.26	17.09	51.35	74.00	-22.65	peak
5	13875.000	32.10	19.32	51.42	74.00	-22.58	peak
6	15602.000	38.51	15.64	54.15	74.00	-19.85	peak
7	15602.000	25.12	15.64	40.76	54.00	-13.24	AVG
8	17758.000	29.08	23.83	52.91	74.00	-21.09	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9013.000	36.95	10.63	47.58	74.00	-26.42	peak
2	10476.000	52.15	12.84	64.99	74.00	-9.01	peak
3	10476.000	39.94	12.84	52.78	54.00	-1.22	AVG
4	11686.000	34.85	17.03	51.88	74.00	-22.12	peak
5	13655.000	32.45	19.29	51.74	74.00	-22.26	peak
6	14436.000	33.00	17.81	50.81	74.00	-23.19	peak
7	17670.000	29.73	23.02	52.75	74.00	-21.25	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	40.10	8.33	48.43	74.00	-25.57	peak
2	10476.000	45.97	12.84	58.81	74.00	-15.19	peak
3	10476.000	34.27	12.84	47.11	54.00	-6.89	AVG
4	11763.000	33.95	17.03	50.98	74.00	-23.02	peak
5	13380.000	33.22	18.90	52.12	74.00	-21.88	peak
6	15723.000	35.52	15.61	51.13	74.00	-22.87	peak
7	17769.000	28.90	23.92	52.82	74.00	-21.18	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2A BAND – PCB ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8342.000	39.05	8.87	47.92	74.00	-26.08	peak
2	10520.000	51.19	12.95	64.14	74.00	-9.86	peak
3	10520.000	38.30	12.95	51.25	54.00	-2.75	AVG
4	11862.000	34.56	17.14	51.70	74.00	-22.30	peak
5	13512.000	32.64	19.20	51.84	74.00	-22.16	peak
6	14788.000	32.33	17.55	49.88	74.00	-24.12	peak
7	17769.000	28.80	23.92	52.72	74.00	-21.28	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9013.000	36.83	10.63	47.46	74.00	-26.54	peak
2	10520.000	44.69	12.95	57.64	74.00	-16.36	peak
3	10520.000	33.56	12.95	46.51	54.00	-7.49	AVG
4	11708.000	34.21	17.10	51.31	74.00	-22.69	peak
5	14051.000	32.85	19.12	51.97	74.00	-22.03	peak
6	15613.000	33.04	15.64	48.68	74.00	-25.32	peak
7	17769.000	29.17	23.92	53.09	74.00	-20.91	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.


5. For the transmitting duration, please refer to clause 7.1.

6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.47	10.18	47.65	74.00	-26.35	peak
2	10564.000	50.06	13.12	63.18	74.00	-10.82	peak
3	10564.000	37.66	13.12	50.78	54.00	-3.22	AVG
4	11686.000	34.55	17.03	51.58	74.00	-22.42	peak
5	13677.000	32.97	19.39	52.36	74.00	-21.64	peak
6	15151.000	34.65	15.83	50.48	74.00	-23.52	peak
7	17978.000	28.40	24.83	53.23	74.00	-20.77	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.




HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9013.000	37.37	10.63	48.00	74.00	-26.00	peak
2	10564.000	45.51	13.12	58.63	74.00	-15.37	peak
3	10564.000	32.09	13.12	45.21	54.00	-8.79	AVG
4	11950.000	34.42	17.26	51.68	74.00	-22.32	peak
5	13468.000	32.31	19.12	51.43	74.00	-22.57	peak
6	15635.000	34.14	15.63	49.77	74.00	-24.23	peak
7	17857.000	28.05	24.26	52.31	74.00	-21.69	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8078.000	38.03	9.22	47.25	74.00	-26.75	peak
2	10641.000	52.01	13.39	65.40	74.00	-8.60	peak
3	10641.000	36.76	13.39	50.15	54.00	-3.85	AVG
4	11829.000	34.62	17.05	51.67	74.00	-22.33	peak
5	13545.000	33.02	19.13	52.15	74.00	-21.85	peak
6	15646.000	33.14	15.63	48.77	74.00	-25.23	peak
7	17747.000	29.42	23.74	53.16	74.00	-20.84	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	38.57	8.64	47.21	74.00	-26.79	peak
2	10641.000	48.93	13.39	62.32	74.00	-11.68	peak
3	10641.000	34.87	13.39	48.26	54.00	-5.74	AVG
4	11796.000	35.09	16.99	52.08	74.00	-21.92	peak
5	13864.000	32.63	19.33	51.96	74.00	-22.04	peak
6	16460.000	31.17	17.26	48.43	74.00	-25.57	peak
7	17879.000	28.78	24.28	53.06	74.00	-20.94	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



UNII-2C BAND – PCB ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	38.01	10.60	48.61	74.00	-25.39	peak
2	11004.000	45.07	14.23	59.30	74.00	-14.70	peak
3	11004.000	32.08	14.23	46.31	54.00	-7.69	AVG
4	12621.000	34.93	17.10	52.03	74.00	-21.97	peak
5	13501.000	32.49	19.22	51.71	74.00	-22.29	peak
6	16515.000	34.14	17.36	51.50	74.00	-22.50	peak
7	17912.000	28.42	24.39	52.81	74.00	-21.19	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.




HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8078.000	38.71	9.22	47.93	74.00	-26.07	peak
2	10289.000	36.45	12.30	48.75	74.00	-25.25	peak
3	11004.000	40.24	14.23	54.47	74.00	-19.53	peak
4	11004.000	25.92	14.23	40.15	54.00	-13.85	AVG
5	13578.000	34.04	19.08	53.12	74.00	-20.88	peak
6	14821.000	32.85	17.36	50.21	74.00	-23.79	peak
7	17714.000	29.82	23.45	53.27	74.00	-20.73	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	39.57	7.93	47.50	74.00	-26.50	peak
2	10179.000	36.97	11.97	48.94	74.00	-25.06	peak
3	11158.000	39.13	14.97	54.10	74.00	-19.90	peak
4	11158.000	27.39	14.97	42.36	54.00	-11.64	AVG
5	13556.000	31.98	19.11	51.09	74.00	-22.91	peak
6	16735.000	37.31	18.14	55.45	74.00	-18.55	peak
7	16735.000	24.19	18.14	42.33	54.00	-11.67	AVG
8	17769.000	29.16	23.92	53.08	74.00	-20.92	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	37.22	10.17	47.39	74.00	-26.61	peak
2	11752.000	35.24	17.04	52.28	74.00	-21.72	peak
3	13809.000	33.00	19.42	52.42	74.00	-21.58	peak
4	14843.000	32.75	17.17	49.92	74.00	-24.08	peak
5	16746.000	31.59	18.23	49.82	74.00	-24.18	peak
6	17912.000	28.51	24.39	52.90	74.00	-21.10	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	39.14	8.34	47.48	74.00	-26.52	peak
2	9112.000	38.85	9.70	48.55	74.00	-25.45	peak
3	11400.000	34.09	16.38	50.47	74.00	-23.53	peak
4	12313.000	33.31	17.52	50.83	74.00	-23.17	peak
5	13919.000	32.54	19.30	51.84	74.00	-22.16	peak
6	17098.000	35.06	20.38	55.44	74.00	-18.56	peak
7	17098.000	23.30	20.38	43.68	54.00	-10.32	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	39.21	9.70	48.91	74.00	-25.09	peak
2	11697.000	34.72	17.10	51.82	74.00	-22.18	peak
3	13545.000	32.36	19.13	51.49	74.00	-22.51	peak
4	15635.000	33.58	15.63	49.21	74.00	-24.79	peak
5	17109.000	32.43	20.43	52.86	74.00	-21.14	peak
6	17758.000	28.94	23.83	52.77	74.00	-21.23	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


STRADDLE CHANNEL 144 – PCB ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.52	8.49	48.01	74.00	-25.99	peak
2	8980.000	37.47	10.39	47.86	74.00	-26.14	peak
3	11708.000	34.86	17.10	51.96	74.00	-22.04	peak
4	12269.000	33.71	17.53	51.24	74.00	-22.76	peak
5	13556.000	31.57	19.11	50.68	74.00	-23.32	peak
6	17158.500	41.99	20.57	62.56	74.00	-11.44	peak
7	17158.500	30.06	20.57	50.63	54.00	-3.37	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8050.500	38.90	8.80	47.70	74.00	-26.30	peak
2	9150.500	39.21	9.64	48.85	74.00	-25.15	peak
3	11686.000	36.00	17.03	53.03	74.00	-20.97	peak
4	13435.000	34.37	19.03	53.40	74.00	-20.60	peak
5	13809.000	33.39	19.42	52.81	74.00	-21.19	peak
6	17158.500	39.90	20.57	60.47	74.00	-13.53	peak
7	17158.500	20.86	20.57	41.43	54.00	-12.57	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.


5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



UNII-3 BAND – PCB ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	37.88	9.52	47.40	74.00	-26.60	peak
2	9189.000	39.54	9.58	49.12	74.00	-24.88	peak
3	10894.000	34.90	14.15	49.05	74.00	-24.95	peak
4	12346.000	33.49	17.45	50.94	74.00	-23.06	peak
5	14799.000	33.96	17.56	51.52	74.00	-22.48	peak
6	17241.000	37.99	21.02	59.01	74.00	-14.99	peak
7	17241.000	24.13	21.02	45.15	54.00	-8.85	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.




HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8078.000	38.48	9.22	47.70	74.00	-26.30	peak
2	9189.000	39.43	9.58	49.01	74.00	-24.99	peak
3	10212.000	37.06	12.09	49.15	74.00	-24.85	peak
4	11807.000	34.90	17.01	51.91	74.00	-22.09	peak
5	14414.000	33.50	17.90	51.40	74.00	-22.60	peak
6	17241.000	33.54	21.02	54.56	74.00	-19.44	peak
7	17241.000	23.12	21.02	44.14	54.00	-9.86	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8089.000	37.45	9.39	46.84	74.00	-27.16	peak
2	9255.000	39.75	9.88	49.63	54.00	-4.37	AVG
3	11741.000	34.33	17.05	51.38	74.00	-22.62	peak
4	14062.000	31.49	19.07	50.56	74.00	-23.44	peak
5	14799.000	32.49	17.56	50.05	74.00	-23.95	peak
6	17362.000	37.46	21.17	58.63	74.00	-15.37	peak
7	17362.000	23.96	21.17	45.13	54.00	-8.87	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	39.63	8.27	47.90	74.00	-26.10	peak
2	9255.000	40.11	9.88	49.99	74.00	-24.01	peak
3	11708.000	34.11	17.10	51.21	74.00	-22.79	peak
4	13490.000	32.08	19.19	51.27	74.00	-22.73	peak
5	15613.000	32.59	15.64	48.23	74.00	-25.77	peak
6	17351.000	33.08	21.23	54.31	74.00	-19.69	peak
7	17351.000	22.02	21.23	43.25	54.00	-10.75	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	39.31	9.05	48.36	74.00	-25.64	peak
2	9321.000	38.98	10.27	49.25	74.00	-24.75	peak
3	11642.000	35.51	16.75	52.26	74.00	-21.74	peak
4	13512.000	33.09	19.20	52.29	74.00	-21.71	peak
5	14711.000	32.68	17.48	50.16	74.00	-23.84	peak
6	17483.000	37.64	21.27	58.91	74.00	-15.09	peak
7	17483.000	24.78	21.27	46.05	54.00	-7.95	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.67	8.49	48.16	74.00	-25.84	peak
2	9321.000	38.65	10.27	48.92	74.00	-25.08	peak
3	11708.000	34.81	17.10	51.91	74.00	-22.09	peak
4	13534.000	32.41	19.16	51.57	74.00	-22.43	peak
5	14799.000	32.16	17.56	49.72	74.00	-24.28	peak
6	17714.000	28.87	23.45	52.32	74.00	-21.68	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-1 BAND – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	39.23	8.27	47.50	74.00	-26.50	peak
2	10355.000	51.50	12.57	64.07	74.00	-9.93	peak
3	10355.000	35.95	12.57	48.52	54.00	-5.48	AVG
4	11818.000	35.54	17.02	52.56	74.00	-21.44	peak
5	13446.000	33.46	19.06	52.52	74.00	-21.48	peak
6	15536.000	41.21	15.32	56.53	74.00	-17.47	peak
7	15536.000	27.03	15.32	42.35	54.00	-11.65	AVG
8	16845.000	33.43	19.18	52.61	74.00	-21.39	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	39.68	9.05	48.73	74.00	-25.27	peak
2	10366.000	51.12	12.61	63.73	74.00	-10.27	peak
3	10366.000	35.94	12.61	48.55	54.00	-5.45	AVG
4	11697.000	35.37	17.10	52.47	74.00	-21.53	peak
5	14051.000	33.70	19.12	52.82	74.00	-21.18	peak
6	15547.000	40.54	15.38	55.92	74.00	-18.08	peak
7	15547.000	27.09	15.38	42.47	54.00	-11.53	AVG
8	17758.000	29.35	23.83	53.18	74.00	-20.82	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.84	10.18	48.02	74.00	-25.98	peak
2	10399.000	46.94	12.75	59.69	74.00	-14.31	peak
3	10399.000	30.36	12.75	43.11	54.00	-10.89	AVG
4	11675.000	35.21	16.95	52.16	74.00	-21.84	peak
5	13545.000	33.43	19.13	52.56	74.00	-21.44	peak
6	15613.000	39.39	15.64	55.03	74.00	-18.97	peak
7	15613.000	25.49	15.64	41.13	54.00	-12.87	AVG
8	17945.000	28.20	24.61	52.81	74.00	-21.19	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.




HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	37.62	10.17	47.79	74.00	-26.21	peak
2	10399.000	45.52	12.75	58.27	74.00	-15.73	peak
3	10399.000	30.14	12.75	42.89	54.00	-11.11	AVG
4	11862.000	35.72	17.14	52.86	74.00	-21.14	peak
5	13556.000	33.02	19.11	52.13	74.00	-21.87	peak
6	15602.000	39.01	15.64	54.65	74.00	-19.35	peak
7	15602.000	25.62	15.64	41.26	54.00	-12.74	AVG
8	17824.000	29.10	24.21	53.31	74.00	-20.69	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	38.00	9.75	47.75	74.00	-26.25	peak
2	10476.000	39.46	12.84	52.30	74.00	-21.70	peak
3	11697.000	34.66	17.10	51.76	74.00	-22.24	peak
4	14051.000	33.34	19.12	52.46	74.00	-21.54	peak
5	15723.000	38.96	15.61	54.57	74.00	-19.43	peak
6	15723.000	25.37	15.61	40.98	54.00	-13.02	AVG
7	17912.000	28.12	24.39	52.51	74.00	-21.49	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8342.000	38.78	8.87	47.65	74.00	-26.35	peak
2	10476.000	40.25	12.84	53.09	74.00	-20.91	peak
3	11873.000	34.42	17.17	51.59	74.00	-22.41	peak
4	13633.000	32.62	19.19	51.81	74.00	-22.19	peak
5	15723.000	37.73	15.61	53.34	74.00	-20.66	peak
6	17758.000	28.71	23.83	52.54	74.00	-21.46	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2A BAND – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9068.000	37.86	10.06	47.92	74.00	-26.08	peak
2	10520.000	39.97	12.95	52.92	74.00	-21.08	peak
3	11752.000	34.48	17.04	51.52	74.00	-22.48	peak
4	13677.000	32.20	19.39	51.59	74.00	-22.41	peak
5	15789.000	38.11	15.61	53.72	74.00	-20.28	peak
6	17758.000	29.27	23.83	53.10	74.00	-20.90	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	38.18	9.52	47.70	74.00	-26.30	peak
2	10520.000	41.43	12.95	54.38	74.00	-19.62	peak
3	10520.000	27.40	12.95	40.35	54.00	-13.65	AVG
4	12621.000	34.41	17.10	51.51	74.00	-22.49	peak
5	13809.000	32.76	19.42	52.18	74.00	-21.82	peak
6	15789.000	38.56	15.61	54.17	74.00	-19.83	peak
7	15789.000	25.74	15.61	41.35	54.00	-12.65	AVG
8	17714.000	28.80	23.45	52.25	74.00	-21.75	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.74	9.96	47.70	74.00	-26.30	peak
2	10564.000	42.09	13.12	55.21	74.00	-18.79	peak
3	10564.000	28.11	13.12	41.23	54.00	-12.77	AVG
4	13446.000	33.05	19.06	52.11	74.00	-21.89	peak
5	15844.000	36.18	15.57	51.75	74.00	-22.25	peak
6	17868.000	29.20	24.27	53.47	74.00	-20.53	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	39.28	9.53	48.81	74.00	-25.19	peak
2	10564.000	43.22	13.12	56.34	74.00	-17.66	peak
3	10564.000	30.40	13.12	43.52	54.00	-10.48	AVG
4	12280.000	34.43	17.54	51.97	74.00	-22.03	peak
5	13908.000	32.92	19.30	52.22	74.00	-21.78	peak
6	15844.000	37.76	15.57	53.33	74.00	-20.67	peak
7	17758.000	29.26	23.83	53.09	74.00	-20.91	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.38	10.39	47.77	74.00	-26.23	peak
2	10641.000	42.72	13.39	56.11	74.00	-17.89	peak
3	10641.000	30.66	13.39	44.05	54.00	-9.95	AVG
4	11862.000	34.73	17.14	51.87	74.00	-22.13	peak
5	13919.000	32.75	19.30	52.05	74.00	-21.95	peak
6	15976.000	36.09	15.67	51.76	74.00	-22.24	peak
7	17835.000	28.72	24.23	52.95	74.00	-21.05	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.

5. For the transmitting duration, please refer to clause 7.1.


6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

7. Proper operation of the transmitter prior to adding the filter to the measurement chain.

8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8155.000	38.42	9.35	47.77	74.00	-26.23	peak
2	10641.000	44.81	13.39	58.20	74.00	-15.80	peak
3	10641.000	32.19	13.39	45.58	54.00	-8.42	AVG
4	11741.000	34.92	17.05	51.97	74.00	-22.03	peak
5	13622.000	33.43	19.13	52.56	74.00	-21.44	peak
6	15965.000	40.38	15.65	56.03	74.00	-17.97	peak
7	15965.000	28.33	15.65	43.98	54.00	-10.02	AVG
8	17824.000	28.27	24.21	52.48	74.00	-21.52	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



UNII-2C BAND – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	39.76	8.23	47.99	74.00	-26.01	peak
2	9376.000	37.88	10.64	48.52	74.00	-25.48	peak
3	11004.000	39.01	14.23	53.24	74.00	-20.76	peak
4	12665.000	34.75	17.05	51.80	74.00	-22.20	peak
5	13996.000	32.59	19.37	51.96	74.00	-22.04	peak
6	16504.000	37.86	17.31	55.17	74.00	-18.83	peak
7	16504.000	22.47	17.31	39.78	54.00	-14.22	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.01	8.49	47.50	74.00	-26.50	peak
2	10993.000	40.58	14.20	54.78	74.00	-19.22	peak
3	10993.000	26.05	14.20	40.25	54.00	-13.75	AVG
4	11697.000	34.91	17.10	52.01	74.00	-21.99	peak
5	14073.000	33.45	19.01	52.46	74.00	-21.54	peak
6	16504.000	35.39	17.31	52.70	74.00	-21.30	peak
7	17956.000	28.66	24.68	53.34	74.00	-20.66	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	39.24	9.31	48.55	74.00	-25.45	peak
2	10190.000	36.98	12.02	49.00	74.00	-25.00	peak
3	11719.000	34.55	17.09	51.64	74.00	-22.36	peak
4	13996.000	32.15	19.37	51.52	74.00	-22.48	peak
5	16735.000	39.84	18.14	57.98	74.00	-16.02	peak
6	16735.000	24.99	18.14	43.13	54.00	-10.87	AVG
7	17769.000	29.52	23.92	53.44	74.00	-20.56	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.




HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	39.15	9.31	48.46	74.00	-25.54	peak
2	11422.000	34.82	16.39	51.21	74.00	-22.79	peak
3	12346.000	34.40	17.45	51.85	74.00	-22.15	peak
4	14007.000	31.91	19.34	51.25	74.00	-22.75	peak
5	16746.000	40.08	18.23	58.31	74.00	-15.69	peak
6	16746.000	26.59	18.23	44.82	54.00	-9.18	AVG
7	17967.000	28.47	24.75	53.22	74.00	-20.78	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7825.000	39.57	8.59	48.16	74.00	-25.84	peak
2	9112.000	40.27	9.70	49.97	74.00	-24.03	peak
3	10828.000	34.12	13.86	47.98	74.00	-26.02	peak
4	12225.000	33.91	17.50	51.41	74.00	-22.59	peak
5	14678.000	32.26	17.46	49.72	74.00	-24.28	peak
6	17109.000	39.31	20.43	59.74	74.00	-14.26	peak
7	17109.000	26.78	20.43	47.21	54.00	-6.79	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	38.61	9.05	47.66	74.00	-26.34	peak
2	9376.000	37.26	10.64	47.90	74.00	-26.10	peak
3	11697.000	34.56	17.10	51.66	74.00	-22.34	peak
4	12731.000	33.15	17.14	50.29	74.00	-23.71	peak
5	14821.000	32.12	17.36	49.48	74.00	-24.52	peak
6	17098.000	37.75	20.38	58.13	74.00	-15.87	peak
7	17098.000	23.90	20.38	44.28	54.00	-9.72	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

STRADDLE CHANNEL 144 – FPC ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8078.000	38.72	9.22	47.94	74.00	-26.06	peak
2	9596.000	36.76	11.05	47.81	74.00	-26.19	peak
3	11730.000	34.16	17.07	51.23	74.00	-22.77	peak
4	13985.000	32.27	19.36	51.63	74.00	-22.37	peak
5	16020.000	33.28	15.72	49.00	74.00	-25.00	peak
6	17164.000	39.07	20.59	59.66	74.00	-14.34	peak
7	17164.000	27.63	20.59	48.22	54.00	-5.78	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8265.000	38.67	9.07	47.74	74.00	-26.26	peak
2	9123.000	38.10	9.69	47.79	74.00	-26.21	peak
3	11807.000	34.07	17.01	51.08	74.00	-22.92	peak
4	13864.000	32.02	19.33	51.35	74.00	-22.65	peak
5	14678.000	32.24	17.46	49.70	74.00	-24.30	peak
6	17164.000	39.99	20.59	60.58	74.00	-13.42	peak
7	17164.000	27.74	20.59	48.33	54.00	-5.67	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-3 BAND – FPC ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	38.30	9.52	47.82	74.00	-26.18	peak
2	9189.000	42.06	9.58	51.64	74.00	-22.36	peak
3	10234.000	35.97	12.16	48.13	74.00	-25.87	peak
4	12291.000	34.56	17.55	52.11	74.00	-21.89	peak
5	14447.000	32.57	17.76	50.33	74.00	-23.67	peak
6	17230.000	42.20	20.93	63.13	74.00	-10.87	peak
7	17230.000	29.19	20.93	50.12	54.00	-3.88	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	39.27	8.23	47.50	74.00	-26.50	peak
2	9189.000	40.54	9.58	50.12	74.00	-23.88	peak
3	11818.000	34.27	17.02	51.29	74.00	-22.71	peak
4	12709.000	33.88	17.04	50.92	74.00	-23.08	peak
5	14436.000	32.09	17.81	49.90	74.00	-24.10	peak
6	17241.000	40.62	21.02	61.64	74.00	-12.36	peak
7	17241.000	27.48	21.02	48.50	54.00	-5.50	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7770.000	38.92	8.44	47.36	74.00	-26.64	peak
2	9255.000	40.17	9.88	50.05	74.00	-23.95	peak
3	11686.000	35.38	17.03	52.41	74.00	-21.59	peak
4	13963.000	32.86	19.33	52.19	74.00	-21.81	peak
5	15624.000	32.92	15.64	48.56	74.00	-25.44	peak
6	17362.000	40.28	21.17	61.45	74.00	-12.55	peak
7	17362.000	27.95	21.17	49.12	54.00	-4.88	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7869.000	39.03	8.39	47.42	74.00	-26.58	peak
2	9255.000	38.82	9.88	48.70	74.00	-25.30	peak
3	11708.000	34.46	17.10	51.56	74.00	-22.44	peak
4	13985.000	32.04	19.36	51.40	74.00	-22.60	peak
5	16449.000	34.10	17.26	51.36	74.00	-22.64	peak
6	17362.000	39.64	21.17	60.81	74.00	-13.19	peak
7	17362.000	27.41	21.17	48.58	54.00	-5.42	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	39.04	8.49	47.53	74.00	-26.47	peak
2	9321.000	40.64	10.27	50.91	74.00	-23.09	peak
3	11686.000	34.95	17.03	51.98	74.00	-22.02	peak
4	12566.000	33.91	17.07	50.98	74.00	-23.02	peak
5	14810.000	33.15	17.46	50.61	74.00	-23.39	peak
6	17472.000	37.22	21.23	58.45	74.00	-15.55	peak
7	17472.000	24.76	21.23	45.99	54.00	-8.01	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8100.000	37.67	9.56	47.23	74.00	-26.77	peak
2	8947.000	37.36	9.75	47.11	74.00	-26.89	peak
3	10179.000	36.06	11.97	48.03	74.00	-25.97	peak
4	12324.000	33.24	17.50	50.74	74.00	-23.26	peak
5	14821.000	33.16	17.36	50.52	74.00	-23.48	peak
6	17472.000	39.31	21.23	60.54	74.00	-13.46	peak
7	17472.000	25.76	21.23	46.99	54.00	-7.01	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-1 BAND – PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	39.12	9.05	48.17	74.00	-25.83	peak
2	10355.000	41.39	12.57	53.96	74.00	-20.04	peak
3	11840.000	33.97	17.08	51.05	74.00	-22.95	peak
4	13919.000	31.84	19.30	51.14	74.00	-22.86	peak
5	15547.000	42.50	15.38	57.88	74.00	-16.12	peak
6	15547.000	28.65	15.38	44.03	54.00	-9.97	AVG
7	17703.000	28.19	23.36	51.55	74.00	-22.45	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8100.000	37.94	9.56	47.50	74.00	-26.50	peak
2	10355.000	47.22	12.57	59.79	74.00	-14.21	peak
3	10355.000	33.54	12.57	46.11	54.00	-7.89	AVG
4	11686.000	34.46	17.03	51.49	74.00	-22.51	peak
5	13578.000	32.54	19.08	51.62	74.00	-22.38	peak
6	15536.000	42.53	15.32	57.85	74.00	-16.15	peak
7	15536.000	30.34	15.32	45.66	54.00	-8.34	AVG
8	17769.000	28.95	23.92	52.87	74.00	-21.13	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.19	10.60	47.79	74.00	-26.21	peak
2	10388.000	44.44	12.70	57.14	74.00	-16.86	peak
3	10388.000	32.53	12.70	45.23	54.00	-8.77	AVG
4	11510.000	35.74	16.46	52.20	74.00	-21.80	peak
5	13919.000	32.68	19.30	51.98	74.00	-22.02	peak
6	15613.000	42.64	15.64	58.28	74.00	-15.72	peak
7	15613.000	29.15	15.64	44.79	54.00	-9.21	AVG
8	17857.000	27.90	24.26	52.16	74.00	-21.84	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8078.000	38.95	9.22	48.17	74.00	-25.83	peak
2	10399.000	49.07	12.75	61.82	74.00	-12.18	peak
3	10399.000	37.38	12.75	50.13	54.00	-3.87	AVG
4	11829.000	34.17	17.05	51.22	74.00	-22.78	peak
5	13534.000	31.33	19.16	50.49	74.00	-23.51	peak
6	15613.000	38.06	15.64	53.70	74.00	-20.30	peak
7	17758.000	28.78	23.83	52.61	74.00	-21.39	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8078.000	38.19	9.22	47.41	74.00	-26.59	peak
2	9596.000	37.81	11.05	48.86	74.00	-25.14	peak
3	10476.000	45.62	12.84	58.46	74.00	-15.54	peak
4	10476.000	33.39	12.84	46.23	54.00	-7.77	AVG
5	11818.000	34.50	17.02	51.52	74.00	-22.48	peak
6	15734.000	35.52	15.60	51.12	74.00	-22.88	peak
7	17912.000	28.20	24.39	52.59	74.00	-21.41	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8045.000	39.17	8.72	47.89	74.00	-26.11	peak
2	9134.000	39.39	9.66	49.05	74.00	-24.95	peak
3	10487.000	51.40	12.85	64.25	74.00	-9.75	peak
4	10487.000	38.23	12.85	51.08	54.00	-2.92	AVG
5	12577.000	33.74	17.08	50.82	74.00	-23.18	peak
6	15723.000	36.00	15.61	51.61	74.00	-22.39	peak
7	17758.000	27.70	23.83	51.53	74.00	-22.47	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-2A BAND – PIFA ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	37.84	9.52	47.36	74.00	-26.64	peak
2	9354.000	38.82	10.49	49.31	74.00	-24.69	peak
3	10520.000	43.50	12.95	56.45	74.00	-17.55	peak
4	10520.000	32.40	12.95	45.35	54.00	-8.65	AVG
5	13534.000	32.37	19.16	51.53	74.00	-22.47	peak
6	16416.000	32.70	17.23	49.93	74.00	-24.07	peak
7	17901.000	28.51	24.32	52.83	74.00	-21.17	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7891.000	39.09	8.27	47.36	74.00	-26.64	peak
2	10520.000	50.75	12.95	63.70	74.00	-10.30	peak
3	10520.000	38.97	12.95	51.92	54.00	-2.08	AVG
4	11818.000	34.99	17.02	52.01	74.00	-21.99	peak
5	14205.000	32.60	18.93	51.53	74.00	-22.47	peak
6	15789.000	33.47	15.61	49.08	74.00	-24.92	peak
7	17769.000	29.74	23.92	53.66	74.00	-20.34	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9013.000	37.67	10.63	48.30	74.00	-25.70	peak
2	10553.000	46.25	13.07	59.32	74.00	-14.68	peak
3	10553.000	33.05	13.07	46.12	54.00	-7.88	AVG
4	11686.000	34.65	17.03	51.68	74.00	-22.32	peak
5	14238.000	33.06	18.95	52.01	74.00	-21.99	peak
6	15844.000	34.73	15.57	50.30	74.00	-23.70	peak
7	17758.000	29.12	23.83	52.95	74.00	-21.05	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7836.000	39.40	8.54	47.94	74.00	-26.06	peak
2	10553.000	51.22	13.07	64.29	74.00	-9.71	peak
3	10553.000	39.32	13.07	52.39	54.00	-1.61	AVG
4	11697.000	34.78	17.10	51.88	74.00	-22.12	peak
5	13919.000	32.31	19.30	51.61	74.00	-22.39	peak
6	14821.000	33.37	17.36	50.73	74.00	-23.27	peak
7	17868.000	28.34	24.27	52.61	74.00	-21.39	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8507.000	39.40	8.43	47.83	74.00	-26.17	peak
2	10641.000	47.19	13.39	60.58	74.00	-13.42	peak
3	10641.000	32.73	13.39	46.12	54.00	-7.88	AVG
4	11686.000	34.97	17.03	52.00	74.00	-22.00	peak
5	13963.000	32.66	19.33	51.99	74.00	-22.01	peak
6	15965.000	40.47	15.65	56.12	74.00	-17.88	peak
7	15965.000	27.40	15.65	43.05	54.00	-10.95	AVG
8	17769.000	29.29	23.92	53.21	74.00	-20.79	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.71	10.42	48.13	74.00	-25.87	peak
2	10641.000	52.09	13.39	65.48	74.00	-8.52	peak
3	10641.000	36.71	13.39	50.10	54.00	-3.90	AVG
4	11697.000	34.63	17.10	51.73	54.00	-2.27	AVG
5	13919.000	32.04	19.30	51.34	74.00	-22.66	peak
6	15965.000	38.38	15.65	54.03	74.00	-19.97	peak
7	15965.000	25.08	15.65	40.73	54.00	-13.27	AVG
8	17780.000	29.31	24.02	53.33	74.00	-20.67	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



UNII-2C BAND- PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	37.78	9.52	47.30	74.00	-26.70	peak
2	11004.000	45.13	14.23	59.36	74.00	-14.64	peak
3	11004.000	33.37	14.23	47.60	54.00	-6.40	AVG
4	12654.000	34.23	17.05	51.28	74.00	-22.72	peak
5	14821.000	34.15	17.36	51.51	74.00	-22.49	peak
6	16504.000	36.54	17.31	53.85	74.00	-20.15	peak
7	17769.000	28.97	23.92	52.89	74.00	-21.11	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	39.49	8.34	47.83	74.00	-26.17	peak
2	9343.000	37.55	10.42	47.97	74.00	-26.03	peak
3	11004.000	46.76	14.23	60.99	74.00	-13.01	peak
4	11004.000	32.88	14.23	47.11	54.00	-6.89	AVG
5	13622.000	33.69	19.13	52.82	74.00	-21.18	peak
6	16504.000	38.87	17.31	56.18	74.00	-17.82	peak
7	16504.000	24.47	17.31	41.78	54.00	-12.22	AVG
8	17769.000	28.49	23.92	52.41	74.00	-21.59	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: $VBW=1/Ton$, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	38.20	9.52	47.72	74.00	-26.28	peak
2	11158.000	36.84	14.97	51.81	74.00	-22.19	peak
3	14326.000	32.19	18.72	50.91	74.00	-23.09	peak
4	16735.000	37.58	18.14	55.72	74.00	-18.28	peak
5	16735.000	24.91	18.14	43.05	54.00	-10.95	AVG
6	17780.000	29.32	24.02	53.34	74.00	-20.66	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.


6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	38.10	10.39	48.49	74.00	-25.51	peak
2	11158.000	37.72	14.97	52.69	74.00	-21.31	peak
3	12621.000	33.81	17.10	50.91	74.00	-23.09	peak
4	14722.000	32.57	17.49	50.06	74.00	-23.94	peak
5	16746.000	37.92	18.23	56.15	74.00	-17.85	peak
6	16746.000	24.88	18.23	43.11	54.00	-10.89	AVG
7	17769.000	29.09	23.92	53.01	74.00	-20.99	peak

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8122.000	37.97	9.47	47.44	74.00	-26.56	peak
2	9112.000	39.39	9.70	49.09	74.00	-24.91	peak
3	11400.000	36.09	16.38	52.47	74.00	-21.53	peak
4	13446.000	32.72	19.06	51.78	74.00	-22.22	peak
5	17109.000	36.00	20.43	56.43	74.00	-17.57	peak
6	17109.000	22.68	20.43	43.11	54.00	-10.89	AVG
7	17769.000	28.74	23.92	52.66	74.00	-21.34	peak

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8122.000	37.81	9.47	47.28	74.00	-26.72	peak
2	9112.000	38.18	9.70	47.88	74.00	-26.12	peak
3	11400.000	38.61	16.38	54.99	74.00	-19.01	peak
4	11400.000	24.85	16.38	41.23	54.00	-12.77	AVG
5	12588.000	33.99	17.10	51.09	74.00	-22.91	peak
6	14337.000	31.97	18.61	50.58	74.00	-23.42	peak
7	17109.000	36.39	20.43	56.82	74.00	-17.18	peak
8	17109.000	23.46	20.43	43.89	54.00	-10.11	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

STRADDLE CHANNEL 144 – PIFA ANTENNA


HARMONICS AND SPURIOUS EMISSIONS (HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8034.000	38.54	8.55	47.09	74.00	-26.91	peak
2	9145.000	39.71	9.65	49.36	74.00	-24.64	peak
3	11433.000	39.67	16.41	56.08	74.00	-17.92	peak
4	11433.000	26.73	16.41	43.14	54.00	-10.86	AVG
5	13435.000	33.51	19.03	52.54	74.00	-21.46	peak
6	14832.000	33.93	17.26	51.19	74.00	-22.81	peak
7	17164.000	36.21	20.59	56.80	74.00	-17.20	peak
8	17164.000	22.10	20.59	42.69	54.00	-11.31	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (VERTICAL)




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.80	8.34	47.14	74.00	-26.86	peak
2	9145.000	39.36	9.65	49.01	74.00	-24.99	peak
3	11444.000	38.33	16.40	54.73	74.00	-19.27	peak
4	11444.000	25.71	16.40	42.11	54.00	-11.89	AVG
5	13567.000	33.08	19.10	52.18	74.00	-21.82	peak
6	15162.000	33.88	15.74	49.62	74.00	-24.38	peak
7	17164.000	36.90	20.59	57.49	74.00	-16.51	peak
8	17164.000	24.54	20.59	45.13	54.00	-8.87	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
5. Proper operation of the transmitter prior to adding the filter to the measurement chain.
6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

UNII-3 BAND – PIFA ANTENNA

HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8078.000	38.04	9.22	47.26	74.00	-26.74	peak
2	9189.000	39.45	9.58	49.03	74.00	-24.97	peak
3	11488.000	38.86	16.44	55.30	74.00	-18.70	peak
4	11488.000	27.82	16.44	44.26	54.00	-9.74	AVG
5	13633.000	32.48	19.19	51.67	74.00	-22.33	peak
6	14821.000	33.98	17.36	51.34	74.00	-22.66	peak
7	17230.000	39.09	20.93	60.02	74.00	-13.98	peak
8	17230.000	25.18	20.93	46.11	54.00	-7.89	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.


4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.



HARMONICS AND SPURIOUS EMISSIONS (LOW CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7484.000	38.31	7.61	45.92	74.00	-28.08	peak
2	9189.000	39.48	9.58	49.06	74.00	-24.94	peak
3	11488.000	38.51	16.44	54.95	74.00	-19.05	peak
4	11488.000	25.94	16.44	42.38	54.00	-11.62	AVG
5	13534.000	32.59	19.16	51.75	74.00	-22.25	peak
6	15998.000	31.99	15.72	47.71	74.00	-26.29	peak
7	17241.000	39.31	21.02	60.33	74.00	-13.67	peak
8	17241.000	25.75	21.02	46.77	54.00	-7.23	AVG

Note: 1. Measurement = Reading Level + Correct Factor.


2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

**HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, HORIZONTAL)**

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	39.16	8.33	47.49	74.00	-26.51	peak
2	9255.000	39.56	9.88	49.44	74.00	-24.56	peak
3	11565.000	36.49	16.48	52.97	74.00	-21.03	peak
4	13468.000	32.18	19.12	51.30	74.00	-22.70	peak
5	15987.000	32.07	15.69	47.76	74.00	-26.24	peak
6	17351.000	36.93	21.23	58.16	74.00	-15.84	peak
7	17351.000	23.92	21.23	45.15	54.00	-8.85	AVG

Note: 1. Measurement = Reading Level + Correct Factor.

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Peak: Peak detector.

4. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.

5. Proper operation of the transmitter prior to adding the filter to the measurement chain.

6. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (MID CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8122.000	38.85	9.47	48.32	74.00	-25.68	peak
2	9255.000	40.49	9.88	50.37	74.00	-23.63	peak
3	11576.000	39.35	16.49	55.84	74.00	-18.16	peak
4	11576.000	27.02	16.49	43.51	54.00	-10.49	AVG
5	13622.000	33.35	19.13	52.48	74.00	-21.52	peak
6	16460.000	31.88	17.26	49.14	74.00	-24.86	peak
7	17362.000	36.86	21.17	58.03	74.00	-15.97	peak
8	17362.000	23.98	21.17	45.15	54.00	-8.85	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.


HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, HORIZONTAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8111.000	38.72	9.52	48.24	74.00	-25.76	peak
2	9321.000	38.13	10.27	48.40	74.00	-25.60	peak
3	11642.000	35.32	16.75	52.07	74.00	-21.93	peak
4	13622.000	32.57	19.13	51.70	74.00	-22.30	peak
5	15239.000	33.31	15.50	48.81	74.00	-25.19	peak
6	17472.000	34.59	21.23	55.82	74.00	-18.18	peak
7	17472.000	22.56	21.23	43.79	54.00	-10.21	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.

HARMONICS AND SPURIOUS EMISSIONS (HIGH CHANNEL, VERTICAL)



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8122.000	37.26	9.47	46.73	74.00	-27.27	peak
2	9321.000	38.69	10.27	48.96	74.00	-25.04	peak
3	11378.000	35.80	16.13	51.93	74.00	-22.07	peak
4	13468.000	32.44	19.12	51.56	74.00	-22.44	peak
5	14799.000	32.86	17.56	50.42	74.00	-23.58	peak
6	17472.000	35.37	21.23	56.60	74.00	-17.40	peak
7	17472.000	23.98	21.23	45.21	54.00	-8.79	AVG

Note: 1. Measurement = Reading Level + Correct Factor.
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Peak: Peak detector.
4. AVG: VBW=1/Ton, where: Ton is the transmitting duration.
5. For the transmitting duration, please refer to clause 7.1.
6. Filter losses were only considered in the spurious frequency bands and the authorized band was not corrected for High Pass Filter losses.
7. Proper operation of the transmitter prior to adding the filter to the measurement chain.
8. Since non-restricted band peak emissions are less than the average limit, they also comply with the -27dBm/MHz (68.2dBuV/m) limit.