


Mode:	802.11a Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5321.0263	34.82	15.66	-40.59	61.61	71.50	54.00	-17.50	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	33.78	43.95	54.00	10.05	Pass	Vertical

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5321.0263	34.82	15.66	-40.59	90.38	100.27	74.00	-26.27	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	44.44	54.61	74.00	19.39	Pass	Horizontal

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5321.1514	34.82	15.66	-40.59	89.37	99.26	74.00	-25.26	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	45.31	55.48	74.00	18.52	Pass	Vertical

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5320.9011	34.82	15.66	-40.59	59.82	69.71	54.00	-15.71	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	33.43	43.60	54.00	10.40	Pass	Horizontal

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5318.3980	34.82	15.64	-40.60	60.03	69.89	54.00	-15.89	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	33.33	43.50	54.00	10.50	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5310
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5308.1977	34.81	15.54	-40.58	86.99	96.76	74.00	-22.76	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	51.05	61.22	74.00	12.78	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5310
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5308.0100	34.81	15.54	-40.59	87.37	97.13	74.00	-23.13	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	51.05	61.22	74.00	12.78	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5310
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5307.4468	34.81	15.54	-40.59	71.07	80.83	54.00	-26.83	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	32.10	42.27	54.00	11.73	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5310
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5307.6345	34.81	15.54	-40.59	70.68	80.44	54.00	-26.44	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	32.11	42.28	54.00	11.72	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5290
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5273.2791	34.77	15.41	-40.58	84.20	93.80	74.00	-19.80	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	44.27	54.44	74.00	19.56	Pass	Horizontal
3	5383.6671	34.88	15.67	-40.60	49.53	59.48	74.00	14.52	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5290
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5273.0914	34.77	15.41	-40.58	82.88	92.48	74.00	-18.48	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	44.05	54.22	74.00	19.78	Pass	Vertical
3	5381.7897	34.88	15.68	-40.60	50.89	60.85	74.00	13.15	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5290
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5283.4168	34.78	15.43	-40.58	47.47	57.10	54.00	-3.10	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	33.32	43.49	54.00	10.51	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5290
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5283.0413	34.78	15.43	-40.58	47.31	56.94	54.00	-2.94	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	33.28	43.45	54.00	10.55	Pass	Vertical

For U-NII-2c band Ant1

Mode:	802.11a Transmitting	Channel:	5500
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	44.11	54.46	74.00	19.54	Pass	Horizontal
2	5500.9262	35.00	15.91	-40.64	92.57	102.84	74.00	-28.84	Pass	Horizontal

Mode:	802.11a Transmitting	Channel:	5500
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	44.22	54.57	74.00	19.43	Pass	Vertical
2	5501.3767	35.00	15.90	-40.64	90.99	101.25	74.00	-27.25	Pass	Vertical

Mode:	802.11a Transmitting	Channel:	5500
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	33.62	43.97	54.00	10.03	Pass	Horizontal
2	5500.7009	35.00	15.91	-40.64	62.15	72.42	54.00	-18.42	Pass	Horizontal

Mode:	802.11a Transmitting	Channel:	5500
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	33.61	43.96	54.00	10.04	Pass	Vertical
2	5500.4756	35.00	15.91	-40.64	60.75	71.02	54.00	-17.02	Pass	Vertical

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5500
Remark:	ANT1		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	43.92	54.27	74.00	19.73	Pass	Horizontal
2	5501.1514	35.00	15.90	-40.64	90.17	100.43	74.00	-26.43	Pass	Horizontal

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5500
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	45.19	55.54	74.00	18.46	Pass	Vertical
2	5501.3767	35.00	15.90	-40.64	89.51	99.77	74.00	-25.77	Pass	Vertical

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5500
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	33.53	43.88	54.00	10.12	Pass	Horizontal
2	5501.1514	35.00	15.90	-40.64	60.12	70.38	54.00	-16.38	Pass	Horizontal

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5500
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	33.52	43.87	54.00	10.13	Pass	Vertical
2	5501.3767	35.00	15.90	-40.64	60.51	70.77	54.00	-16.77	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5510
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	46.76	57.11	74.00	16.89	Pass	Horizontal
2	5512.1902	35.02	15.74	-40.65	86.38	96.49	74.00	-22.49	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5510
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	46.41	56.76	74.00	17.24	Pass	Vertical
2	5501.3767	35.00	15.90	-40.64	86.75	97.01	74.00	-23.01	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5510
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	32.19	42.54	54.00	11.46	Pass	Horizontal
2	5507.2340	35.01	15.81	-40.64	67.94	78.12	54.00	-24.12	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5510
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	32.01	42.36	54.00	11.64	Pass	Vertical
2	5513.3166	35.02	15.72	-40.65	67.87	77.96	54.00	-23.96	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5530
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5432.8911	34.93	15.88	-40.62	58.88	69.07	74.00	4.93	Pass	Horizontal
2	5460.0000	34.96	16.02	-40.63	53.35	63.70	74.00	10.30	Pass	Horizontal
3	5545.3066	35.07	15.24	-40.68	86.75	96.38	74.00	-22.38	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5530
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-40.63	50.67	61.02	74.00	12.98	Pass	Vertical
2	5506.7835	35.01	15.82	-40.65	83.41	93.59	74.00	-19.59	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5530
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-36.15	38.50	53.33	54.00	0.67	Pass	Horizontal
2	5561.3016	35.10	15.26	-36.07	69.19	83.48	54.00	-29.48	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5530
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5460.0000	34.96	16.02	-36.15	36.89	51.72	54.00	2.28	Pass	Vertical
2	5518.7234	35.03	15.64	-36.11	65.86	80.42	54.00	-26.42	Pass	Vertical

For U-NII-1 band Ant2

Mode:	802.11a Transmitting	Channel:	5180
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	47.86	57.05	74.00	16.95	Pass	Horizontal
2	5175.2566	34.68	15.33	-40.56	93.35	102.80	74.00	-28.80	Pass	Horizontal

Mode:	802.11a Transmitting	Channel:	5180
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	48.10	57.29	74.00	16.71	Pass	Vertical
2	5182.1527	34.68	15.40	-40.55	88.32	97.85	74.00	-23.85	Pass	Vertical

Mode:	802.11a Transmitting	Channel:	5180
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	37.31	46.50	54.00	7.50	Pass	Horizontal
2	5180.4881	34.68	15.38	-40.55	81.73	91.24	54.00	-37.24	Pass	Horizontal

Mode:	802.11a Transmitting	Channel:	5180
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	37.10	46.29	54.00	7.71	Pass	Vertical
2	5180.4881	34.68	15.38	-40.55	78.88	88.39	54.00	-34.39	Pass	Vertical

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5180
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	47.72	56.91	74.00	17.09	Pass	Horizontal
2	5181.6771	34.68	15.39	-40.55	93.16	102.68	74.00	-28.68	Pass	Horizontal

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5180
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	48.15	57.34	74.00	16.66	Pass	Vertical
2	5180.4881	34.68	15.38	-40.55	88.22	97.73	74.00	-23.73	Pass	Vertical

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5180
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	37.07	46.26	54.00	7.74	Pass	Horizontal
2	5180.4881	34.68	15.38	-40.55	62.95	72.46	54.00	-18.46	Pass	Horizontal

Mode:	802.11n HT 20 MHz Transmitting	Channel:	5180
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	36.97	46.16	54.00	7.84	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5190
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	51.11	60.30	74.00	13.70	Pass	Horizontal
2	5196.5957	34.70	15.54	-40.56	89.46	99.14	74.00	-25.14	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5190
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	48.31	57.50	74.00	16.50	Pass	Vertical
2	5185.0313	34.69	15.42	-40.55	85.27	94.83	74.00	-20.83	Pass	Vertical

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5190
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	35.90	45.09	54.00	8.91	Pass	Horizontal
2	5193.4418	34.69	15.51	-40.55	74.68	84.33	54.00	-30.33	Pass	Horizontal

Mode:	802.11n HT 40 MHz Transmitting	Channel:	5190
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	35.22	44.41	54.00	9.59	Pass	Vertical
2	5187.1339	34.69	15.44	-40.55	70.82	80.40	54.00	-26.40	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5210
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	50.30	59.49	74.00	14.51	Pass	Horizontal
2	5215.2691	34.72	15.50	-40.56	88.38	98.04	74.00	-24.04	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5210
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	48.04	57.23	74.00	16.77	Pass	Vertical
2	5215.2691	34.72	15.50	-40.56	83.02	92.68	74.00	-18.68	Pass	Vertical

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5210
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	36.33	45.52	54.00	8.48	Pass	Horizontal
2	5236.8586	34.74	15.41	-40.57	77.97	87.55	54.00	-33.55	Pass	Horizontal

Mode:	802.11ac VHT 80 MHz Transmitting	Channel:	5210
Remark:	AV		

Test Graph




NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5150.0000	34.65	15.08	-40.54	35.74	44.93	54.00	9.07	Pass	Vertical
2	5223.4043	34.72	15.47	-40.56	72.50	82.13	54.00	-28.13	Pass	Vertical

For U-NII-2a band Ant2

Mode:	802.11a Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5317.5219	34.82	15.63	-40.59	93.37	103.23	74.00	-29.23	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	48.88	59.05	74.00	14.95	Pass	Horizontal

Mode:	802.11a Transmitting	Channel:	5320
Remark:	PK		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5321.5269	34.82	15.66	-40.58	87.47	97.37	74.00	-23.37	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	48.87	59.04	74.00	14.96	Pass	Vertical

Mode:	802.11a Transmitting	Channel:	5320
Remark:	AV		


Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5321.1514	34.82	15.66	-40.59	65.19	75.08	54.00	-21.08	Pass	Horizontal
2	5350.0000	34.85	15.92	-40.60	37.45	47.62	54.00	6.38	Pass	Horizontal

Mode:	802.11a Transmitting	Channel:	5320
Remark:	AV		

Test Graph



NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity
1	5320.9011	34.82	15.66	-40.59	60.53	70.42	54.00	-16.42	Pass	Vertical
2	5350.0000	34.85	15.92	-40.60	37.23	47.40	54.00	6.60	Pass	Vertical