


Mode:d; Polarization:Vertical; Modulation:GFSK; ; Channel:High



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1503.119	35.86	25.50	2.80	37.11	27.05	54.00	-26.95	VERTICAL Average
2	1503.119	46.84	25.50	2.80	37.11	38.03	74.00	-35.97	VERTICAL Peak
3	3150.237	33.49	28.52	3.96	36.52	29.45	54.00	-24.55	VERTICAL Average
4	3150.237	44.99	28.52	3.96	36.52	40.95	74.00	-33.05	VERTICAL Peak
5	4960.020	47.30	31.65	5.65	36.52	48.08	54.00	-5.92	VERTICAL Average
6	4960.020	52.91	31.65	5.65	36.52	53.69	74.00	-20.31	VERTICAL Peak
7	7440.763	31.88	36.27	6.22	36.77	37.60	54.00	-16.40	VERTICAL Average
8	7440.763	41.66	36.27	6.22	36.77	47.38	74.00	-26.62	VERTICAL Peak
9	9920.462	30.92	38.65	6.96	36.31	40.22	54.00	-13.78	VERTICAL Average
10	9920.462	41.90	38.65	6.96	36.31	51.20	74.00	-22.80	VERTICAL Peak
11	12400.100	31.66	38.57	7.97	36.17	42.03	54.00	-11.97	VERTICAL Average
12	12400.100	43.76	38.57	7.97	36.17	54.13	74.00	-19.87	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1354.577	38.68	25.32	2.60	37.27	29.33	54.00	-24.67	HORIZONTAL	Average
2	1354.577	48.36	25.32	2.60	37.27	39.01	74.00	-34.99	HORIZONTAL	Peak
3	2964.712	37.77	28.37	3.77	36.59	33.32	54.00	-20.68	HORIZONTAL	Average
4	2964.712	45.91	28.37	3.77	36.59	41.46	74.00	-32.54	HORIZONTAL	Peak
5	4823.972	49.98	31.45	5.42	36.48	50.37	54.00	-3.63	HORIZONTAL	Average
6	4823.972	54.82	31.45	5.42	36.48	55.21	74.00	-18.79	HORIZONTAL	Peak
7	7236.999	32.27	35.70	6.03	36.75	37.25	54.00	-16.75	HORIZONTAL	Average
8	7236.999	43.55	35.70	6.03	36.75	48.53	74.00	-25.47	HORIZONTAL	Peak
9	9648.510	32.24	38.40	7.06	36.35	41.35	54.00	-12.65	HORIZONTAL	Average
10	9648.510	44.37	38.40	7.06	36.35	53.48	74.00	-20.52	HORIZONTAL	Peak
11	12060.130	29.37	38.88	8.17	36.38	40.04	54.00	-13.96	HORIZONTAL	Average
12	12060.130	43.83	38.88	8.17	36.38	54.50	74.00	-19.50	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1297.103	36.47	25.19	2.58	37.30	26.94	54.00	-27.06	VERTICAL Average
2	1297.103	49.45	25.19	2.58	37.30	39.92	74.00	-34.08	VERTICAL Peak
3	2905.331	33.99	28.30	3.71	36.63	29.37	54.00	-24.63	VERTICAL Average
4	2905.331	45.77	28.30	3.71	36.63	41.15	74.00	-32.85	VERTICAL Peak
5	4923.690	48.39	31.62	5.60	36.50	49.11	54.00	-4.89	VERTICAL Average
6	4923.690	52.27	31.62	5.60	36.50	52.99	74.00	-21.01	VERTICAL Peak
7	7236.982	33.63	35.70	6.03	36.75	38.61	54.00	-15.39	VERTICAL Average
8	7236.982	43.82	35.70	6.03	36.75	48.80	74.00	-25.20	VERTICAL Peak
9	9648.123	34.05	38.40	7.06	36.35	43.16	54.00	-10.84	VERTICAL Average
10	9648.123	42.98	38.40	7.06	36.35	52.09	74.00	-21.91	VERTICAL Peak
11	12060.540	31.45	38.88	8.17	36.38	42.12	54.00	-11.88	VERTICAL Average
12	12060.540	42.46	38.88	8.17	36.38	53.13	74.00	-20.87	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:middle



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1813.786	34.29	25.96	2.99	37.02	26.22	54.00	-27.78	HORIZONTAL Average
2	1813.786	47.52	25.96	2.99	37.02	39.45	74.00	-34.55	HORIZONTAL Peak
3	2930.633	31.25	28.33	3.73	36.61	26.70	54.00	-27.30	HORIZONTAL Average
4	2930.633	45.18	28.33	3.73	36.61	40.63	74.00	-33.37	HORIZONTAL Peak
5	4884.379	50.15	31.56	5.52	36.50	50.73	54.00	-3.27	HORIZONTAL Average
6	4884.379	52.23	31.56	5.52	36.50	52.81	74.00	-21.19	HORIZONTAL Peak
7	7326.542	29.60	36.00	6.13	36.76	34.97	54.00	-19.03	HORIZONTAL Average
8	7326.542	42.68	36.00	6.13	36.76	48.05	74.00	-25.95	HORIZONTAL Peak
9	9768.161	29.01	38.53	7.01	36.33	38.22	54.00	-15.78	HORIZONTAL Average
10	9768.161	43.72	38.53	7.01	36.33	52.93	74.00	-21.07	HORIZONTAL Peak
11	12210.160	30.18	38.74	8.08	36.30	40.70	54.00	-13.30	HORIZONTAL Average
12	12210.160	44.81	38.74	8.08	36.30	55.33	74.00	-18.67	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:middle



Trace: (Discrete)

	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1358.498	35.73	25.33	2.60	37.26	26.40	54.00	-27.60	VERTICAL Average
2	1358.498	48.48	25.33	2.60	37.26	39.15	74.00	-34.85	VERTICAL Peak
3	2435.701	36.12	27.41	3.42	36.91	30.04	54.00	-23.96	VERTICAL Average
4	2435.701	47.71	27.41	3.42	36.91	41.63	74.00	-32.37	VERTICAL Peak
5	4884.016	45.13	31.56	5.52	36.50	45.71	54.00	-8.29	VERTICAL Average
6	4884.016	52.52	31.56	5.52	36.50	53.10	74.00	-20.90	VERTICAL Peak
7	7326.982	33.75	36.00	6.13	36.76	39.12	54.00	-14.88	VERTICAL Average
8	7326.982	43.40	36.00	6.13	36.76	48.77	74.00	-25.23	VERTICAL Peak
9	9768.543	32.12	38.53	7.01	36.33	41.33	54.00	-12.67	VERTICAL Average
10	9768.543	43.47	38.53	7.01	36.33	52.68	74.00	-21.32	VERTICAL Peak
11	12210.380	33.36	38.74	8.08	36.30	43.88	54.00	-10.12	VERTICAL Average
12	12210.380	44.36	38.74	8.08	36.30	54.88	74.00	-19.12	VERTICAL Peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory

No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Mode:e; Polarization:Horizontal; Modulation:b; bandwidth:20MHz; Channel:High




	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1569.721	37.22	25.55	2.80	37.08	28.49	54.00	-25.51	HORIZONTAL	Average
2	1569.721	47.64	25.55	2.80	37.08	38.91	74.00	-35.09	HORIZONTAL	Peak
3	3114.025	35.51	28.49	3.92	36.53	31.39	54.00	-22.61	HORIZONTAL	Average
4	3114.025	45.97	28.49	3.92	36.53	41.85	74.00	-32.15	HORIZONTAL	Peak
5	4924.058	38.77	31.62	5.60	36.50	39.49	54.00	-14.51	HORIZONTAL	Average
6	4924.058	45.91	31.62	5.60	36.50	46.63	74.00	-27.37	HORIZONTAL	Peak
7	7386.038	37.15	36.17	6.19	36.77	42.74	54.00	-11.26	HORIZONTAL	Average
8	7386.038	44.14	36.17	6.19	36.77	49.73	74.00	-24.27	HORIZONTAL	Peak
9	9848.257	34.12	38.58	6.99	36.32	43.37	54.00	-10.63	HORIZONTAL	Average
10	9848.257	44.20	38.58	6.99	36.32	53.45	74.00	-20.55	HORIZONTAL	Peak
11	12310.760	34.23	38.63	8.01	36.23	44.64	54.00	-9.36	HORIZONTAL	Average
12	12310.760	44.41	38.63	8.01	36.23	54.82	74.00	-19.18	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:b; bandwidth:20MHz; Channel:High



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1556.169	35.22	25.54	2.80	37.09	26.47	54.00	-27.53	VERTICAL Average
2	1556.169	48.93	25.54	2.80	37.09	40.18	74.00	-33.82	VERTICAL Peak
3	3912.809	32.37	29.70	4.60	36.41	30.26	54.00	-23.74	VERTICAL Average
4	3912.809	44.56	29.70	4.60	36.41	42.45	74.00	-31.55	VERTICAL Peak
5	4924.975	38.82	31.62	5.60	36.50	39.54	54.00	-14.46	VERTICAL Average
6	4924.975	47.93	31.62	5.60	36.50	48.65	74.00	-25.35	VERTICAL Peak
7	7386.144	32.07	36.17	6.19	36.77	37.66	54.00	-16.34	VERTICAL Average
8	7386.144	42.41	36.17	6.19	36.77	48.00	74.00	-26.00	VERTICAL Peak
9	9848.160	35.79	38.58	6.99	36.32	45.04	54.00	-8.96	VERTICAL Average
10	9848.160	42.50	38.58	6.99	36.32	51.75	74.00	-22.25	VERTICAL Peak
11	12310.190	32.29	38.63	8.01	36.23	42.70	54.00	-11.30	VERTICAL Average
12	12310.190	44.32	38.63	8.01	36.23	54.73	74.00	-19.27	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1587.975	37.68	25.57	2.80	37.08	28.97	54.00	-25.03	HORIZONTAL	Average
2	1587.975	46.96	25.57	2.80	37.08	38.25	74.00	-35.75	HORIZONTAL	Peak
3	2964.712	36.33	28.37	3.77	36.59	31.88	54.00	-22.12	HORIZONTAL	Average
4	2964.712	45.53	28.37	3.77	36.59	41.08	74.00	-32.92	HORIZONTAL	Peak
5	4824.016	45.18	31.45	5.42	36.48	45.57	54.00	-8.43	HORIZONTAL	Average
6	4824.016	49.50	31.45	5.42	36.48	49.89	74.00	-24.11	HORIZONTAL	Peak
7	7236.626	32.10	35.70	6.03	36.75	37.08	54.00	-16.92	HORIZONTAL	Average
8	7236.626	41.02	35.70	6.03	36.75	46.00	74.00	-28.00	HORIZONTAL	Peak
9	9648.806	32.26	38.40	7.06	36.35	41.37	54.00	-12.63	HORIZONTAL	Average
10	9648.806	41.05	38.40	7.06	36.35	50.16	74.00	-23.84	HORIZONTAL	Peak
11	12060.820	33.21	38.88	8.17	36.38	43.88	54.00	-10.12	HORIZONTAL	Average
12	12060.820	43.32	38.88	8.17	36.38	53.99	74.00	-20.01	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1485.841	37.88	25.49	2.78	37.12	29.03	54.00	-24.97	VERTICAL	Average
2	1485.841	49.95	25.49	2.78	37.12	41.10	74.00	-32.90	VERTICAL	Peak
3	2798.189	36.93	28.13	3.70	36.73	32.03	54.00	-21.97	VERTICAL	Average
4	2798.189	46.06	28.13	3.70	36.73	41.16	74.00	-32.84	VERTICAL	Peak
5	4824.792	35.58	31.45	5.42	36.48	35.97	54.00	-18.03	VERTICAL	Average
6	4824.792	46.29	31.45	5.42	36.48	46.68	74.00	-27.32	VERTICAL	Peak
7	7236.278	34.37	35.70	6.03	36.75	39.35	54.00	-14.65	VERTICAL	Average
8	7236.278	43.12	35.70	6.03	36.75	48.10	74.00	-25.90	VERTICAL	Peak
9	9648.161	32.17	38.40	7.06	36.35	41.28	54.00	-12.72	VERTICAL	Average
10	9648.161	42.27	38.40	7.06	36.35	51.38	74.00	-22.62	VERTICAL	Peak
11	12060.540	28.56	38.88	8.17	36.38	39.23	54.00	-14.77	VERTICAL	Average
12	12060.540	43.41	38.88	8.17	36.38	54.08	74.00	-19.92	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:middle



Trace: (Discrete)

	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1916.180	35.06	26.05	2.93	37.01	27.03	54.00	-26.97	HORIZONTAL Average
2	1916.180	46.69	26.05	2.93	37.01	38.66	74.00	-35.34	HORIZONTAL Peak
3	3790.361	35.95	29.50	4.60	36.42	33.63	54.00	-20.37	HORIZONTAL Average
4	3790.361	44.42	29.50	4.60	36.42	42.10	74.00	-31.90	HORIZONTAL Peak
5	4884.069	34.59	31.56	5.52	36.50	35.17	54.00	-18.83	HORIZONTAL Average
6	4884.069	44.87	31.56	5.52	36.50	45.45	74.00	-28.55	HORIZONTAL Peak
7	7326.020	34.15	36.00	6.13	36.76	39.52	54.00	-14.48	HORIZONTAL Average
8	7326.020	45.52	36.00	6.13	36.76	50.89	74.00	-23.11	HORIZONTAL Peak
9	9768.800	34.57	38.53	7.01	36.33	43.78	54.00	-10.22	HORIZONTAL Average
10	9768.800	45.07	38.53	7.01	36.33	54.28	74.00	-19.72	HORIZONTAL Peak
11	12210.560	34.88	38.74	8.08	36.30	45.40	54.00	-8.60	HORIZONTAL Average
12	12210.560	44.45	38.74	8.08	36.30	54.97	74.00	-19.03	HORIZONTAL Peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory

No.198 Kezhu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Mode:e; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:middle



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1525.000	36.57	25.52	2.80	37.10	27.79	54.00	-26.21	VERTICAL Average
2	1525.000	48.45	25.52	2.80	37.10	39.67	74.00	-34.33	VERTICAL Peak
3	2633.397	36.37	27.68	3.53	36.84	30.74	54.00	-23.26	VERTICAL Average
4	2633.397	46.72	27.68	3.53	36.84	41.09	74.00	-32.91	VERTICAL Peak
5	4884.151	42.97	31.56	5.52	36.50	43.55	54.00	-10.45	VERTICAL Average
6	4884.151	48.29	31.56	5.52	36.50	48.87	74.00	-25.13	VERTICAL Peak
7	7326.167	33.33	36.00	6.13	36.76	38.70	54.00	-15.30	VERTICAL Average
8	7326.167	41.15	36.00	6.13	36.76	46.52	74.00	-27.48	VERTICAL Peak
9	9768.882	31.14	38.53	7.01	36.33	40.35	54.00	-13.65	VERTICAL Average
10	9768.882	42.68	38.53	7.01	36.33	51.89	74.00	-22.11	VERTICAL Peak
11	12210.800	32.82	38.74	8.08	36.30	43.34	54.00	-10.66	VERTICAL Average
12	12210.800	44.22	38.74	8.08	36.30	54.74	74.00	-19.26	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Horizontal; Modulation:g; bandwidth:20MHz; Channel:High



Trace: (Discrete)


	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1597.181	37.76	25.58	2.80	37.07	29.07	54.00	-24.93	HORIZONTAL	Average
2	1597.181	47.12	25.58	2.80	37.07	38.43	74.00	-35.57	HORIZONTAL	Peak
3	3159.355	35.47	28.54	3.97	36.52	31.46	54.00	-22.54	HORIZONTAL	Average
4	3159.355	45.33	28.54	3.97	36.52	41.32	74.00	-32.68	HORIZONTAL	Peak
5	4924.062	34.67	31.62	5.60	36.50	35.39	54.00	-18.61	HORIZONTAL	Average
6	4924.062	44.40	31.62	5.60	36.50	45.12	74.00	-28.88	HORIZONTAL	Peak
7	7386.427	31.60	36.17	6.19	36.77	37.19	54.00	-16.81	HORIZONTAL	Average
8	7386.427	41.50	36.17	6.19	36.77	47.09	74.00	-26.91	HORIZONTAL	Peak
9	9848.432	33.47	38.58	6.99	36.32	42.72	54.00	-11.28	HORIZONTAL	Average
10	9848.432	44.93	38.58	6.99	36.32	54.18	74.00	-19.82	HORIZONTAL	Peak
11	12310.420	34.90	38.63	8.01	36.23	45.31	54.00	-8.69	HORIZONTAL	Average
12	12310.420	43.91	38.63	8.01	36.23	54.32	74.00	-19.68	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:g; bandwidth:20MHz; Channel:High



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1877.800	35.31	26.02	2.92	37.02	27.23	54.00	-26.77	VERTICAL Average
2	1877.800	46.34	26.02	2.92	37.02	38.26	74.00	-35.74	VERTICAL Peak
3	3386.297	34.25	28.83	4.10	36.47	30.71	54.00	-23.29	VERTICAL Average
4	3386.297	45.68	28.83	4.10	36.47	42.14	74.00	-31.86	VERTICAL Peak
5	4924.975	45.19	31.62	5.60	36.50	45.91	54.00	-8.09	VERTICAL Average
6	4924.975	51.13	31.62	5.60	36.50	51.85	74.00	-22.15	VERTICAL Peak
7	7386.999	36.50	36.17	6.19	36.77	42.09	54.00	-11.91	VERTICAL Average
8	7386.999	43.24	36.17	6.19	36.77	48.83	74.00	-25.17	VERTICAL Peak
9	9848.540	35.13	38.58	6.99	36.32	44.38	54.00	-9.62	VERTICAL Average
10	9848.540	43.51	38.58	6.99	36.32	52.76	74.00	-21.24	VERTICAL Peak
11	12310.900	36.79	38.63	8.01	36.23	47.20	54.00	-6.80	VERTICAL Average
12	12310.900	44.90	38.63	8.01	36.23	55.31	74.00	-18.69	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
 China · Guangzhou · Economic Technology Development Zone Science City Kezhu Road 198 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1716.864	35.98	25.76	2.82	37.04	27.52	54.00	-26.48	HORIZONTAL	Average
2	1716.864	46.97	25.76	2.82	37.04	38.51	74.00	-35.49	HORIZONTAL	Peak
3	3168.500	34.57	28.55	3.98	36.52	30.58	54.00	-23.42	HORIZONTAL	Average
4	3168.500	45.56	28.55	3.98	36.52	41.57	74.00	-32.43	HORIZONTAL	Peak
5	4824.016	43.07	31.45	5.42	36.48	43.46	54.00	-10.54	HORIZONTAL	Average
6	4824.016	48.83	31.45	5.42	36.48	49.22	74.00	-24.78	HORIZONTAL	Peak
7	7236.741	35.37	35.70	6.03	36.75	40.35	54.00	-13.65	HORIZONTAL	Average
8	7236.741	44.75	35.70	6.03	36.75	49.73	74.00	-24.27	HORIZONTAL	Peak
9	9648.149	34.94	38.40	7.06	36.35	44.05	54.00	-9.95	HORIZONTAL	Average
10	9648.149	43.77	38.40	7.06	36.35	52.88	74.00	-21.12	HORIZONTAL	Peak
11	12060.280	35.06	38.88	8.17	36.38	45.73	54.00	-8.27	HORIZONTAL	Average
12	12060.280	44.26	38.88	8.17	36.38	54.93	74.00	-19.07	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1888.687	33.96	26.03	2.91	37.01	25.89	54.00	-28.11	Average
2	1888.687	45.96	26.03	2.91	37.01	37.89	74.00	-36.11	Peak
3	3619.064	34.35	29.07	4.51	36.44	31.49	54.00	-22.51	Average
4	3619.064	44.42	29.07	4.51	36.44	41.56	74.00	-32.44	Peak
5	4824.300	40.29	31.45	5.42	36.48	40.68	54.00	-13.32	Average
6	4824.300	47.94	31.45	5.42	36.48	48.33	74.00	-25.67	Peak
7	7236.038	35.70	35.70	6.03	36.75	40.68	54.00	-13.32	Average
8	7236.038	44.73	35.70	6.03	36.75	49.71	74.00	-24.29	Peak
9	9648.689	34.84	38.40	7.06	36.35	43.95	54.00	-10.05	Average
10	9648.689	43.61	38.40	7.06	36.35	52.72	74.00	-21.28	Peak
11	12060.480	34.39	38.88	8.17	36.38	45.06	54.00	-8.94	Average
12	12060.480	43.70	38.88	8.17	36.38	54.37	74.00	-19.63	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:middle



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1456.081	35.44	25.46	2.72	37.15	26.47	54.00	-27.53	HORIZONTAL Average
2	1456.081	47.31	25.46	2.72	37.15	38.34	74.00	-35.66	HORIZONTAL Peak
3	2814.411	36.09	28.17	3.70	36.71	31.25	54.00	-22.75	HORIZONTAL Average
4	2814.411	45.50	28.17	3.70	36.71	40.66	74.00	-33.34	HORIZONTAL Peak
5	4884.419	35.07	31.56	5.52	36.50	35.65	54.00	-18.35	HORIZONTAL Average
6	4884.419	44.13	31.56	5.52	36.50	44.71	74.00	-29.29	HORIZONTAL Peak
7	7326.373	32.91	36.00	6.13	36.76	38.28	54.00	-15.72	HORIZONTAL Average
8	7326.373	41.69	36.00	6.13	36.76	47.06	74.00	-26.94	HORIZONTAL Peak
9	9768.473	30.83	38.53	7.01	36.33	40.04	54.00	-13.96	HORIZONTAL Average
10	9768.473	42.51	38.53	7.01	36.33	51.72	74.00	-22.28	HORIZONTAL Peak
11	12210.210	33.03	38.74	8.08	36.30	43.55	54.00	-10.45	HORIZONTAL Average
12	12210.210	43.52	38.74	8.08	36.30	54.04	74.00	-19.96	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:middle



Trace: (Discrete)


	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1414.597	39.13	25.41	2.63	37.20	29.97	54.00	-24.03	VERTICAL	Average
2	1414.597	48.05	25.41	2.63	37.20	38.89	74.00	-35.11	VERTICAL	Peak
3	3150.237	36.33	28.52	3.96	36.52	32.29	54.00	-21.71	VERTICAL	Average
4	3150.237	44.89	28.52	3.96	36.52	40.85	74.00	-33.15	VERTICAL	Peak
5	4884.490	47.15	31.56	5.52	36.50	47.73	54.00	-6.27	VERTICAL	Average
6	4884.490	50.05	31.56	5.52	36.50	50.63	74.00	-23.37	VERTICAL	Peak
7	7035.727	35.13	35.08	5.84	36.72	39.33	54.00	-14.67	VERTICAL	Average
8	7035.727	43.56	35.08	5.84	36.72	47.76	74.00	-26.24	VERTICAL	Peak
9	10393.710	34.70	39.33	7.32	36.31	45.04	54.00	-8.96	VERTICAL	Average
10	10393.710	43.90	39.33	7.32	36.31	54.24	74.00	-19.76	VERTICAL	Peak
11	13249.930	33.49	39.60	8.44	35.32	46.21	54.00	-7.79	VERTICAL	Average
12	13249.930	43.30	39.60	8.44	35.32	56.02	74.00	-17.98	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:20MHz; Channel:High



Trace: (Discrete)


	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1672.779	34.77	25.67	2.80	37.05	26.19	54.00	-27.81	HORIZONTAL	Average
2	1672.779	46.35	25.67	2.80	37.05	37.77	74.00	-36.23	HORIZONTAL	Peak
3	3223.928	33.45	28.63	4.01	36.50	29.59	54.00	-24.41	HORIZONTAL	Average
4	3223.928	45.68	28.63	4.01	36.50	41.82	74.00	-32.18	HORIZONTAL	Peak
5	4924.007	34.19	31.62	5.60	36.50	34.91	54.00	-19.09	HORIZONTAL	Average
6	4924.007	44.19	31.62	5.60	36.50	44.91	74.00	-29.09	HORIZONTAL	Peak
7	7386.309	34.48	36.17	6.19	36.77	40.07	54.00	-13.93	HORIZONTAL	Average
8	7386.309	43.32	36.17	6.19	36.77	48.91	74.00	-25.09	HORIZONTAL	Peak
9	9848.916	35.38	38.58	6.99	36.32	44.63	54.00	-9.37	HORIZONTAL	Average
10	9848.916	43.52	38.58	6.99	36.32	52.77	74.00	-21.23	HORIZONTAL	Peak
11	12310.710	36.30	38.63	8.01	36.23	46.71	54.00	-7.29	HORIZONTAL	Average
12	12310.710	44.32	38.63	8.01	36.23	54.73	74.00	-19.27	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:20MHz; Channel:High



Trace: (Discrete)


	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1293.359	37.19	25.18	2.57	37.31	27.63	54.00	-26.37	VERTICAL	Average
2	1293.359	48.52	25.18	2.57	37.31	38.96	74.00	-35.04	VERTICAL	Peak
3	2024.354	36.97	26.14	3.11	37.00	29.22	54.00	-24.78	VERTICAL	Average
4	2024.354	46.93	26.14	3.11	37.00	39.18	74.00	-34.82	VERTICAL	Peak
5	4924.948	44.83	31.62	5.60	36.50	45.55	54.00	-8.45	VERTICAL	Average
6	4924.948	49.58	31.62	5.60	36.50	50.30	74.00	-23.70	VERTICAL	Peak
7	7386.207	33.05	36.17	6.19	36.77	38.64	54.00	-15.36	VERTICAL	Average
8	7386.207	41.49	36.17	6.19	36.77	47.08	74.00	-26.92	VERTICAL	Peak
9	9848.603	33.59	38.58	6.99	36.32	42.84	54.00	-11.16	VERTICAL	Average
10	9848.603	43.67	38.58	6.99	36.32	52.92	74.00	-21.08	VERTICAL	Peak
11	12310.850	34.26	38.63	8.01	36.23	44.67	54.00	-9.33	VERTICAL	Average
12	12310.850	42.66	38.63	8.01	36.23	53.07	74.00	-20.93	VERTICAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:Low



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1634.543	38.40	25.62	2.80	37.06	29.76	54.00	-24.24	HORIZONTAL Average
2	1634.543	46.89	25.62	2.80	37.06	38.25	74.00	-35.75	HORIZONTAL Peak
3	2464.024	38.76	27.45	3.50	36.90	32.81	54.00	-21.19	HORIZONTAL Average
4	2464.024	47.21	27.45	3.50	36.90	41.26	74.00	-32.74	HORIZONTAL Peak
5	4844.396	36.48	31.50	5.45	36.48	36.95	54.00	-17.05	HORIZONTAL Average
6	4844.396	46.88	31.50	5.45	36.48	47.35	74.00	-26.65	HORIZONTAL Peak
7	7266.804	36.49	35.78	6.06	36.75	41.58	54.00	-12.42	HORIZONTAL Average
8	7266.804	45.77	35.78	6.06	36.75	50.86	74.00	-23.14	HORIZONTAL Peak
9	9688.916	34.56	38.44	7.04	36.34	43.70	54.00	-10.30	HORIZONTAL Average
10	9688.916	43.66	38.44	7.04	36.34	52.80	74.00	-21.20	HORIZONTAL Peak
11	12110.910	30.53	38.83	8.14	36.34	41.16	54.00	-12.84	HORIZONTAL Average
12	12110.910	44.41	38.83	8.14	36.34	55.04	74.00	-18.96	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:Low



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1245.663	35.44	25.00	2.33	37.33	25.44	54.00	-28.56	VERTICAL Average
2	1245.663	47.01	25.00	2.33	37.33	37.01	74.00	-36.99	VERTICAL Peak
3	2366.308	35.76	27.28	3.43	36.93	29.54	54.00	-24.46	VERTICAL Average
4	2366.308	46.22	27.28	3.43	36.93	40.00	74.00	-34.00	VERTICAL Peak
5	4844.948	32.63	31.50	5.45	36.48	33.10	54.00	-20.90	VERTICAL Average
6	4844.948	44.11	31.50	5.45	36.48	44.58	74.00	-29.42	VERTICAL Peak
7	7266.894	30.43	35.78	6.06	36.75	35.52	54.00	-18.48	VERTICAL Average
8	7266.894	41.13	35.78	6.06	36.75	46.22	74.00	-27.78	VERTICAL Peak
9	9688.832	33.29	38.44	7.04	36.34	42.43	54.00	-11.57	VERTICAL Average
10	9688.832	40.69	38.44	7.04	36.34	49.83	74.00	-24.17	VERTICAL Peak
11	12110.150	41.67	38.83	8.14	36.36	52.28	74.00	-21.72	VERTICAL Peak
12	12110.150	33.91	38.83	8.14	36.36	44.52	54.00	-9.48	VERTICAL Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:middle



Trace: (Discrete)


	Freq	Read Level	Antenna Factor	Cable Loss	Preamplifier Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1300.858	38.36	25.20	2.60	37.30	28.86	54.00	-25.14	HORIZONTAL	Average
2	1300.858	47.83	25.20	2.60	37.30	38.33	74.00	-35.67	HORIZONTAL	Peak
3	2726.337	39.21	27.92	3.62	36.79	33.96	54.00	-20.04	HORIZONTAL	Average
4	2726.337	46.47	27.92	3.62	36.79	41.22	74.00	-32.78	HORIZONTAL	Peak
5	4884.300	42.38	31.56	5.52	36.50	42.96	54.00	-11.04	HORIZONTAL	Average
6	4884.300	47.69	31.56	5.52	36.50	48.27	74.00	-25.73	HORIZONTAL	Peak
7	7326.833	35.16	36.00	6.13	36.76	40.53	54.00	-13.47	HORIZONTAL	Average
8	7326.833	43.69	36.00	6.13	36.76	49.06	74.00	-24.94	HORIZONTAL	Peak
9	9768.789	35.29	38.53	7.01	36.33	44.50	54.00	-9.50	HORIZONTAL	Average
10	9768.789	43.73	38.53	7.01	36.33	52.94	74.00	-21.06	HORIZONTAL	Peak
11	12210.750	31.91	38.74	8.08	36.30	42.43	54.00	-11.57	HORIZONTAL	Average
12	12210.750	43.64	38.74	8.08	36.30	54.16	74.00	-19.84	HORIZONTAL	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:middle



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1312.187	37.07	25.23	2.60	37.30	27.60	54.00	-26.40	VERTICAL Average
2	1312.187	47.30	25.23	2.60	37.30	37.83	74.00	-36.17	VERTICAL Peak
3	2758.041	36.95	28.03	3.66	36.77	31.87	54.00	-22.13	VERTICAL Average
4	2758.041	45.26	28.03	3.66	36.77	40.18	74.00	-33.82	VERTICAL Peak
5	4884.151	44.38	31.56	5.52	36.50	44.96	54.00	-9.04	VERTICAL Average
6	4884.151	50.80	31.56	5.52	36.50	51.38	74.00	-22.62	VERTICAL Peak
7	7326.207	33.47	36.00	6.13	36.76	38.84	54.00	-15.16	VERTICAL Average
8	7326.207	42.06	36.00	6.13	36.76	47.43	74.00	-26.57	VERTICAL Peak
9	9768.460	33.18	38.53	7.01	36.33	42.39	54.00	-11.61	VERTICAL Average
10	9768.460	42.59	38.53	7.01	36.33	51.80	74.00	-22.20	VERTICAL Peak
11	12210.670	34.08	38.74	8.08	36.30	44.60	54.00	-9.40	VERTICAL Average
12	12210.670	44.40	38.74	8.08	36.30	54.92	74.00	-19.08	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Horizontal; Modulation:n; bandwidth:40MHz; Channel:High



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1644.019	35.29	25.63	2.80	37.93	25.79	54.00	-28.21	HORIZONTAL Average
2	1644.019	46.49	25.63	2.80	37.93	36.99	74.00	-37.01	HORIZONTAL Peak
3	2750.080	35.71	28.01	3.65	37.44	29.93	54.00	-24.07	HORIZONTAL Average
4	2750.080	45.75	28.01	3.65	37.44	39.97	74.00	-34.03	HORIZONTAL Peak
5	4804.245	35.04	31.42	5.40	36.83	35.03	54.00	-18.97	HORIZONTAL Average
6	4804.245	45.11	31.42	5.40	36.83	45.10	74.00	-28.90	HORIZONTAL Peak
7	7206.890	31.53	35.54	5.98	37.38	35.67	54.00	-18.33	HORIZONTAL Average
8	7206.890	42.30	35.54	5.98	37.38	46.44	74.00	-27.56	HORIZONTAL Peak
9	9608.860	32.37	38.37	7.07	37.42	40.39	54.00	-13.61	HORIZONTAL Average
10	9608.860	40.70	38.37	7.07	37.42	48.72	74.00	-25.28	HORIZONTAL Peak
11	12010.850	30.80	38.90	8.19	37.10	40.79	54.00	-13.21	HORIZONTAL Average
12	12010.850	40.81	38.90	8.19	37.10	50.80	74.00	-23.20	HORIZONTAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Mode:e; Polarization:Vertical; Modulation:n; bandwidth:40MHz; Channel:High



Trace: (Discrete)

	Freq	ReadAntenna	Cable	Preamp	Level	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1578.822	40.23	25.56	2.80	37.08	31.51	54.00	-22.49	VERTICAL Average
2	1578.822	50.49	25.56	2.80	37.08	41.77	74.00	-32.23	VERTICAL Peak
3	2742.143	37.36	27.98	3.64	36.78	32.20	54.00	-21.80	VERTICAL Average
4	2742.143	45.77	27.98	3.64	36.78	40.61	74.00	-33.39	VERTICAL Peak
5	4904.741	35.12	31.58	5.55	36.50	35.75	54.00	-18.25	VERTICAL Average
6	4904.741	43.93	31.58	5.55	36.50	44.56	74.00	-29.44	VERTICAL Peak
7	7356.806	37.83	36.06	6.15	36.76	43.28	54.00	-10.72	VERTICAL Average
8	7356.806	44.43	36.06	6.15	36.76	49.88	74.00	-24.12	VERTICAL Peak
9	9808.516	32.35	38.56	7.00	36.32	41.59	54.00	-12.41	VERTICAL Average
10	9808.516	42.30	38.56	7.00	36.32	51.54	74.00	-22.46	VERTICAL Peak
11	12260.140	32.41	38.70	8.06	36.27	42.90	54.00	-11.10	VERTICAL Average
12	12260.140	42.74	38.70	8.06	36.27	53.23	74.00	-20.77	VERTICAL Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8 Appendix

8.1 Appendix 15.247

Cable Loss=0.9 dB

8.2 Appendix A: DTS Bandwidth

8.2.1 Test Result

TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.712	2401.632	2402.344	0.5	PASS
		2440	0.744	2439.612	2440.356	0.5	PASS
		2480	0.688	2479.652	2480.340	0.5	PASS
11B		2412	7.960	2408.200	2416.160	0.5	PASS
		2442	8.240	2437.960	2446.200	0.5	PASS
		2462	7.320	2458.280	2465.600	0.5	PASS
11G		2412	16.480	2403.800	2420.280	0.5	PASS
		2442	16.520	2433.760	2450.280	0.5	PASS
		2462	16.520	2453.720	2470.240	0.5	PASS
11N20SISO		2412	17.760	2403.120	2420.880	0.5	PASS
		2442	17.440	2433.160	2450.600	0.5	PASS
		2462	17.640	2453.200	2470.840	0.5	PASS
11N40SISO		2422	35.840	2404.080	2439.920	0.5	PASS
		2442	36.080	2424.080	2460.160	0.5	PASS
		2452	35.920	2434.320	2470.240	0.5	PASS

8.2.2 Test Graphs



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

BLE_1M_Ant1_2440




BLE_1M_Ant1_2480




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

11B_Ant1_2412



11B_Ant1_2442




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Test Service EEC Laboratory

No.198 Keshu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

11B_Ant1_2462




11G_Ant1_2412




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

11G_Ant1_2442




11G_Ant1_2462




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

11N20SISO_Ant1_2412



11N20SISO_Ant1_2442




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198 Keshu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
Guangzhou Branch Test Service EEC Laboratory. 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

11N20SISO_Ant1_2462




11N40SISO_Ant1_2422




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

11N40SISO_Ant1_2442



11N40SISO_Ant1_2452



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd. No.198 Keshu Road, Sciotech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
Guangzhou Branch Test Service EEC Laboratory. 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

8.3 Appendix B: Maximum conducted output power

8.3.1 Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	7.36	<=30	PASS
		2440	7.56	<=30	PASS
		2480	7.49	<=30	PASS
11B		2412	18.77	<=30	PASS
		2442	18.78	<=30	PASS
		2462	18.38	<=30	PASS
11G		2412	15.36	<=30	PASS
		2442	15.25	<=30	PASS
		2462	14.68	<=30	PASS
11N20SISO		2412	14.54	<=30	PASS
		2442	13.95	<=30	PASS
		2462	15.05	<=30	PASS
11N40SISO		2422	13.14	<=30	PASS
		2442	13.35	<=30	PASS
		2452	13.29	<=30	PASS


8.3.2 Test Graphs




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


BLE_1M_Ant1_2440



BLE_1M_Ant1_2480



11B_Ant1_2412



11B_Ant1_2442




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Inspection & Testing Services

No.198 Keshu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

11B_Ant1_2462



11G_Ant1_2412




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198 Keshu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
Guangzhou Branch Test Service EEC Laboratory. 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com


11G_Ant1_2442



11G_Ant1_2462



11N20SISO_Ant1_2412



11N20SISO_Ant1_2442




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report and certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Test Service EEC Laboratory

No.198 Keshu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

11N20SISO_Ant1_2462




11N40SISO_Ant1_2422




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

11N40SISO_Ant1_2442



11N40SISO_Ant1_2452



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198 Keshu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com
Guangzhou Branch Inspection & Testing Services EEC Laboratory. 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

8.4 Appendix C: Maximum power spectral density

8.4.1 Test Result

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-0.73	<=8	PASS
		2440	-0.41	<=8	PASS
		2480	-0.56	<=8	PASS
11B		2412	-9.55	<=8	PASS
		2442	-9.2	<=8	PASS
		2462	-9.27	<=8	PASS
11G		2412	-11.52	<=8	PASS
		2442	-11.74	<=8	PASS
		2462	-11.79	<=8	PASS
11N20SISO		2412	-12.46	<=8	PASS
		2442	-12.8	<=8	PASS
		2462	-11.34	<=8	PASS
11N40SISO		2422	-13.84	<=8	PASS
		2442	-14.63	<=8	PASS
		2452	-13.75	<=8	PASS

8.4.2 Test Graphs



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

BLE_1M_Ant1_2440



BLE_1M_Ant1_2480




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. No.198 Keshu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
Guangzhou Branch Test Service EEC Laboratory. 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

11B_Ant1_2412




11B_Ant1_2442




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

11B_Ant1_2462



11G_Ant1_2412



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Test Service EEC Laboratory

No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com