



Siren
(GR-304N)

Thank you for choosing GR.SMARTHOME products, the manual can be your guidance of installation and function features, it can help you to use our products completely and flexibly. Please keep it in good condition.

Safety Warning

Please read the manual throughout before using to make sure to use this unit safely.

Copyright

All of the images, figures, software in this manual have been guarded by the International Copyright Treaties. The information copyright is belonged to U-fairy GR, which can not disclose, use, copy in whole or in part, or modify or adapt the information in any way without U-Fairy GR authorization.

About using:

The manufacturer do not bear any responsibility in the case of the unit used by illegal operation which will cause damage or property lost

Maintenance

Under the warranty period, the unit is defected under the correct operation, the manufacturer will guarantee to keep the unit in repair if consumer can provide guarantee card and purchase receipt.

GR Technology International Limited

The manufacturer has rights to amend or improve the printing error, wrong information without any notice by any time; If you have some problems when using the manual, please feel free to contact us for asking help by writing immediately in order to let us solve the issues as soon as possible

Recruit Hot Line: 400 830 6648

Tel: 0769-83396266 0769-83825177

FAX: 0769-83913708

Email: kf@guanronghome.com


Website: www.guanronghome.com

Post Code: 523556

Address: GR technology garden, Baihuali Industrial zone, Changping Town, Dongguan City, Guangdong Province, China.

1.Product Introduction

The siren (GR-304N) is using Z - wave technology which is a new wireless communication technology based on radio frequency. GR 304N is new design product which is short distance, low cost, low power consumption, high reliability. The user can use mobile intelligent terminal equipment to remove control the siren.



Please associate the siren (GR-304N) with the other products in our company to get the best effect. When the sensor is triggered, it will send a audible and light alarm.

The products are widely used in the smart hotel, intelligent residential hall, smart home, smart city system. The user can use them flexibly according to their own demands.

2.Product Specification

Working Voltage: DC5V/1A (AAA 1.2V*4)rechargeable

Working Current: Static State <30mA

Alarm Status <220mA

Alarm Loudness:

Distance :300mm

Noise : 80-110dB

Working Temperature: -10℃~ +50℃

Operating Humidity = 80%

Communication Technology: Z-wave

Communication Frequency: 908.42MHz

Transmission Speed: 9.6/40/100 kbps

Transmission Distance:

Indoor 30M (the transmission distance will be involved with the environment of the indoor)

3.Operating Principle

After associated with the other Z-WAVE sensor products, the alarm circuit is triggered and will send a audible and light alarm . automatically at once receive the alarm signal from the other sensors

4.Installation Instructions

Plug and play. It is suggested to use together with the Z-WAVE products in our company.

5.Products Usage

①Products Networking


This product should be used in together with Fairy top



②Inclusion / Exclusion

<1>Please press the Z-Wave button in the siren after the Z-Wave controller sends the instruction for inclusion or exclusion

<2>Please press the button 3 times quickly



Please pay your grate attention that the detector cannot set the place where is over one meter distance from the controller. Otherwise , the controller cannot receive the signal.Please press the inclusion/exclusion several time-s in case the signal is weak.

6. Device Association

This kind of smoke / gas sensor can direct control another device which is also using Z-wave network , such as alarm, switch , shutter motor, etc.

This kind of siren can directly transmit the information between devices even without the controllers . Siren can transmit the information even the controller is damaged by the disaster ,such as a fire.

Smoke / Gas sensor can support 5 associated groups for Z-wave device and each group can control 5 normal devices.

7.Maintenance

① According to the requirements of the national standard GB50166-92 , the sensor need to be tested at least once in every half a year . And it need to have cleaning and maintenance in every two years for the sensor which has been fixed.

② The working performance for the siren is mainly influenced by the quality of the environment . If the siren is working under the the environment with dust or high wind speed , the maintenance period need to be shortened.

3 Under one year guarantee period base on the date of manufacture, we will be responsible for free repair or replacement if the defected goods are caused by material or workmanship . If the unworking siren is caused by a man-made damage, improper use or self-change , disassembling, it is not belong to the scope of warranty and the GR Smart Home will not take any responsibility

4 The GR Smart Home company will take care the repair for the non warranty product. If you need to repair or assist, please contact us. Meanwhile, we want to get some important information about the repair products from the customer, such as failure situation and reasons of the defect goods in order to find a solution in the shortest possible time. It also can provide reference to improve and perfect our products and the design.

8.Attentions

1 Disclaimer: If there is function or software upgrade, GR Smart home won't have any further notice . The customer can contact with us to consult the relevant information .GR Smart home is qualified for the right of interpretation Interpretation.

2 There are some electricity store in the capacitor of the Siren after it has been connected with the power supply, So please press the Add/Exclude button for about 5 seconds to let the remaining electricity discharge out when it has been withdrawn from the socket , in order to avoid injury of human purpose only;

8.Attentions

- 1 Disclaimer: If there is function or software upgrade, GR Smart home won't have any further notice . The customer can contact with us to consult the relevant information . GR Smart home is qualified for the right of interpretation Interpretation.
- 2 This product should be installed in the interior renovation completed, before installing this product should be stored in a the place which is dustproof, moistureproof and mouldproof.
- 3 Except the battery, there is no other part can be changed by the user. If there is any fault for the sensor , please contact us timely.
- 4 The battery is only a backup power use and not recommended as the main power supply
- 5 The product installation shall comply with the provisions of the state standard, reference GB50166-92 "code for construction and acceptance of automatic fire alarm system"



Product Guarantee Card

Customer Name		Product type	
Telephone		Post Code	
Customer Address			
Purchasing Date			
Service Time	Repair Content	Satisfaction (YES/NO)	Signature Confirmation

Note: Please keep this warranty card in good condition. We do not make up the lost.

Listing of the warranty

(Please mark "√" for the goods you have purchased ,)
Or, please mark "×" in the blank column

Fairy Top		Alarm	
Single Wire Switch Module		Vibration Detection Control Module	
Switch Module with Neutral and Live Wire		Alarm Button	
Door/window sensor		Two - relay Touch Switch with Neutral and Live Wires	
Smoke /Gas Sensor		Two - relay Touch Switch with Single Live Wire	
auto valve		Mini Tracker	
Plug in Socket On/off		Touch Dimmer Switch	
Telephone Alarm Device		Curtain Motor	
PIR sensor		Lifting Controller	
AV Infrared		AC Infrared	
Three- relay Touch Switch with Neutral and Live Wires		Three- relay Touch Switch with Single Live Wire	

Warranty Terms

Under the warranty period , the unit is defected under the correct operation, the manufacturer will guarantee to keep the unit in repair if consumer can provide guarantee card and purchase receipt . Please pay your attentions for the following things,

- Under one year guarantee period base on the date of manufacture, we will be responsible for free repair or replacement . We only charge the repair fee if it is over one year guarantee period .
- We will charge the repair fee in the conditions as below:
 - Cannot provide the guarantee card and the effective purchase vouchers
 - Beyond the guarantee period and the free repair period
 - Failure and damage because of an error caused by improper use and self repair
 - Defect due to the crash, extrusion, high temperature, corrosion, foreign body into the equipment, incorrect usage or and other abnormal reasons.
 - Failure or damage due to force majeure like natural disasters, wars.
 - Default caused by the repair and disassemble by the unauthorized repair agencies or some persons .
 - Without clear label to show the factory' s name or model No .
- Please send the repair goods together with your warranty card and receipt . The transportation cost will be bore by the user.
- The warranty terms will excluding the appearance of the product which easy to damage. And we won't repair the other parts which not show in the warranty card.
- Please keep the warranty card in good condition . We do not make up if lost

FCC ID: 2ACC6GR-304N

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The micro-USB port only supports power function, do not support other functions.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.