



Test Mode	TX AX (HE20) Mode	RU configuration	52
-----------	-------------------	------------------	----


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
01	2412	18.98	500	Complies
06	2437	19.00	500	Complies
11	2462	19.09	500	Complies



Date: 3.APR.2020 04:37:02




Date: 3.APR.2020 04:35:07




Date: 3.APR.2020 04:22:36


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
01	2412	19.44
06	2437	19.44
11	2462	19.36



Date: 3.APR.2020 04:37:09



Date: 3.APR.2020 04:35:13



Date: 3.APR.2020 04:22:43

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
01	2412	19.13	500	Complies
06	2437	19.10	500	Complies
11	2462	19.17	500	Complies






Date: 3.APR.2020 04:51:35






Test Mode	TX AX (HE20) Mode	RU configuration	242
-----------	-------------------	------------------	-----

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
01	2412	18.74	500	Complies
06	2437	18.94	500	Complies
11	2462	18.87	500	Complies



Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
01	2412	19.12
06	2437	18.96
11	2462	19.04



Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
03	2422	38.16	500	Complies
06	2437	38.25	500	Complies
09	2452	38.16	500	Complies

Date: 3.APR.2020 05:22:14

Date: 3.APR.2020 05:23:13

Date: 3.APR.2020 05:27:01

Date: 3.APR.2020 05:22:20

Date: 3.APR.2020 05:23:20

Date: 3.APR.2020 05:27:08

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
03	2422	38.20	500	Complies
06	2437	38.20	500	Complies
09	2452	38.20	500	Complies

Date: 3.APR.2020 05:36:52

Date: 3.APR.2020 05:40:45

Date: 3.APR.2020 05:41:52

Date: 3.APR.2020 05:36:59

Date: 3.APR.2020 05:40:51

Date: 3.APR.2020 05:41:59

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
03	2422	38.16	500	Complies
06	2437	38.20	500	Complies
09	2452	38.12	500	Complies

Date: 3.APR.2020 06:03:52

Date: 3.APR.2020 05:59:46

Date: 3.APR.2020 05:46:53

Date: 3.APR.2020 06:03:59

Date: 3.APR.2020 05:59:54

Date: 3.APR.2020 05:46:59

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
03	2422	38.04	500	Complies
06	2437	38.20	500	Complies
09	2452	38.20	500	Complies

Date: 3.APR.2020 06:52:30

Date: 3.APR.2020 06:36:52

Date: 3.APR.2020 06:38:23


Date: 3.APR.2020 06:52:37

Date: 3.APR.2020 06:36:58


Date: 3.APR.2020 06:38:30

Test Mode	TX AX (HE40) Mode	RU configuration	484
-----------	-------------------	------------------	-----


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
03	2422	36.96	500	Complies
06	2437	37.83	500	Complies
09	2452	37.36	500	Complies



Date: 3.APR.2020 06:49:20




Date: 3.APR.2020 06:59:14




Date: 3.APR.2020 07:01:34


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
03	2422	38.08
06	2437	38.24
09	2452	38.08



Date: 3.APR.2020 06:49:26



Date: 3.APR.2020 06:59:21



Date: 3.APR.2020 07:01:40

APPENDIX F - MAXIMUM OUTPUT POWER

Beamforming

Test Mode	TX AX (HE20) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	26	12.29	0.30	12.59	26.37	0.4335	PASS
		52	14.69	0.30	14.99	26.37	0.4335	PASS
		106	17.01	0.30	17.31	26.37	0.4335	PASS
		242	17.89	0.30	18.19	26.37	0.4335	PASS
06	2437	26	13.06	0.30	13.36	26.37	0.4335	PASS
		52	15.14	0.30	15.44	26.37	0.4335	PASS
		106	17.03	0.30	17.33	26.37	0.4335	PASS
		242	17.82	0.30	18.12	26.37	0.4335	PASS
11	2462	26	11.05	0.30	11.35	26.37	0.4335	PASS
		52	10.87	0.30	11.17	26.37	0.4335	PASS
		106	15.91	0.30	16.21	26.37	0.4335	PASS
		242	17.95	0.30	18.25	26.37	0.4335	PASS

Test Mode	TX AX (HE20) Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	26	12.45	0.30	12.75	26.37	0.4335	PASS
		52	14.69	0.30	14.99	26.37	0.4335	PASS
		106	17.05	0.30	17.35	26.37	0.4335	PASS
		242	17.97	0.30	18.27	26.37	0.4335	PASS
06	2437	26	13.13	0.30	13.43	26.37	0.4335	PASS
		52	14.91	0.30	15.21	26.37	0.4335	PASS
		106	16.75	0.30	17.05	26.37	0.4335	PASS
		242	17.86	0.30	18.16	26.37	0.4335	PASS
11	2462	26	11.87	0.30	12.17	26.37	0.4335	PASS
		52	11.85	0.30	12.15	26.37	0.4335	PASS
		106	16.47	0.30	16.77	26.37	0.4335	PASS
		242	18.06	0.30	18.36	26.37	0.4335	PASS

Test Mode	TX AX (HE20) Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	26	12.03	0.30	12.33	26.37	0.4335	PASS
		52	14.17	0.30	14.47	26.37	0.4335	PASS
		106	16.55	0.30	16.85	26.37	0.4335	PASS
		242	17.74	0.30	18.04	26.37	0.4335	PASS
06	2437	26	13.38	0.30	13.68	26.37	0.4335	PASS
		52	15.26	0.30	15.56	26.37	0.4335	PASS
		106	17.11	0.30	17.41	26.37	0.4335	PASS
		242	17.93	0.30	18.23	26.37	0.4335	PASS
11	2462	26	11.24	0.30	11.54	26.37	0.4335	PASS
		52	10.86	0.30	11.16	26.37	0.4335	PASS
		106	16.21	0.30	16.51	26.37	0.4335	PASS
		242	18.04	0.30	18.34	26.37	0.4335	PASS

Test Mode	TX AX (HE20) Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	26	12.46	0.30	12.76	26.37	0.4335	PASS
		52	14.16	0.30	14.46	26.37	0.4335	PASS
		106	16.68	0.30	16.98	26.37	0.4335	PASS
		242	17.68	0.30	17.98	26.37	0.4335	PASS
06	2437	26	12.55	0.30	12.85	26.37	0.4335	PASS
		52	14.64	0.30	14.94	26.37	0.4335	PASS
		106	16.67	0.30	16.97	26.37	0.4335	PASS
		242	17.72	0.30	18.02	26.37	0.4335	PASS
11	2462	26	11.14	0.30	11.44	26.37	0.4335	PASS
		52	11.01	0.30	11.31	26.37	0.4335	PASS
		106	15.84	0.30	16.14	26.37	0.4335	PASS
		242	17.67	0.30	17.97	26.37	0.4335	PASS

Test Mode	TX AX (HE20) Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	26	18.63	26.37	0.4335	PASS
		52	20.75	26.37	0.4335	PASS
		106	23.15	26.37	0.4335	PASS
		242	24.14	26.37	0.4335	PASS
06	2437	26	19.36	26.37	0.4335	PASS
		52	21.31	26.37	0.4335	PASS
		106	23.21	26.37	0.4335	PASS
		242	24.15	26.37	0.4335	PASS
11	2462	26	17.66	26.37	0.4335	PASS
		52	17.49	26.37	0.4335	PASS
		106	22.43	26.37	0.4335	PASS
		242	24.25	26.37	0.4335	PASS

Test Mode	TX AX (HE40) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	26	10.90	0.36	11.26	26.37	0.4335	PASS
		52	11.08	0.36	11.44	26.37	0.4335	PASS
		106	13.23	0.36	13.59	26.37	0.4335	PASS
		242	12.74	0.36	13.10	26.37	0.4335	PASS
		484	17.44	0.36	17.80	26.37	0.4335	PASS
06	2437	26	11.00	0.36	11.36	26.37	0.4335	PASS
		52	11.13	0.36	11.49	26.37	0.4335	PASS
		106	13.21	0.36	13.57	26.37	0.4335	PASS
		242	12.58	0.36	12.94	26.37	0.4335	PASS
		484	17.61	0.36	17.97	26.37	0.4335	PASS
09	2452	26	9.83	0.36	10.19	26.37	0.4335	PASS
		52	9.94	0.36	10.30	26.37	0.4335	PASS
		106	12.14	0.36	12.50	26.37	0.4335	PASS
		242	11.71	0.36	12.07	26.37	0.4335	PASS
		484	16.52	0.36	16.88	26.37	0.4335	PASS

Test Mode	TX AX (HE40) Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	26	10.86	0.36	11.22	26.37	0.4335	PASS
		52	11.19	0.36	11.55	26.37	0.4335	PASS
		106	13.45	0.36	13.81	26.37	0.4335	PASS
		242	12.82	0.36	13.18	26.37	0.4335	PASS
		484	17.57	0.36	17.93	26.37	0.4335	PASS
06	2437	26	11.37	0.36	11.73	26.37	0.4335	PASS
		52	11.41	0.36	11.77	26.37	0.4335	PASS
		106	13.56	0.36	13.92	26.37	0.4335	PASS
		242	12.91	0.36	13.27	26.37	0.4335	PASS
		484	17.44	0.36	17.80	26.37	0.4335	PASS
09	2452	26	9.91	0.36	10.27	26.37	0.4335	PASS
		52	9.80	0.36	10.16	26.37	0.4335	PASS
		106	12.11	0.36	12.47	26.37	0.4335	PASS
		242	11.61	0.36	11.97	26.37	0.4335	PASS
		484	16.54	0.36	16.90	26.37	0.4335	PASS

Test Mode	TX AX (HE40) Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	26	10.66	0.36	11.02	26.37	0.4335	PASS
		52	10.78	0.36	11.14	26.37	0.4335	PASS
		106	13.08	0.36	13.44	26.37	0.4335	PASS
		242	12.63	0.36	12.99	26.37	0.4335	PASS
		484	17.53	0.36	17.89	26.37	0.4335	PASS
06	2437	26	11.33	0.36	11.69	26.37	0.4335	PASS
		52	11.41	0.36	11.77	26.37	0.4335	PASS
		106	13.24	0.36	13.60	26.37	0.4335	PASS
		242	12.68	0.36	13.04	26.37	0.4335	PASS
		484	17.57	0.36	17.93	26.37	0.4335	PASS
09	2452	26	10.03	0.36	10.39	26.37	0.4335	PASS
		52	10.20	0.36	10.56	26.37	0.4335	PASS
		106	12.36	0.36	12.72	26.37	0.4335	PASS
		242	11.98	0.36	12.34	26.37	0.4335	PASS
		484	16.69	0.36	17.05	26.37	0.4335	PASS

Test Mode	TX AX (HE40) Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	26	10.95	0.36	11.31	26.37	0.4335	PASS
		52	11.11	0.36	11.47	26.37	0.4335	PASS
		106	12.88	0.36	13.24	26.37	0.4335	PASS
		242	12.36	0.36	12.72	26.37	0.4335	PASS
		484	17.35	0.36	17.71	26.37	0.4335	PASS
06	2437	26	10.67	0.36	11.03	26.37	0.4335	PASS
		52	10.78	0.36	11.14	26.37	0.4335	PASS
		106	12.67	0.36	13.03	26.37	0.4335	PASS
		242	12.06	0.36	12.42	26.37	0.4335	PASS
		484	17.21	0.36	17.57	26.37	0.4335	PASS
09	2452	26	9.90	0.36	10.26	26.37	0.4335	PASS
		52	9.81	0.36	10.17	26.37	0.4335	PASS
		106	12.10	0.36	12.46	26.37	0.4335	PASS
		242	11.60	0.36	11.96	26.37	0.4335	PASS
		484	16.43	0.36	16.79	26.37	0.4335	PASS

Test Mode	TX AX (HE40) Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	26	17.22	26.37	0.4335	PASS
		52	17.42	26.37	0.4335	PASS
		106	19.54	26.37	0.4335	PASS
		242	19.02	26.37	0.4335	PASS
		484	23.85	26.37	0.4335	PASS
06	2437	26	17.48	26.37	0.4335	PASS
		52	17.57	26.37	0.4335	PASS
		106	19.56	26.37	0.4335	PASS
		242	18.95	26.37	0.4335	PASS
		484	23.84	26.37	0.4335	PASS
09	2452	26	16.30	26.37	0.4335	PASS
		52	16.32	26.37	0.4335	PASS
		106	18.56	26.37	0.4335	PASS
		242	18.11	26.37	0.4335	PASS
		484	22.92	26.37	0.4335	PASS

CDD

Test Mode	TX AX (HE20) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	26	12.32	0.30	12.62	30.00	1.0000	PASS
		52	14.65	0.30	14.95	30.00	1.0000	PASS
		106	17.08	0.30	17.38	30.00	1.0000	PASS
		242	17.82	0.30	18.12	30.00	1.0000	PASS
06	2437	26	13.11	0.30	13.41	30.00	1.0000	PASS
		52	15.19	0.30	15.49	30.00	1.0000	PASS
		106	17.07	0.30	17.37	30.00	1.0000	PASS
		242	17.94	0.30	18.24	30.00	1.0000	PASS
11	2462	26	11.32	0.30	11.62	30.00	1.0000	PASS
		52	10.91	0.30	11.21	30.00	1.0000	PASS
		106	15.98	0.30	16.28	30.00	1.0000	PASS
		242	18.28	0.30	18.58	30.00	1.0000	PASS

Test Mode	TX AX (HE20) Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	26	12.41	0.30	12.71	30.00	1.0000	PASS
		52	14.72	0.30	15.02	30.00	1.0000	PASS
		106	17.14	0.30	17.44	30.00	1.0000	PASS
		242	17.86	0.30	18.16	30.00	1.0000	PASS
06	2437	26	13.08	0.30	13.38	30.00	1.0000	PASS
		52	14.86	0.30	15.16	30.00	1.0000	PASS
		106	16.83	0.30	17.13	30.00	1.0000	PASS
		242	17.83	0.30	18.13	30.00	1.0000	PASS
11	2462	26	11.67	0.30	11.97	30.00	1.0000	PASS
		52	11.77	0.30	12.07	30.00	1.0000	PASS
		106	16.51	0.30	16.81	30.00	1.0000	PASS
		242	18.11	0.30	18.41	30.00	1.0000	PASS

Test Mode	TX AX (HE20) Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	26	12.23	0.30	12.53	30.00	1.0000	PASS
		52	14.23	0.30	14.53	30.00	1.0000	PASS
		106	16.76	0.30	17.06	30.00	1.0000	PASS
		242	17.93	0.30	18.23	30.00	1.0000	PASS
06	2437	26	13.27	0.30	13.57	30.00	1.0000	PASS
		52	15.20	0.30	15.50	30.00	1.0000	PASS
		106	17.04	0.30	17.34	30.00	1.0000	PASS
		242	17.95	0.30	18.25	30.00	1.0000	PASS
11	2462	26	11.22	0.30	11.52	30.00	1.0000	PASS
		52	10.84	0.30	11.14	30.00	1.0000	PASS
		106	16.14	0.30	16.44	30.00	1.0000	PASS
		242	18.09	0.30	18.39	30.00	1.0000	PASS

Test Mode	TX AX (HE20) Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	26	12.53	0.30	12.83	30.00	1.0000	PASS
		52	14.14	0.30	14.44	30.00	1.0000	PASS
		106	16.82	0.30	17.12	30.00	1.0000	PASS
		242	17.80	0.30	18.10	30.00	1.0000	PASS
06	2437	26	12.64	0.30	12.94	30.00	1.0000	PASS
		52	14.79	0.30	15.09	30.00	1.0000	PASS
		106	16.83	0.30	17.13	30.00	1.0000	PASS
		242	17.77	0.30	18.07	30.00	1.0000	PASS
11	2462	26	11.31	0.30	11.61	30.00	1.0000	PASS
		52	11.13	0.30	11.43	30.00	1.0000	PASS
		106	15.87	0.30	16.17	30.00	1.0000	PASS
		242	17.84	0.30	18.14	30.00	1.0000	PASS

Test Mode	TX AX (HE20) Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	26	18.69	30.00	1.0000	PASS
		52	20.76	30.00	1.0000	PASS
		106	23.27	30.00	1.0000	PASS
		242	24.17	30.00	1.0000	PASS
06	2437	26	19.35	30.00	1.0000	PASS
		52	21.33	30.00	1.0000	PASS
		106	23.26	30.00	1.0000	PASS
		242	24.19	30.00	1.0000	PASS
11	2462	26	17.70	30.00	1.0000	PASS
		52	17.50	30.00	1.0000	PASS
		106	22.45	30.00	1.0000	PASS
		242	24.40	30.00	1.0000	PASS

Test Mode	TX AX (HE40) Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	26	10.96	0.36	11.32	30.00	1.0000	PASS
		52	11.13	0.36	11.49	30.00	1.0000	PASS
		106	13.27	0.36	13.63	30.00	1.0000	PASS
		242	12.68	0.36	13.04	30.00	1.0000	PASS
		484	17.48	0.36	17.84	30.00	1.0000	PASS
06	2437	26	11.12	0.36	11.48	30.00	1.0000	PASS
		52	11.17	0.36	11.53	30.00	1.0000	PASS
		106	13.15	0.36	13.51	30.00	1.0000	PASS
		242	12.62	0.36	12.98	30.00	1.0000	PASS
		484	17.56	0.36	17.92	30.00	1.0000	PASS
09	2452	26	9.89	0.36	10.25	30.00	1.0000	PASS
		52	9.94	0.36	10.3	30.00	1.0000	PASS
		106	12.17	0.36	12.53	30.00	1.0000	PASS
		242	11.85	0.36	12.21	30.00	1.0000	PASS
		484	16.58	0.36	16.94	30.00	1.0000	PASS

Test Mode	TX AX (HE40) Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	26	10.83	0.36	11.19	30.00	1.0000	PASS
		52	11.25	0.36	11.61	30.00	1.0000	PASS
		106	13.36	0.36	13.72	30.00	1.0000	PASS
		242	12.79	0.36	13.15	30.00	1.0000	PASS
		484	17.54	0.36	17.90	30.00	1.0000	PASS
06	2437	26	11.35	0.36	11.71	30.00	1.0000	PASS
		52	11.35	0.36	11.71	30.00	1.0000	PASS
		106	13.63	0.36	13.99	30.00	1.0000	PASS
		242	12.84	0.36	13.20	30.00	1.0000	PASS
		484	17.53	0.36	17.89	30.00	1.0000	PASS
09	2452	26	9.95	0.36	10.31	30.00	1.0000	PASS
		52	9.90	0.36	10.26	30.00	1.0000	PASS
		106	12.14	0.36	12.50	30.00	1.0000	PASS
		242	11.76	0.36	12.12	30.00	1.0000	PASS
		484	16.60	0.36	16.96	30.00	1.0000	PASS

Test Mode	TX AX (HE40) Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	26	10.74	0.36	11.10	30.00	1.0000	PASS
		52	10.84	0.36	11.20	30.00	1.0000	PASS
		106	13.14	0.36	13.50	30.00	1.0000	PASS
		242	12.71	0.36	13.07	30.00	1.0000	PASS
		484	17.58	0.36	17.94	30.00	1.0000	PASS
06	2437	26	11.37	0.36	11.73	30.00	1.0000	PASS
		52	11.45	0.36	11.81	30.00	1.0000	PASS
		106	13.28	0.36	13.64	30.00	1.0000	PASS
		242	12.73	0.36	13.09	30.00	1.0000	PASS
		484	17.61	0.36	17.97	30.00	1.0000	PASS
09	2452	26	10.17	0.36	10.53	30.00	1.0000	PASS
		52	10.21	0.36	10.57	30.00	1.0000	PASS
		106	12.43	0.36	12.79	30.00	1.0000	PASS
		242	11.87	0.36	12.23	30.00	1.0000	PASS
		484	16.72	0.36	17.08	30.00	1.0000	PASS

Test Mode	TX AX (HE40) Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Resource Unit	Avg Output Power (dBm)	Duty Factor	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	26	10.98	0.36	11.34	30.00	1.0000	PASS
		52	11.19	0.36	11.55	30.00	1.0000	PASS
		106	12.97	0.36	13.33	30.00	1.0000	PASS
		242	12.42	0.36	12.78	30.00	1.0000	PASS
		484	17.37	0.36	17.73	30.00	1.0000	PASS
06	2437	26	10.74	0.36	11.10	30.00	1.0000	PASS
		52	10.83	0.36	11.19	30.00	1.0000	PASS
		106	12.72	0.36	13.08	30.00	1.0000	PASS
		242	12.09	0.36	12.45	30.00	1.0000	PASS
		484	17.32	0.36	17.68	30.00	1.0000	PASS
09	2452	26	9.87	0.36	10.23	30.00	1.0000	PASS
		52	9.87	0.36	10.23	30.00	1.0000	PASS
		106	12.05	0.36	12.41	30.00	1.0000	PASS
		242	11.56	0.36	11.92	30.00	1.0000	PASS
		484	16.47	0.36	16.83	30.00	1.0000	PASS

Test Mode	TX AX (HE40) Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Resource Unit	Avg Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	26	17.26	30.00	1.0000	PASS
		52	17.48	30.00	1.0000	PASS
		106	19.57	30.00	1.0000	PASS
		242	19.03	30.00	1.0000	PASS
		484	23.87	30.00	1.0000	PASS
06	2437	26	17.53	30.00	1.0000	PASS
		52	17.58	30.00	1.0000	PASS
		106	19.59	30.00	1.0000	PASS
		242	18.96	30.00	1.0000	PASS
		484	23.88	30.00	1.0000	PASS
09	2452	26	16.35	30.00	1.0000	PASS
		52	16.36	30.00	1.0000	PASS
		106	18.58	30.00	1.0000	PASS
		242	18.14	30.00	1.0000	PASS
		484	22.97	30.00	1.0000	PASS

APPENDIX G - CONDUCTED SPURIOUS EMISSIONS

CDD


Test Mode	TX AX (HE20) Mode_Ant. 1	RU configuration	26
-----------	--------------------------	------------------	----

Bandedge-CH01




Date: 3.APR.2020 03:47:20

Bandedge-CH11




Date: 3.APR.2020 04:13:32


CH01 – 10th Harmonic of the fundamental frequency



Date: 3.APR.2020 03:47:33




Date: 3.APR.2020 03:47:40




Date: 3.APR.2020 03:47:47


CH06 – 10th Harmonic of the fundamental frequency



Date: 3.APR.2020 03:50:49




Date: 3.APR.2020 03:50:56




Date: 3.APR.2020 03:51:03


CH11 – 10th Harmonic of the fundamental frequency



Date: 3.APR.2020 04:13:45




Date: 3.APR.2020 04:13:52



Date: 3.APR.2020 04:13:59


Test Mode	TX AX (HE20) Mode_Ant. 3	RU configuration	26
-----------	--------------------------	------------------	----

Bandedge-CH01




Test Mode	TX AX (HE20) Mode_Ant. 1	RU configuration	52
-----------	--------------------------	------------------	----

Bandedge-CH01




Date: 3.APR.2020 04:16:21

Bandedge-CH11




Date: 3.APR.2020 04:19:59


CH01 – 10th Harmonic of the fundamental frequency



Date: 3.APR.2020 04:16:34




Date: 3.APR.2020 04:16:41




Date: 3.APR.2020 04:16:48


CH06 – 10th Harmonic of the fundamental frequency



Date: 3.APR.2020 04:18:54




Date: 3.APR.2020 04:19:01




Date: 3.APR.2020 04:19:08


CH11 – 10th Harmonic of the fundamental frequency



Date: 3.APR.2020 04:20:12




Date: 3.APR.2020 04:20:19




Date: 3.APR.2020 04:20:26

Test Mode	TX AX (HE20) Mode_Ant. 3	RU configuration	52
-----------	--------------------------	------------------	----




Date: 29.APR.2020 18:19:54




Date: 29.APR.2020 18:24:54


CH01 – 10th Harmonic of the fundamental frequency



Date: 29.APR.2020 18:20:07




Date: 29.APR.2020 18:20:14




Date: 29.APR.2020 18:20:21


CH06 – 10th Harmonic of the fundamental frequency



Date: 17.APR.2020 15:58:24




Date: 17.APR.2020 15:58:31




Date: 17.APR.2020 15:58:39


CH11 – 10th Harmonic of the fundamental frequency



Date: 29.APR.2020 18:25:07




Date: 29.APR.2020 18:25:14



Date: 29.APR.2020 18:25:21


Test Mode	TX AX (HE20) Mode_Ant. 4	RU configuration	52
-----------	--------------------------	------------------	----

Bandedge-CH01




Date: 17.APR.2020 16:04:13

Bandedge-CH11




Date: 17.APR.2020 15:19:10


CH01 – 10th Harmonic of the fundamental frequency



Date: 17.APR.2020 16:04:17




Date: 17.APR.2020 16:04:14




Date: 17.APR.2020 16:05:01


CH06 – 10th Harmonic of the fundamental frequency



Date: 17.APR.2020 15:15:13




Date: 17.APR.2020 15:15:10




Date: 17.APR.2020 15:15:07


CH11 – 10th Harmonic of the fundamental frequency



Date: 17.APR.2020 15:15:13




Date: 17.APR.2020 15:15:10



Date: 17.APR.2020 15:15:12


Test Mode	TX AX (HE20) Mode_Ant. 4	RU configuration	106
-----------	--------------------------	------------------	-----

Bandedge-CH01




Date: 17.APR.2020 17:14:42

Bandedge-CH11




Date: 17.APR.2020 17:29:33


CH01 – 10th Harmonic of the fundamental frequency



Date: 17.APR.2020 17:14:54




Date: 17.APR.2020 17:15:02




Date: 17.APR.2020 17:15:09


CH06 – 10th Harmonic of the fundamental frequency



Date: 17.APR.2020 17:25:26




Date: 17.APR.2020 17:25:33




Date: 17.APR.2020 17:25:40


CH11 – 10th Harmonic of the fundamental frequency



Date: 17.APR.2020 17:29:46



Date: 17.APR.2020 17:29:53



Date: 17.APR.2020 17:30:00

