15 + 15MHz Channel Bandwidth	
1937.5MHz + 1952.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1945.0MHz + 1960.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1967.5MHz + 1982.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

20 + 20MHz Channel Bandwidth	
1940.0MHz + 1960.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1960.0MHz + 1980.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

Conducted Spurious Emissions - Ant 1 (QPSK)	
5MHz Channel Bandwidth	
1932.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1960.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1987.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

10MHz Channel Bandwidth	
1935.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1960.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1985.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

15MHz Channel Bandwidth	
1937.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1960.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1982.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

20MHz Channel Bandwidth	
1940.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1960.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1980.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

5 + 5MHz Channel Bandwidth	
1932.5MHz + 1937.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1955.0MHz + 1960.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1982.5MHz + 1987.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

10 + 10MHz Channel Bandwidth	
1935.0MHz + 1945.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1950.0MHz + 1960.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1975.0MHz + 1985.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

15 + 15MHz Channel Bandwidth	
1937.5MHz + 1952.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1945.0MHz + 1960.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1967.5MHz + 1982.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

20 + 20MHz Channel Bandwidth	
1940.0MHz + 1960.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
1960.0MHz + 1980.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

Product	AirScale Indoor Radio ASiR-pRRH	Test Engineer	Peter Xu
Test Site	SR2	Test Date	2019/03/14 ~ 2019/05/14
Test Item	Conducted Spurious Emissions - LTE Band 66, Single Carrier		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)		Limit (dBm)	Result
				Ant 0	Ant 1		
QPSK							
66461	2112.5	5	0.009 ~ 30	-43.34	-42.04	≤ -16.01	Pass
			30 ~ 26500	-33.83	-34.17	≤ -16.01	Pass
66786	2145.0	5	0.009 ~ 30	-43.34	-43.24	≤ -16.01	Pass
			30 ~ 26500	-33.93	-34.33	≤ -16.01	Pass
67111	2177.5	5	0.009 ~ 30	-42.81	-43.44	≤ -16.01	Pass
			30 ~ 26500	-34.19	-34.59	≤ -16.01	Pass
66486	2115.0	10	0.009 ~ 30	-43.21	-44.15	≤ -16.01	Pass
			30 ~ 26500	-33.23	-33.61	≤ -16.01	Pass
66786	2145.0	10	0.009 ~ 30	-44.01	-42.13	≤ -16.01	Pass
			30 ~ 26500	-34.21	-33.98	≤ -16.01	Pass
67086	2175.0	10	0.009 ~ 30	-44.75	-44.71	≤ -16.01	Pass
			30 ~ 26500	-34.19	-33.89	≤ -16.01	Pass
66511	2117.5	15	0.009 ~ 30	-44.61	-42.39	≤ -16.01	Pass
			30 ~ 26500	-33.63	-33.39	≤ -16.01	Pass
66786	2145.0	15	0.009 ~ 30	-43.30	-44.15	≤ -16.01	Pass
			30 ~ 26500	-33.79	-32.90	≤ -16.01	Pass
67061	2172.5	15	0.009 ~ 30	-42.67	-43.97	≤ -16.01	Pass
			30 ~ 26500	-33.78	-33.52	≤ -16.01	Pass
66536	2120.0	20	0.009 ~ 30	-43.85	-43.04	≤ -16.01	Pass
			30 ~ 26500	-33.84	-33.95	≤ -16.01	Pass
66786	2145.0	20	0.009 ~ 30	-43.32	-43.27	≤ -16.01	Pass
			30 ~ 26500	-34.20	-33.68	≤ -16.01	Pass
67036	2170.0	20	0.009 ~ 30	-43.50	-43.66	≤ -16.01	Pass
			30 ~ 26500	-34.15	-33.73	≤ -16.01	Pass

Product	AirScale Indoor Radio ASiR-pRRH	Test Engineer	Peter Xu
Test Site	SR2	Test Date	2019/03/14 ~ 2019/05/14
Test Item	Conducted Spurious Emissions - LTE Band 66, Multi Carrier		

Channel	Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)		Limit (dBm)	Result
				Ant 0	Ant 1		
QPSK							
66461+66511	2112.5+2117.5	5+5	0.009 ~ 30	-42.45	-42.16	≤ -16.01	Pass
			30 ~ 26500	-35.37	-36.31	≤ -16.01	Pass
66736+66786	2140.0+2145.0	5+5	0.009 ~ 30	-42.76	-42.98	≤ -16.01	Pass
			30 ~ 26500	-32.79	-32.61	≤ -16.01	Pass
67061+67111	2172.5+2177.5	5+5	0.009 ~ 30	-42.17	-43.07	≤ -16.01	Pass
			30 ~ 26500	-33.14	-33.12	≤ -16.01	Pass
66486+66586	2115.0+2125.0	10+10	0.009 ~ 30	-42.72	-44.27	≤ -16.01	Pass
			30 ~ 26500	-39.01	-38.44	≤ -16.01	Pass
66686+66786	2135.0+2145.0	10+10	0.009 ~ 30	-42.60	-43.65	≤ -16.01	Pass
			30 ~ 26500	-31.07	-32.55	≤ -16.01	Pass
66986+67086	2165.0+2175.0	10+10	0.009 ~ 30	-43.25	-42.98	≤ -16.01	Pass
			30 ~ 26500	-34.56	-34.80	≤ -16.01	Pass
66511+66661	2117.5+2132.5	15+15	0.009 ~ 30	-43.20	-43.80	≤ -16.01	Pass
			30 ~ 26500	-38.88	-38.43	≤ -16.01	Pass
66636+66786	2130.0+2145.0	15+15	0.009 ~ 30	-43.34	-42.75	≤ -16.01	Pass
			30 ~ 26500	-38.57	-37.90	≤ -16.01	Pass
66911+67061	2157.5+2172.5	15+15	0.009 ~ 30	-42.18	-43.38	≤ -16.01	Pass
			30 ~ 26500	-39.10	-38.87	≤ -16.01	Pass
66536+66736	2120.0+2140.0	20+20	0.009 ~ 30	-44.00	-41.86	≤ -16.01	Pass
			30 ~ 26500	-33.48	-33.83	≤ -16.01	Pass
66586+66786	2125.0+2145.0	20+20	0.009 ~ 30	-43.81	-43.26	≤ -16.01	Pass
			30 ~ 26500	-33.97	-33.79	≤ -16.01	Pass
66836+67036	2150.0+2170.0	20+20	0.009 ~ 30	-44.09	-42.87	≤ -16.01	Pass
			30 ~ 26500	-33.52	-33.81	≤ -16.01	Pass

5 + 5MHz Channel Bandwidth	
2112.5MHz + 2117.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
2140.0MHz + 2145.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
2172.5MHz + 2177.5MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	

10 + 10MHz Channel Bandwidth	
2115.0MHz + 2125.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
2135.0MHz + 2145.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz
	
2165.0MHz + 2175.0MHz	
9kHz ~ 30MHz	30MHz ~ 26.5GHz