

Test of HBM T12 type S6 to 47 CFR 15.225 and RSS-210 Issue 8

ANNEX 2 TO TEST REPORT # EMCC-040197BBE, 2014-11-04

PHOTOGRAPHS OF EQUIPMENT UNDER TEST (EUT)

EQUIPMENT UNDER TEST:

Trade Name:	T12
Type Designation(s):	S6
Serial Number:	163830120 (Rotor); Test sample, no serial number (Stator)
Equipment Class:	Low Power Transceiver
Manufacturer:	Hottinger Baldwin Messtechnik GmbH
Address:	Im Tiefen See 45 64293 Darmstadt Germany
Phone:	+49 6151 803-681
Fax:	+49 6151 803-98790

RELEVANT STANDARD(S): 47 CFR 15.225

MEASUREMENT PROCEDURE:

☒ RSS-Gen Issue 3 ☒ ANSI C63.10-2009 ☐ Other


CONTENTS

Page

1	Internal Photos of T12 TYPE S6: Rotor	2
2	Internal Photos of T12 TYPE S6: Stator	4
3	Internal Photos of T12 TYPE S6: Stator Head.....	5

Test of HBM T12 type S6 to 47 CFR 15.225 and RSS-210 Issue 8


1 INTERNAL PHOTOS OF T12 TYPE S6: ROTOR



Entire EUT, rotor installed on a test fixture




The rotor includes 4 PCB*




PCB 1 front side*



PCB 1 rear side*




PCB 2 front side*




PCB 2 rear side*

* Internal pictures provided by customer.


Test of HBM T12 type S6 to 47 CFR 15.225 and RSS-210 Issue 8




PCB 3 front side*



PCB 3 rear side*



PCB 4 front side*



PCB 4 rear side*

intentionally left blank

intentionally left blank

* Internal pictures provided by customer.

Test of HBM T12 type S6 to 47 CFR 15.225 and RSS-210 Issue 8


2 INTERNAL PHOTOS OF T12 TYPE S6: STATOR




Entire EUT, stator installed on a test fixture



All PCBs are covered with a potting component*



Controller PCB front side*



Controller PCB rear side*



Supply - Interface PCB front side*



Supply - Interface PCB rear side*


* Internal pictures provided by customer.

Test of HBM T12 type S6 to 47 CFR 15.225 and RSS-210 Issue 8

3 INTERNAL PHOTOS OF T12 TYPE S6: STATOR HEAD



Entire EUT, stator installed on a test fixture



Bottom view of the stator head*



Stator head PCB front side*



Stator head PCB rear side*

* Internal pictures provided by customer.