



4.10.1.9 11A20_100 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5437.0985	37.01	19.51	54.00	16.99	150	24	Vertical
2	5447.1236	51.38	19.55	74.00	22.62	150	29	Vertical
3	5456.9085	37.10	19.58	54.00	16.90	150	24	Vertical
4	5468.7344	56.99	19.61	68.30	11.31	150	29	Vertical
5	5500.0000	97.76	19.70	68.30	-29.46	150	24	Vertical
6	5500.0000	88.56	19.70	0.00	-88.56	150	24	Vertical



4.10.1.10 11A20_100 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5432.8364	38.47	19.49	54.00	15.53	150	74	Horizontal
2	5440.4602	52.63	19.52	74.00	21.37	150	52	Horizontal
3	5452.2861	39.14	19.57	54.00	14.86	150	58	Horizontal
4	5469.2746	61.27	19.61	68.30	7.03	150	58	Horizontal
5	5500.0000	102.58	19.70	68.30	-34.28	150	74	Horizontal
6	5500.0000	93.27	19.70	0.00	-93.27	150	74	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.10.1.11 11A20_140 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	94.95	19.72	68.30	-26.65	150	66	Vertical
2	5727.7139	54.31	19.83	68.30	13.99	150	52	Vertical
3	5732.0060	53.42	19.85	68.30	14.88	150	61	Vertical
4	5745.5978	50.94	19.90	68.30	17.36	150	117	Vertical
5	5777.6588	52.13	20.03	68.30	16.17	150	268	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (M-10) FCC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10.1.12 11A20_140 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	102.15	19.72	68.30	-33.85	150	65	Horizontal
2	5727.8439	60.49	19.83	68.30	7.81	150	79	Horizontal
3	5734.6723	57.68	19.86	68.30	10.62	150	69	Horizontal
4	5753.8569	52.21	19.94	68.30	16.09	150	51	Horizontal
5	5770.1801	52.06	20.00	68.30	16.24	150	102	Horizontal



4.10.1.13 11A20_149 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.2136	51.45	19.42	68.30	16.85	150	108	Vertical
2	5675.7879	51.84	19.57	87.38	35.54	150	48	Vertical
3	5703.3117	57.32	19.73	106.23	48.91	150	52	Vertical
4	5723.2716	65.86	19.81	118.36	52.50	150	61	Vertical
5	5745.0000	102.07	19.90	0.00	-102.07	150	57	Vertical




4.10.1.14 11A20_149 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.7429	53.70	19.42	68.30	14.60	150	81	Horizontal
2	5685.8029	55.85	19.63	94.79	38.94	150	77	Horizontal
3	5703.2416	61.16	19.73	106.21	45.05	150	91	Horizontal
4	5723.3417	71.25	19.81	118.52	47.27	150	100	Horizontal
5	5745.0000	105.94	19.90	0.00	-105.94	150	77	Horizontal



4.10.1.15 11A20_165 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	101.39	20.25	0.00	-101.39	150	57	Vertical
2	5850.8679	64.55	20.38	120.32	55.77	150	52	Vertical
3	5859.8624	58.08	20.34	109.54	51.46	150	52	Vertical
4	5899.9500	51.49	20.18	86.84	35.35	150	80	Vertical
5	5935.3852	52.24	20.50	68.30	16.06	150	181	Vertical



4.10.1.16 11A20_165 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	105.97	20.25	0.00	-105.97	150	84	Horizontal
2	5850.4802	69.61	20.38	121.21	51.60	150	66	Horizontal
3	5865.0575	59.68	20.32	108.08	48.40	150	84	Horizontal
4	5896.9260	53.79	20.19	89.07	35.28	150	75	Horizontal
5	5934.3772	52.65	20.49	68.30	15.65	150	84	Horizontal




4.10.1.17 11N20_36 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.0615	41.79	21.55	54.00	12.21	150	18	Vertical
2	5135.0675	58.46	21.46	74.00	15.54	150	29	Vertical
3	5145.8729	42.98	21.37	54.00	11.02	150	29	Vertical
4	5148.4742	60.77	21.35	74.00	13.23	150	18	Vertical
5	5180.0000	103.89	21.01	68.30	-35.59	150	29	Vertical
6	5180.0000	85.31	21.01	0.00	-85.31	150	24	Vertical




4.10.1.18 11N20_36 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5122.2111	41.46	21.56	54.00	12.54	150	225	Horizontal
2	5127.6138	55.45	21.51	74.00	18.55	150	225	Horizontal
3	5143.6718	42.16	21.39	54.00	11.84	150	225	Horizontal
4	5148.6743	59.88	21.35	74.00	14.12	150	137	Horizontal
5	5180.0000	102.74	21.01	68.30	-34.44	150	225	Horizontal
6	5180.0000	84.59	21.01	0.00	-84.59	150	76	Horizontal

4.10.1.19 11N20_48 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	102.49	20.34	68.30	-34.19	150	22	Vertical
2	5240.0000	85.66	20.34	0.00	-85.66	150	22	Vertical
3	5355.5178	57.52	19.72	74.00	16.48	150	22	Vertical
4	5362.0010	44.14	19.67	54.00	9.86	150	207	Vertical
5	5378.0290	58.65	19.54	74.00	15.35	150	316	Vertical
6	5387.7539	43.84	19.46	54.00	10.16	150	36	Vertical



4.10.1.20 11N20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	103.59	20.34	68.30	-35.29	150	66	Horizontal
2	5240.0000	85.60	20.34	0.00	-85.60	150	59	Horizontal
3	5358.2191	58.12	19.70	74.00	15.88	150	263	Horizontal
4	5364.7924	44.37	19.65	54.00	9.63	150	92	Horizontal
5	5377.8489	57.59	19.54	74.00	16.41	150	133	Horizontal



4.10.1.21 11N20_52 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5117.1986	45.95	21.60	54.00	8.05	150	22	Vertical
2	5120.5303	60.37	21.57	74.00	13.63	150	228	Vertical
3	5135.9280	59.37	21.45	74.00	14.63	150	172	Vertical
4	5139.5298	45.70	21.42	54.00	8.30	150	268	Vertical
5	5260.0000	102.82	20.18	68.30	-34.52	150	36	Vertical
6	5260.0000	85.27	20.18	0.00	-85.27	150	22	Vertical






4.10.1.22 11N20_52 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5110.0850	45.92	21.65	54.00	8.08	150	207	Horizontal
2	5120.6203	60.27	21.57	74.00	13.73	150	33	Horizontal
3	5135.0275	45.75	21.46	54.00	8.25	150	68	Horizontal
4	5142.6813	58.83	21.40	74.00	15.17	150	68	Horizontal
5	5260.0000	103.90	20.18	68.30	-35.60	150	61	Horizontal
6	5260.0000	85.67	20.18	0.00	-85.67	150	68	Horizontal



4.10.1.23 11N20_64 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	101.64	19.90	68.30	-33.34	150	29	Vertical
2	5320.0000	83.25	19.90	0.00	-83.25	150	22	Vertical
3	5350.9255	58.47	19.76	74.00	15.53	150	35	Vertical
4	5365.6828	39.08	19.64	54.00	14.92	150	35	Vertical
5	5384.6923	51.78	19.49	74.00	22.22	150	22	Vertical
6	5390.3952	38.78	19.44	54.00	15.22	150	22	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.10.1.24 11N20_64 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	103.74	19.90	68.30	-35.44	150	61	Horizontal
2	5320.0000	84.52	19.90	0.00	-84.52	150	81	Horizontal
3	5351.1256	59.36	19.76	74.00	14.64	150	89	Horizontal
4	5358.9795	40.46	19.70	54.00	13.54	150	81	Horizontal
5	5377.2386	39.53	19.55	54.00	14.47	150	81	Horizontal
6	5388.9945	53.12	19.45	74.00	20.88	150	75	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.10.1.25 11N20_100 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5434.1571	38.35	19.50	54.00	15.65	150	46	Vertical
2	5451.2056	52.87	19.56	74.00	21.13	150	35	Vertical
3	5454.2071	39.26	19.57	54.00	14.74	150	29	Vertical
4	5469.3947	58.32	19.61	68.30	9.98	150	35	Vertical
5	5500.0000	102.31	19.70	68.30	-34.01	150	35	Vertical
6	5500.0000	83.32	19.70	0.00	-83.32	150	35	Vertical

4.10.1.26 11N20_100 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5433.6768	39.37	19.49	54.00	14.63	150	82	Horizontal
2	5453.4867	40.23	19.57	54.00	13.77	150	82	Horizontal
3	5458.7694	57.08	19.58	74.00	16.92	150	82	Horizontal
4	5469.8149	62.61	19.62	68.30	5.69	150	66	Horizontal
5	5500.0000	105.07	19.70	68.30	-36.77	150	82	Horizontal
6	5500.0000	86.91	19.70	0.00	-86.91	150	77	Horizontal






4.10.1.27 11N20_140 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	94.47	19.72	68.30	-26.17	150	42	Vertical
2	5725.5678	57.18	19.82	68.30	11.12	150	42	Vertical
3	5742.4762	51.45	19.89	68.30	16.85	150	327	Vertical
4	5757.6288	50.98	19.95	68.30	17.32	150	38	Vertical
5	5774.6023	50.89	20.02	68.30	17.41	150	79	Vertical



4.10.1.28 11N20_140 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	101.53	19.72	68.30	-33.23	150	61	Horizontal
2	5725.0000	63.06	19.82	68.30	5.24	150	75	Horizontal
3	5738.6393	53.94	19.87	68.30	14.36	150	112	Horizontal
4	5756.9785	52.08	19.95	68.30	16.22	150	108	Horizontal
5	5773.4967	52.64	20.01	68.30	15.66	150	66	Horizontal



4.10.1.29 11N20_149 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.3617	51.98	19.43	68.30	16.32	150	38	Vertical
2	5675.2976	51.77	19.57	87.02	35.25	150	29	Vertical
3	5715.8479	57.21	19.78	109.74	52.53	150	52	Vertical
4	5723.2716	63.00	19.81	118.36	55.36	150	52	Vertical
5	5745.0000	100.72	19.90	0.00	-100.72	150	52	Vertical




4.10.1.30 11N20_149 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.0230	53.43	19.42	68.30	14.87	150	66	Horizontal
2	5672.7764	54.99	19.55	85.15	30.16	150	66	Horizontal
3	5709.0545	60.77	19.76	107.84	47.07	150	80	Horizontal
4	5723.3417	68.79	19.81	118.52	49.73	150	76	Horizontal
5	5745.0000	105.22	19.90	0.00	-105.22	150	62	Horizontal



4.10.1.31 11N20_165 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	101.01	20.25	0.00	-101.01	150	61	Vertical
2	5850.7129	59.40	20.38	120.67	61.27	150	61	Vertical
3	5863.1191	54.50	20.33	108.63	54.13	150	61	Vertical
4	5892.3512	52.06	20.21	92.46	40.40	150	65	Vertical
5	5937.2461	52.13	20.52	68.30	16.17	150	70	Vertical




4.10.1.32 11N20_165 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	104.93	20.25	0.00	-104.93	150	78	Horizontal
2	5851.1781	64.25	20.38	119.61	55.36	150	78	Horizontal
3	5862.3437	57.28	20.33	108.84	51.56	150	82	Horizontal
4	5902.8189	53.20	20.21	84.71	31.51	150	91	Horizontal
5	5937.3237	53.08	20.52	68.30	15.22	150	64	Horizontal

4.10.1.33 11N40_38 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5108.1041	39.56	21.67	54.00	14.44	150	24	Vertical
2	5127.3737	53.57	21.52	74.00	20.43	150	19	Vertical
3	5141.1206	40.04	21.41	54.00	13.96	150	30	Vertical
4	5146.5233	53.96	21.37	74.00	20.04	150	19	Vertical
5	5190.0000	97.27	20.90	68.30	-28.97	150	19	Vertical
6	5190.0000	65.03	20.90	0.00	-65.03	150	30	Vertical



4.10.1.34 11N40_38 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5114.9475	39.78	21.61	54.00	14.22	150	226	Horizontal
2	5127.1336	54.48	21.52	74.00	19.52	150	138	Horizontal
3	5143.2216	40.48	21.39	54.00	13.52	150	221	Horizontal
4	5148.5643	54.24	21.35	74.00	19.76	150	221	Horizontal
5	5190.0000	96.17	20.90	68.30	-27.87	150	188	Horizontal
6	5190.0000	64.90	20.90	0.00	-64.90	150	57	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10.1.35 11N40_46 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.0000	95.78	20.45	68.30	-27.48	150	22	Vertical
2	5230.0000	68.58	20.45	0.00	-68.58	150	22	Vertical
3	5356.1781	58.02	19.72	74.00	15.98	150	208	Vertical
4	5367.5838	43.93	19.63	54.00	10.07	150	90	Vertical
5	5386.2931	57.76	19.47	74.00	16.24	150	275	Vertical
6	5391.7959	43.80	19.43	54.00	10.20	150	356	Vertical



4.10.1.36 11N40_46 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.0000	97.02	20.45	68.30	-28.72	150	70	Horizontal
2	5230.0000	68.43	20.45	0.00	-68.43	150	220	Horizontal
3	5359.1796	57.75	19.69	74.00	16.25	150	50	Horizontal
4	5362.9815	43.99	19.66	54.00	10.01	150	50	Horizontal
5	5382.7914	57.20	19.50	74.00	16.80	150	0	Horizontal
6	5388.0940	43.82	19.46	54.00	10.18	150	276	Horizontal



4.10.1.37 11N40_54 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5104.2021	45.96	21.70	54.00	8.04	150	227	Vertical
2	5121.0105	59.36	21.57	74.00	14.64	150	297	Vertical
3	5130.2151	45.70	21.49	54.00	8.30	150	22	Vertical
4	5137.9190	59.36	21.43	74.00	14.64	150	345	Vertical
5	5270.0000	98.01	20.13	68.30	-29.71	150	29	Vertical
6	5270.0000	67.17	20.13	0.00	-67.17	150	22	Vertical



4.10.1.38 11N40_54 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5112.6063	45.90	21.63	54.00	8.10	150	227	Horizontal
2	5122.2111	59.57	21.56	74.00	14.43	150	116	Horizontal
3	5144.0220	45.67	21.39	54.00	8.33	150	67	Horizontal
4	5144.1221	59.36	21.39	74.00	14.64	150	144	Horizontal
5	5270.0000	95.97	20.13	68.30	-27.67	150	67	Horizontal
6	5270.0000	66.27	20.13	0.00	-66.27	150	220	Horizontal



4.10.1.39 11N40_62 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.0000	94.01	19.94	68.30	-25.71	150	28	Vertical
2	5310.0000	63.96	19.94	0.00	-63.96	150	35	Vertical
3	5350.3552	57.71	19.77	74.00	16.29	150	35	Vertical
4	5358.2191	38.59	19.70	54.00	15.41	150	28	Vertical
5	5378.5693	37.42	19.54	54.00	16.58	150	28	Vertical
6	5389.7349	51.68	19.44	74.00	22.32	150	28	Vertical



4.10.1.40 11N40_62 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.0000	97.30	19.94	68.30	-29.00	150	69	Horizontal
2	5310.0000	64.84	19.94	0.00	-64.84	150	62	Horizontal
3	5354.2571	58.90	19.74	74.00	15.10	150	62	Horizontal
4	5354.9175	39.86	19.73	54.00	14.14	150	76	Horizontal
5	5384.2721	37.84	19.49	54.00	16.16	150	69	Horizontal
6	5389.4947	51.66	19.45	74.00	22.34	150	83	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.10.1.41 11N40_102 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5421.8509	37.67	19.45	54.00	16.33	150	35	Vertical
2	5443.7019	53.95	19.53	74.00	20.05	150	35	Vertical
3	5455.9580	39.10	19.58	54.00	14.90	150	28	Vertical
4	5468.9845	55.33	19.61	68.30	12.97	150	42	Vertical
5	5510.0000	96.57	19.66	68.30	-28.27	150	35	Vertical
6	5510.0000	64.66	19.66	0.00	-64.66	150	42	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.10.1.42 11N40_102 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5427.1736	38.61	19.47	54.00	15.39	150	76	Horizontal
2	5440.9005	54.18	19.52	74.00	19.82	150	69	Horizontal
3	5453.9270	40.24	19.57	54.00	13.76	150	62	Horizontal
4	5466.6733	58.16	19.61	68.30	10.14	150	83	Horizontal
5	5510.0000	100.89	19.66	68.30	-32.59	150	55	Horizontal
6	5510.0000	65.62	19.66	0.00	-65.62	150	90	Horizontal



4.10.1.43 11N40_134 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.0000	94.90	19.53	68.30	-26.60	150	44	Vertical
2	5725.0000	53.75	19.82	68.30	14.55	150	63	Vertical
3	5730.0650	54.87	19.84	68.30	13.43	150	63	Vertical
4	5745.9630	52.14	19.90	68.30	16.16	150	40	Vertical
5	5769.5648	52.03	20.00	68.30	16.27	150	213	Vertical



4.10.1.44 11N40_134 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.0000	101.15	19.53	68.30	-32.85	150	54	Horizontal
2	5725.0000	59.25	19.82	68.30	9.05	150	54	Horizontal
3	5728.6643	60.29	19.83	68.30	8.01	150	63	Horizontal
4	5757.0285	54.82	19.95	68.30	13.48	150	63	Horizontal
5	5777.5488	52.98	20.03	68.30	15.32	150	68	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.10.1.45 11N40_151 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5642.4812	51.59	19.43	68.30	16.71	150	89	Vertical
2	5679.5448	52.35	19.59	90.16	37.81	150	202	Vertical
3	5710.1726	56.45	19.76	108.15	51.70	150	48	Vertical
4	5722.6563	60.89	19.81	116.96	56.07	150	52	Vertical
5	5755.0000	95.63	19.94	0.00	-95.63	150	56	Vertical



4.10.1.46 11N40_151 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.3662	53.75	19.42	68.30	14.55	150	73	Horizontal
2	5694.3547	58.20	19.68	101.12	42.92	150	73	Horizontal
3	5710.1726	60.75	19.76	108.15	47.40	150	73	Horizontal
4	5722.6563	66.28	19.81	116.96	50.68	150	68	Horizontal
5	5755.0000	99.79	19.94	0.00	-99.79	150	100	Horizontal




4.10.1.47 11N40_159 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.0000	92.17	20.10	0.00	-92.17	150	48	Vertical
2	5851.3532	54.57	20.37	119.21	64.64	150	57	Vertical
3	5868.8619	51.93	20.30	107.02	55.09	150	215	Vertical
4	5891.5733	51.51	20.21	93.04	41.53	150	357	Vertical
5	5936.6958	51.62	20.51	68.30	16.68	150	89	Vertical



4.10.1.48 11N40_159 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.0000	100.89	20.10	0.00	-100.89	150	62	Horizontal
2	5851.4532	58.96	20.37	118.99	60.03	150	77	Horizontal
3	5857.4562	56.98	20.35	110.21	53.23	150	62	Horizontal
4	5907.7814	52.35	20.25	81.04	28.69	150	344	Horizontal
5	5934.8949	52.21	20.49	68.30	16.09	150	11	Horizontal




4.10.1.49 11AC20_36 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.3617	41.03	21.55	54.00	12.97	150	30	Vertical
2	5133.7169	55.52	21.47	74.00	18.48	150	360	Vertical
3	5141.9710	41.43	21.40	54.00	12.57	150	30	Vertical
4	5144.2221	60.32	21.39	74.00	13.68	150	25	Vertical
5	5180.0000	102.22	21.01	68.30	-33.92	150	30	Vertical
6	5180.0000	81.38	21.01	0.00	-81.38	150	30	Vertical




4.10.1.50 11AC20_36 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.5118	54.97	21.55	74.00	19.03	150	131	Horizontal
2	5132.6163	41.89	21.48	54.00	12.11	150	220	Horizontal
3	5143.2716	42.22	21.39	54.00	11.78	150	225	Horizontal
4	5145.6228	62.46	21.37	74.00	11.54	150	220	Horizontal
5	5180.0000	103.54	21.01	68.30	-35.24	150	220	Horizontal
6	5180.0000	83.69	21.01	0.00	-83.69	150	192	Horizontal


4.10.1.51 11AC20_48 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	102.52	20.34	68.30	-34.22	150	29	Vertical
2	5240.0000	81.00	20.34	0.00	-81.00	150	36	Vertical
3	5355.1576	44.18	19.73	54.00	9.82	150	180	Vertical
4	5362.0010	58.35	19.67	74.00	15.65	150	126	Vertical
5	5384.3322	57.26	19.49	74.00	16.74	150	194	Vertical
6	5389.0145	43.80	19.45	54.00	10.20	150	29	Vertical




4.10.1.52 11AC20_48 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	102.76	20.34	68.30	-34.46	150	53	Horizontal
2	5240.0000	83.36	20.34	0.00	-83.36	150	80	Horizontal
3	5358.3092	58.90	19.70	74.00	15.10	150	344	Horizontal
4	5366.5933	44.18	19.63	54.00	9.82	150	87	Horizontal
5	5388.2941	57.56	19.46	74.00	16.44	150	66	Horizontal
6	5392.1661	43.73	19.42	54.00	10.27	150	122	Horizontal



4.10.1.53 11AC20_52 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5110.3552	60.42	21.65	74.00	13.58	150	276	Vertical
2	5126.6533	45.88	21.52	54.00	8.12	150	22	Vertical
3	5142.1411	45.66	21.40	54.00	8.34	150	317	Vertical
4	5144.8424	59.18	21.38	74.00	14.82	150	221	Vertical
5	5260.0000	101.25	20.18	68.30	-32.95	150	22	Vertical
6	5260.0000	82.35	20.18	0.00	-82.35	150	22	Vertical




4.10.1.54 11AC20_52 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5114.1371	45.98	21.62	54.00	8.02	150	221	Horizontal
2	5125.2126	60.03	21.53	74.00	13.97	150	338	Horizontal
3	5138.2691	59.88	21.43	74.00	14.12	150	152	Horizontal
4	5143.7619	45.74	21.39	54.00	8.26	150	98	Horizontal
5	5260.0000	102.60	20.18	68.30	-34.30	150	49	Horizontal
6	5260.0000	83.70	20.18	0.00	-83.70	150	56	Horizontal




4.10.1.55 11AC20_64 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	101.15	19.90	68.30	-32.85	150	42	Vertical
2	5320.0000	81.16	19.90	0.00	-81.16	150	42	Vertical
3	5351.8759	56.95	19.75	74.00	17.05	150	56	Vertical
4	5362.0810	39.31	19.67	54.00	14.69	150	35	Vertical
5	5375.1376	38.82	19.56	54.00	15.18	150	29	Vertical
6	5385.5428	51.94	19.48	74.00	22.06	150	130	Vertical



4.10.1.56 11AC20_64 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	102.66	19.90	68.30	-34.36	150	68	Horizontal
2	5320.0000	81.90	19.90	0.00	-81.90	150	82	Horizontal
3	5357.5788	59.02	19.71	74.00	14.98	150	68	Horizontal
4	5361.5308	40.05	19.68	54.00	13.95	150	68	Horizontal
5	5384.4422	53.39	19.49	74.00	20.61	150	96	Horizontal
6	5389.5448	39.43	19.45	54.00	14.57	150	68	Horizontal




4.10.1.57 11AC20_100 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5429.9550	37.87	19.48	54.00	16.13	150	46	Vertical
2	5438.6593	51.52	19.51	74.00	22.48	150	40	Vertical
3	5453.9070	38.60	19.57	54.00	15.40	150	35	Vertical
4	5468.7344	55.27	19.61	68.30	13.03	150	35	Vertical
5	5500.0000	101.46	19.70	68.30	-33.16	150	35	Vertical
6	5500.0000	80.98	19.70	0.00	-80.98	150	35	Vertical



4.10.1.58 11AC20_100 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5427.0735	39.16	19.47	54.00	14.84	150	71	Horizontal
2	5436.8584	52.85	19.51	74.00	21.15	150	93	Horizontal
3	5451.3257	40.08	19.56	54.00	13.92	150	71	Horizontal
4	5469.4547	59.88	19.61	68.30	8.42	150	71	Horizontal
5	5500.0000	105.41	19.70	68.30	-37.11	150	76	Horizontal
6	5500.0000	86.10	19.70	0.00	-86.10	150	82	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.10.1.59 11AC20_140 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	93.63	19.72	68.30	-25.33	150	47	Vertical
2	5726.2831	52.68	19.83	68.30	15.62	150	47	Vertical
3	5739.6798	51.60	19.88	68.30	16.70	150	47	Vertical
4	5750.8654	51.65	19.92	68.30	16.65	150	47	Vertical
5	5772.4562	51.17	20.01	68.30	17.13	150	339	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10.1.60 11AC20_140 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	100.62	19.72	68.30	-32.32	150	70	Horizontal
2	5726.0230	58.11	19.82	68.30	10.19	150	79	Horizontal
3	5741.3707	52.44	19.89	68.30	15.86	150	65	Horizontal
4	5762.1161	52.70	19.97	68.30	15.60	150	98	Horizontal
5	5775.3177	51.69	20.02	68.30	16.61	150	344	Horizontal



4.10.1.61 11AC20_149 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.0815	51.56	19.43	68.30	16.74	150	51	Vertical
2	5670.4652	51.79	19.54	83.44	31.65	150	185	Vertical
3	5712.4862	56.98	19.77	108.80	51.82	150	42	Vertical
4	5722.7114	62.76	19.81	117.08	54.32	150	38	Vertical
5	5745.0000	99.52	19.90	0.00	-99.52	150	51	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.10.1.62 11AC20_149 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5648.4042	53.25	19.41	68.30	15.05	150	62	Horizontal
2	5683.7719	54.41	19.62	93.29	38.88	150	77	Horizontal
3	5705.2726	59.24	19.74	106.78	47.54	150	67	Horizontal
4	5721.8709	69.29	19.81	115.17	45.88	150	77	Horizontal
5	5745.0000	105.90	19.90	0.00	-105.90	150	81	Horizontal




4.10.1.63 11AC20_165 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	99.62	20.25	0.00	-99.62	150	56	Vertical
2	5851.4107	59.46	20.37	119.08	59.62	150	61	Vertical
3	5867.4612	52.41	20.31	107.41	55.00	150	312	Vertical
4	5893.8244	51.39	20.20	91.37	39.98	150	61	Vertical
5	5937.0910	51.79	20.51	68.30	16.51	150	61	Vertical




4.10.1.64 11AC20_165 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	104.94	20.25	0.00	-104.94	150	16	Horizontal
2	5851.1006	63.95	20.38	119.79	55.84	150	81	Horizontal
3	5860.1726	59.72	20.34	109.45	49.73	150	81	Horizontal
4	5889.4822	54.31	20.22	94.58	40.27	150	81	Horizontal
5	5934.2997	52.60	20.49	68.30	15.70	150	12	Horizontal



4.10.1.65 11AC40_38 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5117.8889	39.93	21.59	54.00	14.07	150	19	Vertical
2	5126.8934	57.19	21.52	74.00	16.81	150	19	Vertical
3	5144.7224	41.09	21.38	54.00	12.91	150	14	Vertical
4	5148.5043	63.01	21.35	74.00	10.99	150	29	Vertical
5	5190.0000	97.32	20.90	68.30	-29.02	150	29	Vertical
6	5190.0000	61.38	20.90	0.00	-61.38	150	19	Vertical



4.10.1.66 11AC40_38 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118.3092	40.16	21.59	54.00	13.84	150	221	Horizontal
2	5126.1131	56.85	21.53	74.00	17.15	150	221	Horizontal
3	5144.8424	40.94	21.38	54.00	13.06	150	221	Horizontal
4	5148.6243	62.80	21.35	74.00	11.20	150	221	Horizontal
5	5190.0000	97.75	20.90	68.30	-29.45	150	137	Horizontal
6	5190.0000	62.82	20.90	0.00	-62.82	150	215	Horizontal




4.10.1.67 11AC40_46 ANT 1_ Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.0000	96.41	20.45	68.30	-28.11	150	22	Vertical
2	5230.0000	63.80	20.45	0.00	-63.80	150	42	Vertical
3	5359.2796	57.54	19.69	74.00	16.46	150	221	Vertical
4	5363.9820	44.03	19.66	54.00	9.97	150	90	Vertical
5	5388.4942	57.81	19.45	74.00	16.19	150	338	Vertical
6	5394.6973	43.71	19.40	54.00	10.29	150	179	Vertical



4.10.1.68 11AC40_46 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.0000	95.92	20.45	68.30	-27.62	150	64	Horizontal
2	5230.0000	64.58	20.45	0.00	-64.58	150	222	Horizontal
3	5352.3762	57.88	19.75	74.00	16.12	150	263	Horizontal
4	5363.3817	44.31	19.66	54.00	9.69	150	119	Horizontal
5	5383.0915	57.71	19.50	74.00	16.29	150	195	Horizontal
6	5394.4972	43.81	19.41	54.00	10.19	150	71	Horizontal




4.10.1.69 11AC40_54 ANT 1_ Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5113.8069	60.36	21.62	74.00	13.64	150	326	Vertical
2	5113.8069	46.03	21.62	54.00	7.97	150	15	Vertical
3	5136.8184	45.56	21.44	54.00	8.44	150	50	Vertical
4	5146.5233	59.69	21.37	74.00	14.31	150	340	Vertical
5	5270.0000	95.94	20.13	68.30	-27.64	150	22	Vertical
6	5270.0000	64.57	20.13	0.00	-64.57	150	22	Vertical



4.10.1.70 11AC40_54 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5109.9050	59.74	21.65	74.00	14.26	150	331	Horizontal
2	5119.7099	45.93	21.58	54.00	8.07	150	201	Horizontal
3	5141.9210	59.55	21.40	74.00	14.45	150	283	Horizontal
4	5144.4222	45.75	21.38	54.00	8.25	150	222	Horizontal
5	5270.0000	98.56	20.13	68.30	-30.26	150	77	Horizontal
6	5270.0000	64.58	20.13	0.00	-64.58	150	56	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.10.1.71 11AC40_62 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.0000	94.70	19.94	68.30	-26.40	150	22	Vertical
2	5310.0000	58.94	19.94	0.00	-58.94	150	16	Vertical
3	5350.2351	60.30	19.77	74.00	13.70	150	36	Vertical
4	5353.9570	38.53	19.74	54.00	15.47	150	36	Vertical
5	5381.7509	37.33	19.51	54.00	16.67	150	22	Vertical
6	5385.8929	51.66	19.48	74.00	22.34	150	16	Vertical




4.10.1.72 11AC40_62 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.0000	95.63	19.94	68.30	-27.33	150	83	Horizontal
2	5310.0000	61.79	19.94	0.00	-61.79	150	97	Horizontal
3	5351.7359	62.24	19.76	74.00	11.76	150	69	Horizontal
4	5358.5793	39.10	19.70	54.00	14.90	150	62	Horizontal
5	5377.3087	53.84	19.55	74.00	20.16	150	69	Horizontal
6	5383.2516	37.80	19.50	54.00	16.20	150	76	Horizontal




4.10.1.73 11AC40_102 ANT 1_ Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5425.7029	37.33	19.46	54.00	16.67	150	35	Vertical
2	5446.4332	52.67	19.55	74.00	21.33	150	42	Vertical
3	5450.8454	38.02	19.56	54.00	15.98	150	35	Vertical
4	5466.4632	56.68	19.61	68.30	11.62	150	42	Vertical
5	5510.0000	59.27	19.66	0.00	-59.27	150	70	Vertical
6	5510.0000	93.50	19.66	68.30	-25.20	150	35	Vertical



4.10.1.74 11AC40_102 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5428.3642	38.49	19.47	54.00	15.51	150	70	Horizontal
2	5445.8029	56.17	19.54	74.00	17.83	150	63	Horizontal
3	5453.8569	39.64	19.57	54.00	14.36	150	77	Horizontal
4	5469.6148	61.81	19.61	68.30	6.49	150	63	Horizontal
5	5510.0000	98.98	19.66	68.30	-30.68	150	77	Horizontal
6	5510.0000	61.99	19.66	0.00	-61.99	150	105	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com




4.10.1.75 11AC40_134 ANT 1_ Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.0000	94.87	19.53	68.30	-26.57	150	33	Vertical
2	5725.0000	53.02	19.82	68.30	15.28	150	56	Vertical
3	5736.2981	51.88	19.87	68.30	16.42	150	51	Vertical
4	5760.3202	52.03	19.96	68.30	16.27	150	47	Vertical
5	5777.3387	51.80	20.03	68.30	16.50	150	351	Vertical



4.10.1.76 11AC40_134 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.0000	99.70	19.53	68.30	-31.40	150	61	Horizontal
2	5726.4232	59.71	19.83	68.30	8.59	150	66	Horizontal
3	5738.3292	56.51	19.87	68.30	11.79	150	52	Horizontal
4	5750.9355	55.65	19.92	68.30	12.65	150	80	Horizontal
5	5770.8254	54.16	20.00	68.30	14.14	150	103	Horizontal



4.10.1.77 11AC40_151 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.1791	51.01	19.43	68.30	17.29	150	52	Vertical
2	5675.7454	53.38	19.57	87.35	33.97	150	47	Vertical
3	5711.0255	58.42	19.76	108.39	49.97	150	38	Vertical
4	5722.5788	63.24	19.81	116.78	53.54	150	43	Vertical
5	5755.0000	93.12	19.94	0.00	-93.12	150	38	Vertical



4.10.1.78 11AC40_151 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.7539	53.75	19.42	68.30	14.55	150	88	Horizontal
2	5690.0900	57.79	19.66	97.97	40.18	150	56	Horizontal
3	5716.9960	66.65	19.79	110.06	43.41	150	65	Horizontal
4	5723.8194	69.81	19.82	119.61	49.80	150	60	Horizontal
5	5755.0000	99.18	19.94	0.00	-99.18	150	83	Horizontal




4.10.1.79 11AC40_159 ANT 1_ Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.0000	93.70	20.10	0.00	-93.70	150	42	Vertical
2	5851.3532	53.63	20.37	119.21	65.58	150	51	Vertical
3	5861.6583	51.78	20.33	109.04	57.26	150	51	Vertical
4	5902.7789	51.70	20.21	84.74	33.04	150	360	Vertical
5	5933.0940	51.32	20.48	68.30	16.98	150	194	Vertical



4.10.1.80 11AC40_159 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.0000	98.60	20.10	0.00	-98.60	150	68	Horizontal
2	5850.5528	57.65	20.38	121.04	63.39	150	44	Horizontal
3	5867.9615	53.49	20.31	107.27	53.78	150	68	Horizontal
4	5908.9820	52.40	20.26	80.15	27.75	150	68	Horizontal
5	5936.2956	51.99	20.51	68.30	16.31	150	188	Horizontal



4.10.1.81 11AC80_42 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5133.9470	44.42	21.47	54.00	9.58	150	29	Vertical
2	5142.1411	65.08	21.40	74.00	8.92	150	29	Vertical
3	5210.0000	79.45	20.68	54.00	-25.45	150	29	Vertical
4	5210.0000	93.16	20.68	68.30	-24.86	150	29	Vertical
5	5353.8869	36.33	19.74	54.00	17.67	150	29	Vertical
6	5354.9275	61.14	19.73	74.00	12.86	150	35	Vertical



4.10.1.82 11AC80_42 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5141.7509	46.23	21.40	54.00	7.77	150	216	Horizontal
2	5142.5313	66.09	21.40	74.00	7.91	150	216	Horizontal
3	5210.0000	79.62	20.68	54.00	-25.62	150	120	Horizontal
4	5210.0000	94.03	20.68	68.30	-25.73	150	58	Horizontal
5	5353.8869	36.80	19.74	54.00	17.20	150	72	Horizontal
6	5358.6994	63.27	19.70	74.00	10.73	150	93	Horizontal



4.10.1.83 11AC80_58 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5128.2141	38.94	21.51	54.00	15.06	150	16	Vertical
2	5143.5218	60.66	21.39	74.00	13.34	150	22	Vertical
3	5290.0000	73.85	20.03	54.00	-19.85	150	216	Vertical
4	5290.0000	92.00	20.03	68.30	-23.70	150	36	Vertical
5	5366.2331	38.76	19.64	54.00	15.24	150	36	Vertical
6	5379.2896	64.74	19.53	74.00	9.26	150	29	Vertical



4.10.1.84 11AC80_58 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5137.8189	61.11	21.44	74.00	12.89	150	112	Horizontal
2	5140.8204	38.99	21.41	54.00	15.01	150	71	Horizontal
3	5290.0000	79.02	20.03	54.00	-25.02	150	58	Horizontal
4	5290.0000	93.39	20.03	68.30	-25.09	150	78	Horizontal
5	5393.8469	38.02	19.41	54.00	15.98	150	64	Horizontal
6	5398.1991	66.89	19.37	74.00	7.11	150	71	Horizontal



4.10.1.85 11AC80_106 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5432.3437	39.56	19.49	54.00	14.44	150	35	Vertical
2	5457.4812	43.84	19.58	54.00	10.16	150	42	Vertical
3	5463.8494	60.02	19.60	68.30	8.28	150	42	Vertical
4	5530.0000	74.25	19.58	0.00	-74.25	150	42	Vertical
5	5530.0000	86.90	19.58	68.30	-18.60	150	49	Vertical
6	5725.0000	49.69	19.82	68.30	18.61	150	69	Vertical



4.10.1.86 11AC80_106 ANT 1_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5428.3217	41.13	19.47	54.00	12.87	150	79	Horizontal
2	5458.3192	48.29	19.58	54.00	5.71	150	72	Horizontal
3	5468.8769	64.53	19.61	68.30	3.77	150	79	Horizontal
4	5530.0000	79.22	19.58	0.00	-79.22	150	65	Horizontal
5	5530.0000	92.46	19.58	68.30	-24.16	150	72	Horizontal
6	5725.9505	54.71	19.82	68.30	13.59	150	72	Horizontal

