Band 5,UL Channel 20415,UL Frequency 825.5,BW 3.0,NO. RB 15,RB POS. Low,QPSK



Band 5,UL Channel 20415,UL Frequency 825.5,BW 3.0,NO. RB 15,RB POS. Low,QPSK



Band 5,UL Channel 20415,UL Frequency 825.5,BW 3.0,NO. RB 15,RB POS. Low,16-QAM



Band 5,UL Channel 20415,UL Frequency 825.5,BW 3.0,NO. RB 15,RB POS. Low,16-QAM



Band 5,UL Channel 20635,UL Frequency 847.5,BW 3.0,NO. RB 15,RB POS. Low,QPSK



Band 5,UL Channel 20635,UL Frequency 847.5,BW 3.0,NO. RB 15,RB POS. Low,QPSK



Band 5,UL Channel 20635,UL Frequency 847.5,BW 3.0,NO. RB 15,RB POS. Low,16-QAM



Band 5,UL Channel 20635,UL Frequency 847.5,BW 3.0,NO. RB 15,RB POS. Low,16-QAM



Band 5,UL Channel 20425,UL Frequency 826.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK



Band 5,UL Channel 20425,UL Frequency 826.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK



Band 5,UL Channel 20425,UL Frequency 826.5,BW 5.0,NO. RB 25,RB POS. Low,16-QAM



Band 5,UL Channel 20425,UL Frequency 826.5,BW 5.0,NO. RB 25,RB POS. Low,16-QAM



Band 5,UL Channel 20625,UL Frequency 846.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK



Band 5,UL Channel 20625,UL Frequency 846.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK



Band 5,UL Channel 20625,UL Frequency 846.5,BW 5.0,NO. RB 25,RB POS. Low,16QAM



Band 5,UL Channel 20625,UL Frequency 846.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK



Band 5,UL Channel 20450,UL Frequency 829.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK



Band 5,UL Channel 20450,UL Frequency 829.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK



Band 5,UL Channel 20450,UL Frequency 829.0,BW 10.0,NO. RB 50,RB POS. Low,16-QAM



Band 5,UL Channel 20450,UL Frequency 829.0,BW 10.0,NO. RB 50,RB POS. Low,16-QAM



Band 5,UL Channel 20600,UL Frequency 844.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK



Band 5,UL Channel 20600,UL Frequency 844.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK



Band 5,UL Channel 20600,UL Frequency 844.0,BW 10.0,NO. RB 50,RB POS. Low,16-QAM



Band 5,UL Channel 20600,UL Frequency 844.0,BW 10.0,NO. RB 50,RB POS. Low,16-QAM



7.4 LTE BAND 7

Band 7,UL Channel 20775,UL Frequency 2502.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK



Band 7,UL Channel 20775,UL Frequency 2502.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK



Band 7,UL Channel 20775,UL Frequency 2502.5,BW 5.0,NO. RB 25,RB POS. Low,16QAM



Band 7,UL Channel 20775,UL Frequency 2502.5,BW 5.0,NO. RB 25,RB POS. Low,16QAM



Band 7,UL Channel 21425,UL Frequency 2567.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK



Band 7,UL Channel 21425,UL Frequency 2567.5,BW 5.0,NO. RB 25,RB POS. Low,QPSK



Band 7,UL Channel 21425,UL Frequency 2567.5,BW 5.0,NO. RB 25,RB POS. Low,16QAM



Band 7,UL Channel 21425,UL Frequency 2567.5,BW 5.0,NO. RB 25,RB POS. Low,16QAM



Band 7,UL Channel 20800,UL Frequency 2505.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK



Band 7,UL Channel 20800,UL Frequency 2505.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK



Band 7,UL Channel 20800,UL Frequency 2505.0,BW 10.0,NO. RB 25,RB POS. Low,16QAM



Band 7,UL Channel 20800,UL Frequency 2505.0,BW 10.0,NO. RB 25,RB POS. Low,16QAM



Band 7,UL Channel 21400,UL Frequency 2565.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK



Band 7,UL Channel 21400,UL Frequency 2565.0,BW 10.0,NO. RB 50,RB POS. Low,QPSK



Band 7,UL Channel 21400,UL Frequency 2565.0,BW 10.0,NO. RB 50,RB POS. Low,16QAM



Band 7,UL Channel 21400,UL Frequency 2565.0,BW 10.0,NO. RB 50,RB POS. Low,16QAM



Band 7,UL Channel 20825,UL Frequency 2507.5,BW 15.0,NO. RB 75,RB POS. Low,QPSK



Band 7,UL Channel 20825,UL Frequency 2507.5,BW 15.0,NO. RB 75,RB POS. Low,QPSK



Band 7,UL Channel 20825,UL Frequency 2507.5,BW 15.0,NO. RB 75,RB POS. Low,16QAM



Band 7,UL Channel 20825,UL Frequency 2507.5,BW 15.0,NO. RB 75,RB POS. Low,16QAM



Band 7,UL Channel 21375,UL Frequency 2562.5,BW 15.0,NO. RB 75,RB POS. Low,QPSK



Band 7,UL Channel 21375,UL Frequency 2562.5,BW 15.0,NO. RB 75,RB POS. Low,QPSK



Band 7,UL Channel 21375,UL Frequency 2562.5,BW 15.0,NO. RB 75,RB POS. Low,16QAM



Band 7,UL Channel 21375,UL Frequency 2562.5,BW 15.0,NO. RB 75,RB POS. Low,16QAM



Band 7,UL Channel 20850,UL Frequency 2510.0,BW 20.0,NO. RB 100,RB POS. Low,QPSK



Band 7,UL Channel 20850,UL Frequency 2510.0,BW 20.0,NO. RB 100,RB POS. Low,QPSK



Band 7,UL Channel 20850,UL Frequency 2510.0,BW 20.0,NO. RB 100,RB POS. Low,16QAM



Band 7,UL Channel 20850,UL Frequency 2510.0,BW 20.0,NO. RB 100,RB POS. Low,16QAM



Band 7,UL Channel 21350,UL Frequency 2560.0,BW 20.0,NO. RB 100,RB POS. Low,QPSK



Band 7,UL Channel 21350,UL Frequency 2560.0,BW 20.0,NO. RB 100,RB POS. Low,QPSK



Band 7,UL Channel 21350,UL Frequency 2560.0,BW 20.0,NO. RB 100,RB POS. Low,16QAM



Band 7,UL Channel 21350,UL Frequency 2560.0,BW 20.0,NO. RB 100,RB POS. Low,16QAM



8. Radiated Spurious Emission

8.1. RADIATED POWER (ERP & EIRP)

RULE PART(S)

FCC: §2.1046, §22.913, §24.232 and §27.50

LIMITS:

22.913(a) - The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 Watts.
27.50 (c) (10) the following power and antenna height requirements apply to stations transmitting in the 698–746 MHz band, the portable stations (hand-held devices) are limited to 3 watts ERP.
27.50 (b)(10) Portable stations (hand-held devices) transmitting in the 746–757 MHz, 758–763 MHz, 776–793 MHz, and 805–806 MHz bands are limited to 3 watts ERP.
27.50 (d)(4) The following power and antenna height requirements apply to stations transmitting in the 1710–1755 MHz and 2110–2155 MHz bands: Fixed, mobile, and portable (hand-held) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP.

TEST PROCEDURE

ANSI / TIA / EIA 603C Clause 2.2.17
KDB 971168 v02r01 RF power output using broadband peak and average power meter method.
KDB 971168 D01 Power Meas License Digital Systems v02r01, “Measurement Guidance for Certification of Licensed Digital Transmitters”

MODES TESTED

- ☐ LTE Band 2
- LTE Band 4
- LTE Band 5
- ☐ LTE Band7

RESULTS

8.2 LTE BAND 2

Radiated Power (EIRP) for Band 2									
Mode	RB/RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Antenna Gain (dB)	Max. EIRP Average (dBm)	Max. EIRP Average (mW)	Polarization Of Max. ERP	
1.4MHz Band QPSK	6/0	1850.7	-1.94	3.76	28.24	22.54	179.473	Horizontal	Pass
		1880	-1.66	3.91	28.22	22.65	184.077	Horizontal	Pass
		1909.3	-1.89	3.93	28.2	22.38	172.982	Horizontal	Pass
1.4MHz Band 16 QAM	6/0	1850.7	-1.63	3.76	28.24	22.85	192.752	Horizontal	Pass
		1880	-1.57	3.91	28.22	22.74	187.932	Horizontal	Pass
		1909.3	-1.35	3.93	28.2	22.92	195.884	Horizontal	Pass
3.0MHz Band QPSK	15/0	1851.5	-1.63	3.77	28.23	22.83	191.867	Horizontal	Pass
		1880	-1.97	3.91	28.24	22.36	172.187	Horizontal	Pass
		1908.5	-1.44	3.94	28.25	22.87	193.642	Horizontal	Pass
3.0MHz Band 16 QAM	15/0	1851.5	-1.66	3.77	28.23	22.8	190.546	Horizontal	Pass
		1880	-1.28	3.91	28.24	23.05	201.837	Horizontal	Pass
		1908.5	-1.72	3.94	28.25	22.59	181.552	Horizontal	Pass
5.0MHz Band QPSK	25/0	1852.5	-1.49	3.77	28.31	23.05	201.837	Horizontal	Pass
		1880	-1.42	3.91	28.22	22.89	194.536	Horizontal	Pass
		1907.5	-0.93	3.94	28.2	23.33	215.278	Horizontal	Pass
5.0MHz Band 16 QAM	25/0	1852.5	-1.40	3.77	28.31	23.14	206.063	Horizontal	Pass
		1880	-1.16	3.91	28.22	23.15	206.538	Horizontal	Pass
		1907.5	-1.15	3.94	28.2	23.11	204.644	Horizontal	Pass
10.0MHz Band QPSK	50/0	1855	-1.63	3.79	28.33	22.91	195.434	Horizontal	Pass
		1880	-1.42	3.95	28.22	22.85	192.752	Horizontal	Pass
		1905	-0.96	3.97	28.19	23.26	211.836	Horizontal	Pass
10.0MHz Band 16 QAM	50/0	1855	-1.63	3.79	28.33	22.91	195.434	Horizontal	Pass
		1880	-1.70	3.95	28.22	22.57	180.717	Horizontal	Pass
		1905	-1.43	3.97	28.19	22.79	190.108	Horizontal	Pass
15.0MHz Band QPSK	75/0	1857.5	-1.86	3.79	28.34	22.69	185.780	Horizontal	Pass
		1880	-1.53	3.95	28.22	22.74	187.932	Horizontal	Pass
		1902.5	-1.09	3.97	28.18	23.12	205.116	Horizontal	Pass
15.0MHz Band 16 QAM	75/0	1857.5	-1.51	3.79	28.34	23.04	201.372	Horizontal	Pass
		1880	-1.31	3.95	28.22	22.96	197.697	Horizontal	Pass
		1902.5	-1.60	3.97	28.18	22.61	182.390	Horizontal	Pass

20.0MHz Band QPSK	100/0	1860	-1.79	3.81	28.35	22.75	188.365	Horizontal	Pass
		1880	-1.52	3.96	28.22	22.74	187.932	Horizontal	Pass
		1900	-1.04	4	28.16	23.12	205.116	Horizontal	Pass
20.0MHz Band 16 QAM	100/0	1860	-1.41	3.81	28.35	23.13	205.589	Horizontal	Pass
		1880	-1.00	3.96	28.22	23.26	211.836	Horizontal	Pass
		1900	-1.02	4	28.16	23.14	206.063	Horizontal	Pass

Note:
SG Level= Signal generator output
Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

Radiated Power (EIRP) for Band 2									
Mode	RB/RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Antenna Gain (dB)	Max. EIRP Average (dBm)	Max. EIRP Average (mW)	Polarization Of Max. ERP	
1.4MHz Band QPSK	6/0	1850.7	-1.36	3.76	28.24	23.12	205.116	Vertical	Pass
		1880	-1.24	3.91	28.22	23.07	202.768	Vertical	Pass
		1909.3	-1.05	3.93	28.2	23.22	209.894	Vertical	Pass
1.4MHz Band 16 QAM	6/0	1850.7	-1.38	3.76	28.24	23.1	204.174	Vertical	Pass
		1880	-1.82	3.91	28.22	22.49	177.419	Vertical	Pass
		1909.3	-1.52	3.93	28.2	22.75	188.365	Vertical	Pass
3.0MHz Band QPSK	15/0	1851.5	-1.81	3.77	28.23	22.65	184.077	Vertical	Pass
		1880	-1.48	3.91	28.24	22.85	192.752	Vertical	Pass
		1908.5	-1.48	3.94	28.25	22.83	191.867	Vertical	Pass
3.0MHz Band 16 QAM	15/0	1851.5	-1.68	3.77	28.23	22.78	189.671	Vertical	Pass
		1880	-1.37	3.91	28.24	22.96	197.697	Vertical	Pass
		1908.5	-1.17	3.94	28.25	23.14	206.063	Vertical	Pass
5.0MHz Band QPSK	25/0	1852.5	-1.38	3.77	28.31	23.16	207.014	Vertical	Pass
		1880	-1.01	3.91	28.22	23.3	213.796	Vertical	Pass
		1907.5	-1.27	3.94	28.2	22.99	199.067	Vertical	Pass
5.0MHz Band 16 QAM	25/0	1852.5	-1.39	3.77	28.31	23.15	206.538	Vertical	Pass
		1880	-1.24	3.91	28.22	23.07	202.768	Vertical	Pass
		1907.5	-1.60	3.94	28.2	22.66	184.502	Vertical	Pass
10.0MHz Band QPSK	50/0	1855	-1.67	3.79	28.33	22.87	193.642	Vertical	Pass
		1880	-1.10	3.95	28.22	23.17	207.491	Vertical	Pass
		1905	-1.31	3.97	28.19	22.91	195.434	Vertical	Pass
10.0MHz Band 16 QAM	50/0	1855	-1.15	3.79	28.33	23.39	218.273	Vertical	Pass
		1880	-1.54	3.95	28.22	22.73	187.499	Vertical	Pass
		1905	-1.28	3.97	28.19	22.94	196.789	Vertical	Pass
15.0MHz Band QPSK	75/0	1857.5	-0.86	3.79	28.34	23.69	233.884	Vertical	Pass
		1880	-0.92	3.95	28.22	23.35	216.272	Vertical	Pass
		1902.5	-0.97	3.97	28.18	23.24	210.863	Vertical	Pass
15.0MHz Band 16 QAM	75/0	1857.5	-1.15	3.79	28.34	23.4	218.776	Vertical	Pass
		1880	-1.70	3.95	28.22	22.57	180.717	Vertical	Pass
		1902.5	-0.99	3.97	28.18	23.22	209.894	Vertical	Pass
20.0MHz Band	100/0	1860	-1.45	3.81	28.35	23.09	203.704	Vertical	Pass
		1880	-1.25	3.96	28.22	23.01	199.986	Vertical	Pass

QPSK		1900	-1.14	4	28.16	23.02	200.447	Vertical	Pass
20.0MHz Band 16 QAM	100/0	1860	-1.39	3.81	28.35	23.15	206.538	Vertical	Pass
		1880	-1.10	3.96	28.22	23.16	207.014	Vertical	Pass
		1900	-1.65	4	28.16	22.51	178.238	Vertical	Pass

Note:
SG Level= Signal generator output
Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

8.3 LTE BAND 4

Radiated Power (EIRP) for Band 4									
Mode	RB/RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Antenna Gain (dB)	Max. EIRP Average (dBm)	Max. EIRP Average (mW)	Polarization Of Max. ERP	
1.4MHz Band QPSK	6/0	1710.7	-1.71	3.12	27.58	22.75	188.365	Horizontal	Pass
		1732.5	-1.65	3.27	27.61	22.69	185.780	Horizontal	Pass
		1754.3	-1.20	3.29	27.63	23.14	206.063	Horizontal	Pass
1.4MHz Band 16 QAM	6/0	1710.7	-1.20	3.12	27.58	23.26	211.836	Horizontal	Pass
		1732.5	-1.68	3.27	27.61	22.66	184.502	Horizontal	Pass
		1754.3	-1.44	3.29	27.63	22.9	194.984	Horizontal	Pass
3.0MHz Band QPSK	15/0	1711.5	-1.35	3.13	27.61	23.13	205.589	Horizontal	Pass
		1732.5	-1.50	3.27	27.61	22.84	192.309	Horizontal	Pass
		1753.5	-1.37	3.3	27.62	22.95	197.242	Horizontal	Pass
3.0MHz Band 16 QAM	15/0	1711.5	-1.33	3.13	27.61	23.15	206.538	Horizontal	Pass
		1732.5	-1.17	3.27	27.61	23.17	207.491	Horizontal	Pass
		1753.5	-1.00	3.3	27.62	23.32	214.783	Horizontal	Pass
5.0MHz Band QPSK	25/0	1712.5	-1.33	3.13	27.63	23.17	207.491	Horizontal	Pass
		1732.5	-1.18	3.27	27.61	23.16	207.014	Horizontal	Pass
		1752.5	-1.71	3.3	27.6	22.59	181.552	Horizontal	Pass
5.0MHz Band 16 QAM	25/0	1712.5	-1.26	3.13	27.63	23.24	210.863	Horizontal	Pass
		1732.5	-1.17	3.27	27.61	23.17	207.491	Horizontal	Pass
		1752.5	-1.80	3.3	27.6	22.5	177.828	Horizontal	Pass
10.0MHz Band QPSK	50/0	1715	-1.38	3.15	27.64	23.11	204.644	Horizontal	Pass
		1732.5	-1.19	3.31	27.61	23.11	204.644	Horizontal	Pass
		1750	-1.57	3.33	27.59	22.69	185.780	Horizontal	Pass
10.0MHz Band 16 QAM	50/0	1715	-1.60	3.15	27.64	22.89	194.536	Horizontal	Pass
		1732.5	-1.78	3.31	27.61	22.52	178.649	Horizontal	Pass
		1750	-1.48	3.33	27.59	22.78	189.671	Horizontal	Pass
15.0MHz Band QPSK	75/0	1717.5	-1.65	3.15	27.65	22.85	192.752	Horizontal	Pass
		1732.5	-1.13	3.31	27.61	23.17	207.491	Horizontal	Pass
		1747.5	-1.68	3.33	27.57	22.56	180.302	Horizontal	Pass
15.0MHz Band 16 QAM	75/0	1717.5	-1.31	3.15	27.65	23.19	208.449	Horizontal	Pass
		1732.5	-1.24	3.31	27.61	23.06	202.302	Horizontal	Pass
		1747.5	-1.35	3.33	27.57	22.89	194.536	Horizontal	Pass

20.0MHz Band QPSK	100/0	1720	-1.28	3.17	27.66	23.21	209.411	Horizontal	Pass
		1732.5	-1.71	3.32	27.61	22.58	181.134	Horizontal	Pass
		1745	-1.45	3.36	27.56	22.75	188.365	Horizontal	Pass
20.0MHz Band 16 QAM	100/0	1720	-1.66	3.17	27.66	22.83	191.867	Horizontal	Pass
		1732.5	-1.34	3.32	27.61	22.95	197.242	Horizontal	Pass
		1745	-0.88	3.36	27.56	23.32	214.783	Horizontal	Pass

Note:
SG Level= Signal generator output
Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

Radiated Power (EIRP) for Band 4									
Mode	RB/RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Antenna Gain (dB)	Max. EIRP Average (dBm)	Max. EIRP Average (mW)	Polarization Of Max. ERP	
1.4MHz Band QPSK	6/0	1710.7	-1.61	3.12	27.58	22.85	192.752	Vertical	Pass
		1732.5	-1.18	3.27	27.61	23.16	207.014	Vertical	Pass
		1754.3	-1.29	3.29	27.63	23.05	201.837	Vertical	Pass
1.4MHz Band 16 QAM	6/0	1710.7	-1.41	3.12	27.58	23.05	201.837	Vertical	Pass
		1732.5	-1.43	3.27	27.61	22.91	195.434	Vertical	Pass
		1754.3	-1.43	3.29	27.63	22.91	195.434	Vertical	Pass
3.0MHz Band QPSK	15/0	1711.5	-1.30	3.13	27.61	23.18	207.970	Vertical	Pass
		1732.5	-1.07	3.27	27.61	23.27	212.324	Vertical	Pass
		1753.5	-1.17	3.3	27.62	23.15	206.538	Vertical	Pass
3.0MHz Band 16 QAM	15/0	1711.5	-1.69	3.13	27.61	22.79	190.108	Vertical	Pass
		1732.5	-1.29	3.27	27.61	23.05	201.837	Vertical	Pass
		1753.5	-1.50	3.3	27.62	22.82	191.426	Vertical	Pass
5.0MHz Band QPSK	25/0	1712.5	-1.53	3.13	27.63	22.97	198.153	Vertical	Pass
		1732.5	-1.48	3.27	27.61	22.86	193.197	Vertical	Pass
		1752.5	-1.42	3.3	27.6	22.88	194.089	Vertical	Pass
5.0MHz Band 16 QAM	25/0	1712.5	-1.26	3.13	27.63	23.24	210.863	Vertical	Pass
		1732.5	-1.19	3.27	27.61	23.15	206.538	Vertical	Pass
		1752.5	-1.26	3.3	27.6	23.04	201.372	Vertical	Pass
10.0MHz Band QPSK	50/0	1715	-1.31	3.15	27.64	23.18	207.970	Vertical	Pass
		1732.5	-1.42	3.31	27.61	22.88	194.089	Vertical	Pass
		1750	-1.62	3.33	27.59	22.64	183.654	Vertical	Pass
10.0MHz Band 16 QAM	50/0	1715	-1.05	3.15	27.64	23.44	220.800	Vertical	Pass
		1732.5	-1.07	3.31	27.61	23.23	210.378	Vertical	Pass
		1750	-1.69	3.33	27.59	22.57	180.717	Vertical	Pass
15.0MHz Band QPSK	75/0	1717.5	-0.88	3.15	27.65	23.62	230.144	Vertical	Pass
		1732.5	-0.97	3.31	27.61	23.33	215.278	Vertical	Pass
		1747.5	-1.69	3.33	27.57	22.55	179.887	Vertical	Pass
15.0MHz Band 16 QAM	75/0	1717.5	-1.21	3.15	27.65	23.29	213.304	Vertical	Pass
		1732.5	-1.54	3.31	27.61	22.76	188.799	Vertical	Pass
		1747.5	-0.92	3.33	27.57	23.32	214.783	Vertical	Pass
20.0MH	100/0	1720	-1.52	3.17	27.66	22.97	198.153	Vertical	Pass

z Band		1732.5	-1.76	3.32	27.61	22.53	179.061	Vertical	Pass
QPSK		1745	-1.23	3.36	27.56	22.97	198.153	Vertical	Pass
20.0MH		1720	-1.18	3.17	27.66	23.31	214.289	Vertical	Pass
z Band	100/0	1732.5	-1.09	3.32	27.61	23.2	208.930	Vertical	Pass
16 QAM		1745	-1.34	3.36	27.56	22.86	193.197	Vertical	Pass

Note:
SG Level= Signal generator output
Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

8.4 LTE BAND 5

Radiated Power (ERP) for Band 5										
Mode	RB/ RB SIZE	Frequency	Result							Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Antenna Gain (dB)	Correction (dB)	Max. ERP Average (dBm)	Max. ERP Average (mW)	Polarization Of Max. ERP	
1.4MHz Band QPSK	6/0	824.7	7.58	2.01	19.68	2.15	22.96	197.697	Horizontal	Pass
		836.5	7.36	2.01	19.77	2.15	23.38	217.771	Horizontal	Pass
		848.3	7.05	2.02	19.82	2.15	22.83	191.867	Horizontal	Pass
1.4MHz Band 16 QAM	6/0	824.7	7.85	2.01	19.68	2.15	23.13	205.589	Horizontal	Pass
		836.5	7.32	2.01	19.77	2.15	22.76	188.799	Horizontal	Pass
		848.3	7.20	2.02	19.82	2.15	23.36	216.770	Horizontal	Pass
3.0MHz Band QPSK	15/0	825.5	7.66	2.01	19.7	2.15	22.67	184.927	Horizontal	Pass
		836.5	7.71	2.01	19.77	2.15	23.59	228.560	Horizontal	Pass
		847.5	7.90	2.02	19.81	2.15	23.22	209.894	Horizontal	Pass
3.0MHz Band 16 QAM	15/0	825.5	7.25	2.01	19.7	2.15	23.37	217.270	Horizontal	Pass
		836.5	7.82	2.01	19.77	2.15	22.83	191.867	Horizontal	Pass
		847.5	7.98	2.02	19.81	2.15	23.17	207.491	Horizontal	Pass
5.0MHz Band QPSK	25/0	826.5	7.47	2.01	19.71	2.15	23.44	220.800	Horizontal	Pass
		836.5	7.52	2.01	19.77	2.15	23.35	216.272	Horizontal	Pass
		846.5	7.53	2.02	19.79	2.15	23.11	204.644	Horizontal	Pass
5.0MHz Band 16 QAM	25/0	826.5	7.14	2.01	19.71	2.15	23.48	222.844	Horizontal	Pass
		836.5	7.01	2.01	19.77	2.15	23.35	216.272	Horizontal	Pass
		846.5	7.51	2.02	19.79	2.15	22.67	184.927	Horizontal	Pass
10.0MHz Band QPSK	50/0	829	7.47	2.01	19.73	2.15	23.17	207.491	Horizontal	Pass
		836.5	7.32	2.01	19.77	2.15	23.46	221.820	Horizontal	Pass
		844	7.12	2.02	19.78	2.15	23.17	207.491	Horizontal	Pass
10.0MHz Band 16 QAM	50/0	829	7.39	2.01	19.73	2.15	22.92	195.884	Horizontal	Pass
		836.5	7.82	2.01	19.77	2.15	22.66	184.502	Horizontal	Pass
		844	7.24	2.02	19.78	2.15	23.1	204.174	Horizontal	Pass

Radiated Power (ERP) for Band 5										
Mode	RB/RB SIZE	Frequency	Result							Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Antenna Gain (dB)	Correction (dB)	Max. ERP Average (dBm)	Max. ERP Average (mW)	Polarization Of Max. ERP	
1.4MHz Band QPSK	6/0	824.7	7.66	2.01	19.68	2.15	23.17	207.491	Vertical	Pass
		836.5	7.91	2.01	19.77	2.15	22.86	193.197	Vertical	Pass
		848.3	7.06	2.02	19.82	2.15	22.78	189.671	Vertical	Pass
1.4MHz Band 16 QAM	6/0	824.7	7.69	2.01	19.68	2.15	23.26	211.836	Vertical	Pass
		836.5	7.09	2.01	19.77	2.15	23.41	219.280	Vertical	Pass
		848.3	7.47	2.02	19.82	2.15	23.3	213.796	Vertical	Pass
3.0MHz Band QPSK	15/0	825.5	7.16	2.01	19.7	2.15	22.83	191.867	Vertical	Pass
		836.5	7.30	2.01	19.77	2.15	23.54	225.944	Vertical	Pass
		847.5	7.35	2.02	19.81	2.15	23.62	230.144	Vertical	Pass
3.0MHz Band 16 QAM	15/0	825.5	7.21	2.01	19.7	2.15	23.18	207.970	Vertical	Pass
		836.5	7.02	2.01	19.77	2.15	22.83	191.867	Vertical	Pass
		847.5	7.22	2.02	19.81	2.15	23.28	212.814	Vertical	Pass
5.0MHz Band QPSK	25/0	826.5	7.77	2.01	19.71	2.15	22.77	189.234	Vertical	Pass
		836.5	7.38	2.01	19.77	2.15	22.7	186.209	Vertical	Pass
		846.5	7.34	2.02	19.79	2.15	23.22	209.894	Vertical	Pass
5.0MHz Band 16 QAM	25/0	826.5	7.56	2.01	19.71	2.15	23.46	221.820	Vertical	Pass
		836.5	7.46	2.01	19.77	2.15	23.12	205.116	Vertical	Pass
		846.5	7.88	2.02	19.79	2.15	23.09	203.704	Vertical	Pass
10.0MHz Band QPSK	50/0	829	7.06	2.01	19.73	2.15	22.98	198.609	Vertical	Pass
		836.5	7.32	2.01	19.77	2.15	22.95	197.242	Vertical	Pass
		844	7.00	2.02	19.78	2.15	22.79	190.108	Vertical	Pass
10.0MHz Band 16 QAM	50/0	829	7.79	2.01	19.73	2.15	22.9	194.984	Vertical	Pass
		836.5	7.72	2.01	19.77	2.15	22.68	185.353	Vertical	Pass
		844	7.26	2.02	19.78	2.15	22.93	196.336	Vertical	Pass

Note:
SG Level= Signal generator output
Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)
ERP=EIRP-2.15

8.5 LTE BAND 7

Radiated Power (EIRP) for Band 7									
Mode	RB/RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Antenna Gain (dB)	Max. EIRP Average (dBm)	Max. EIRP Average (mW)	Polarization Of Max. ERP	
5.0MHz Band QPSK	25/0	2502.5	-0.06	4.54	27.75	23.15	206.538	Horizontal	Pass
		2535	0.21	4.69	27.72	23.24	210.863	Horizontal	Pass
		2567.5	0.41	4.71	27.71	23.41	219.280	Horizontal	Pass
5.0MHz Band 16 QAM	25/0	2502.5	0.06	4.54	27.75	23.27	212.324	Horizontal	Pass
		2535	0.15	4.69	27.72	23.18	207.970	Horizontal	Pass
		2567.5	0.20	4.71	27.71	23.2	208.930	Horizontal	Pass
10.0MHz Band QPSK	50/0	2505	0.37	4.55	27.76	23.58	228.034	Horizontal	Pass
		2535	0.54	4.69	27.72	23.57	227.510	Horizontal	Pass
		2565	0.33	4.72	27.7	23.31	214.289	Horizontal	Pass
10.0MHz Band 16 QAM	50/0	2505	0.43	4.55	27.76	23.64	231.206	Horizontal	Pass
		2535	0.34	4.69	27.72	23.37	217.270	Horizontal	Pass
		2565	0.45	4.72	27.7	23.43	220.293	Horizontal	Pass
15.0MHz Band QPSK	75/0	2507.5	0.62	4.55	27.77	23.84	242.103	Horizontal	Pass
		2535	0.93	4.69	27.72	23.96	248.886	Horizontal	Pass
		2562.5	0.55	4.72	27.69	23.52	224.905	Horizontal	Pass
15.0MHz Band 16 QAM	75/0	2507.5	-0.06	4.55	27.77	23.16	207.014	Horizontal	Pass
		2535	0.42	4.69	27.72	23.45	221.309	Horizontal	Pass
		2562.5	0.90	4.72	27.69	23.87	243.781	Horizontal	Pass
20.0MHz Band QPSK	100/0	2510	0.18	4.57	27.78	23.39	218.273	Horizontal	Pass
		2535	0.81	4.73	27.72	23.8	239.883	Horizontal	Pass
		2560	0.51	4.75	27.68	23.44	220.800	Horizontal	Pass
20.0MHz Band 16 QAM	100/0	2510	0.51	4.57	27.78	23.72	235.505	Horizontal	Pass
		2535	0.67	4.73	27.72	23.66	232.274	Horizontal	Pass
		2560	0.35	4.75	27.68	23.28	212.814	Horizontal	Pass

Note:

SG Level= Signal generator output

Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

Radiated Power (EIRP) for Band 7									
Mode	RB/RB SIZE	Frequency	Result						Conclusion
			SG Level (dBm)	Cable Loss (dBm)	Antenna Gain (dB)	Max. EIRP Average (dBm)	Max. EIRP Average (mW)	Polarization Of Max. ERP	
5.0MHz Band QPSK	25/0	2502.5	-0.05	4.54	27.75	23.16	207.014	Vertical	Pass
		2535	0.14	4.69	27.72	23.17	207.491	Vertical	Pass
		2567.5	0.62	4.71	27.71	23.62	230.144	Vertical	Pass
5.0MHz Band 16 QAM	25/0	2502.5	0.33	4.54	27.75	23.54	225.944	Vertical	Pass
		2535	0.43	4.69	27.72	23.46	221.820	Vertical	Pass
		2567.5	0.62	4.71	27.71	23.62	230.144	Vertical	Pass
10.0MHz Band QPSK	50/0	2505	0.36	4.55	27.76	23.57	227.510	Vertical	Pass
		2535	0.66	4.69	27.72	23.69	233.884	Vertical	Pass
		2565	0.67	4.72	27.7	23.65	231.739	Vertical	Pass
10.0MHz Band 16 QAM	50/0	2505	0.36	4.55	27.76	23.57	227.510	Vertical	Pass
		2535	0.22	4.69	27.72	23.25	211.349	Vertical	Pass
		2565	0.57	4.72	27.7	23.55	226.464	Vertical	Pass
15.0MHz Band QPSK	75/0	2507.5	0.25	4.55	27.77	23.47	222.331	Vertical	Pass
		2535	0.23	4.69	27.72	23.26	211.836	Vertical	Pass
		2562.5	0.91	4.72	27.69	23.88	244.343	Vertical	Pass
15.0MHz Band 16 QAM	75/0	2507.5	0.43	4.55	27.77	23.65	231.739	Vertical	Pass
		2535	0.44	4.69	27.72	23.47	222.331	Vertical	Pass
		2562.5	0.78	4.72	27.69	23.75	237.137	Vertical	Pass
20.0MHz Band QPSK	100/0	2510	0.56	4.57	27.78	23.77	238.232	Vertical	Pass
		2535	0.56	4.73	27.72	23.55	226.464	Vertical	Pass
		2560	1.05	4.75	27.68	23.98	250.035	Vertical	Pass
20.0MHz Band 16 QAM	100/0	2510	0.47	4.57	27.78	23.68	233.346	Vertical	Pass
		2535	0.59	4.73	27.72	23.58	228.034	Vertical	Pass
		2560	0.26	4.75	27.68	23.19	208.449	Vertical	Pass

Note:
SG Level= Signal generator output
Max. EIRP Average (dBm)= Antenna Gain(dB)+ SG Level (dBm)- Cable Loss(dBm)

9. FIELD STRENGTH OF SPURIOUS RADIATION

RULE PART(S)

FCC: §2.1053, §22.917, §24.238 and §27.53

LIMIT

§22.917 (e) and §24.238 (a): Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log (P) dB.

§27.53 (g) For operations in the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least 43 + 10 log (P) dB.

§27.53 (h) For operations in the 1710–1755 MHz and 2110–2155 MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least 43 + 10 log10(P) dB.

TEST PROCEDURE

For Cellular equipment - Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. In the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 100 kHz or 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

For PCS equipment - Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 MHz or 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

The unwanted emission power shall be measured with a resolution bandwidth of at least 1% of the occupied bandwidth in the 1 MHz band immediately outside and adjacent to the channel edge of the equipment. Beyond the 1 MHz band immediately outside the channel edge of the equipment, a resolution bandwidth of 1 MHz shall be employed. A narrower resolution bandwidth is allowed to be used provided that the measured power is integrated over the full required measurement bandwidth of 1 MHz or 1% of the occupied bandwidth as applicable.

The power of any unwanted emissions measured from the channel edge of the equipment shall be attenuated below the transmitter power, P (dBW), as follows:
a. for base station and subscriber equipment, other than mobile subscriber equipment, the attenuation shall not be less than 43 + 10 Log10 (p), dB; and
b. for mobile subscriber equipment, the attenuation shall not be less than 43 + 10 Log10 (p), dB at the channel edges and 55 + 10 Log10 (p) at 5.5 MHz away and beyond the channel edges where p in (a) and (b) is the transmitter power measured in watts.

MODES TESTED

- ☐ LTE Band 2
- LTE Band 4
- LTE Band 5
- ☐ LTE Band7

RESULTS

PASS

9.1 LTE BAND 2

QPSK EIRP POWER FOR LTE BAND 2 (1.4MHZ BANDWIDTH)

Test Results for Low Channel 1710.7MHz							
Frequency(MHz)	SG Level(dBm)	Cable Loss(dB)	Antenna Gain(dB)	Absolute Level(dBm)	Limit （dBm）	Margin(dBm)	Polarity
3701.4	-50.26	4.04	33.51	-20.79	-13	-7.79	Horizontal
3701.4	-50.63	4.04	33.51	-21.16	-13	-8.16	Vertical
5552.1	-51.26	5.24	35.84	-20.66	-13	-7.66	Vertical
5552.1	-52.36	5.24	35.84	-21.76	-13	-8.76	Horizontal
Test Results for Mid Channel 1732.5MHz							
3760	-50.66	4.04	33.56	-21.14	-13	-8.14	Horizontal
3760	-51.68	4.04	33.56	-22.16	-13	-9.16	Vertical
5640	-52.47	5.24	35.91	-21.80	-13	-8.80	Vertical
5640	-52.36	5.24	35.91	-21.69	-13	-8.69	Horizontal
Test Results for High Channel 1754.3MHz							
3818.6	-52.64	4.04	34	-22.68	-13	-9.68	Horizontal
3818.6	-51.26	4.04	34	-21.30	-13	-8.30	Vertical
5727.9	-50.36	5.24	36.04	-19.56	-13	-6.56	Vertical
5727.9	-50.58	5.24	36.04	-19.78	-13	-6.78	Horizontal

QPSK EIRP POWER FOR LTE BAND 2 (20.0MHZ BANDWIDTH)

Test Results for Low Channel 1710.7MHz							
Frequency(MHz)	SG Level(dBm)	Cable Loss(dB)	Antenna Gain(dB)	Absolute Level(dBm)	Limit （dBm）	Margin(dBm)	Polarity
3720	-51.26	4.07	33.54	-21.79	-13	-8.79	Horizontal
3720	-50.63	4.07	33.54	-21.16	-13	-8.16	Vertical
5580	-51.19	5.28	35.86	-20.61	-13	-7.61	Vertical
5580	-52.22	5.28	35.86	-21.64	-13	-8.64	Horizontal
Test Results for Mid Channel 1732.5MHz							
3760	-50.16	4.04	33.56	-20.64	-13	-7.64	Horizontal
3760	-50.36	4.04	33.56	-20.84	-13	-7.84	Vertical
5640	-52.16	5.24	35.91	-21.49	-13	-8.49	Vertical
5640	-52.26	5.24	35.91	-21.59	-13	-8.59	Horizontal
Test Results for High Channel 1754.3MHz							
3800	-51.36	4.04	34	-21.40	-13	-8.40	Horizontal
3800	-52.16	4.04	34	-22.20	-13	-9.20	Vertical
5700	-52.15	5.24	36.04	-21.35	-13	-8.35	Vertical
5700	-50.67	5.24	36.04	-19.87	-13	-6.87	Horizontal

Note: 1. Absolute Level = SG Level- Cable Loss+ Antenna Gain
2. Over Limit= Absolute Level (dBm)-Limit(dBm)

9.2 LTE BAND 4

QPSK EIRP POWER FOR LTE BAND 4 (1.4MHZ BANDWIDTH)

Test Results for Low Channel 1710.7MHz							
Frequency(MHz)	SG Level(dBm)	Cable Loss(dB)	Antenna Gain(dB)	Absolute Level(dBm)	Limit （dBm）	Margin(dBm)	Polarity
3421.4	-50.16	4.02	29.8	-24.38	-13	-11.38	Horizontal
3421.4	-51.36	4.02	29.8	-25.58	-13	-12.58	Vertical
5132.1	-52.48	5.24	35.84	-21.88	-13	-8.88	Vertical
5132.1	-51.33	5.24	35.84	-20.73	-13	-7.73	Horizontal
Test Results for Mid Channel 1732.5MHz							
3465	-50.95	4.03	30	-24.98	-13	-11.98	Horizontal
3465	-50.26	4.03	30	-24.29	-13	-11.29	Vertical
5197.5	-51.26	5.25	35.86	-20.65	-13	-7.65	Vertical
5197.5	-51.22	5.25	35.86	-20.61	-13	-7.61	Horizontal
Test Results for High Channel 1754.3MHz							
3508.6	-50.36	4.05	30.01	-24.40	-13	-11.40	Horizontal
3508.6	-51.68	4.05	30.01	-25.72	-13	-12.72	Vertical
5262.9	-52.78	5.26	35.86	-22.18	-13	-9.18	Vertical
5262.9	-51.57	5.26	35.86	-20.97	-13	-7.97	Horizontal

QPSK EIRP POWER FOR LTE BAND 4 (20.0MHZ BANDWIDTH)

Test Results for Low Channel 1710.7MHz							
Frequency(MHz)	SG Level(dBm)	Cable Loss(dB)	Antenna Gain(dB)	Absolute Level(dBm)	Limit （dBm）	Margin(dBm)	Polarity
3440	-50.26	4.02	29.8	-24.48	-13	-11.48	Horizontal
3440	-50.47	4.02	29.8	-24.69	-13	-11.69	Vertical
5160	-52.16	5.24	35.84	-21.56	-13	-8.56	Vertical
5160	-52.93	5.24	35.84	-22.33	-13	-9.33	Horizontal
Test Results for Mid Channel 1732.5MHz							
3465	-51.74	4.03	30	-25.77	-13	-12.77	Horizontal
3465	-50.85	4.03	30	-24.88	-13	-11.88	Vertical
5197.5	-49.63	5.25	35.86	-19.02	-13	-6.02	Vertical
5197.5	-53.26	5.25	35.86	-22.65	-13	-9.65	Horizontal
Test Results for High Channel 1754.3MHz							
2490	-50.24	2.91	27.68	-25.47	-13	-12.47	Horizontal
3490	-48.87	2.91	27.68	-24.10	-13	-11.10	Vertical
5235	-53.65	5.26	35.86	-23.05	-13	-10.05	Vertical
5235	-52.66	5.26	35.86	-22.06	-13	-9.06	Horizontal

Note: 1. Absolute Level = SG Level- Cable Loss+ Antenna Gain
2. Over Limit= Absolute Level (dBm)-Limit(dBm)

9.3 LTE BAND 5

QPSK EIRP POWER FOR LTE BAND 5 (1.4MHZ BANDWIDTH)

Test Results for Low Channel 824.7MHz							
Frequency(MHz)	SG Level(dBm)	Cable Loss(dB)	Antenna Gain(dB)	Absolute Level(dBm)	Limit （dBm）	Margin(dBm)	Polarity
1649.4	-49.63	2.78	27.5	-24.91	-13	-11.91	Horizontal
1649.4	-49.85	2.78	27.5	-25.13	-13	-12.13	Vertical
2474.1	-51.02	2.9	27.8	-26.12	-13	-13.12	Vertical
2474.1	-51.22	2.9	27.8	-26.32	-13	-13.32	Horizontal
Test Results For Mid Channel 836.5MHz							
1673	-49.69	2.8	27.48	-25.01	-13	-12.01	Horizontal
1673	-49.87	2.8	27.48	-25.19	-13	-12.19	Vertical
2509.5	-50.12	2.91	27.7	-25.33	-13	-12.33	Vertical
2509.5	-51.23	2.91	27.7	-26.44	-13	-13.44	Horizontal
Test Results for High Channel 848.3MHz							
1696.6	-50.12	2.82	27.43	-25.51	-13	-12.51	Horizontal
1696.6	-49.63	2.82	27.43	-25.02	-13	-12.02	Vertical
2544.9	-49.86	2.92	27.74	-25.04	-13	-12.04	Vertical
2544.9	-51.22	2.92	27.74	-26.40	-13	-13.40	Horizontal

QPSK EIRP POWER FOR LTE BAND 5 (10.0MHZ BANDWIDTH)

Test Results for Low Channel 824.7MHz							
Frequency(MHz)	SG Level(dBm)	Cable Loss(dB)	Antenna Gain(dB)	Absolute Level(dBm)	Limit （dBm）	Margin(dBm)	Polarity
1658	-49.96	2.78	27.5	-25.24	-13	-12.24	Horizontal
1658	-48.79	2.78	27.5	-24.07	-13	-11.07	Vertical
2487	-49.99	2.9	27.8	-25.09	-13	-12.09	Vertical
2487	-50.12	2.9	27.8	-25.22	-13	-12.22	Horizontal
Test Results for Mid Channel 836.5MHz							
1673	-50.12	2.8	27.48	-25.44	-13	-12.44	Horizontal
1673	-51.06	2.8	27.48	-26.38	-13	-13.38	Vertical
2509.5	-50.11	2.91	27.7	-25.32	-13	-12.32	Vertical
2509.5	-49.96	2.91	27.7	-25.17	-13	-12.17	Horizontal
Test Results for High Channel 848.3MHz							
1688	-49.96	2.82	27.43	-25.35	-13	-12.35	Horizontal
1688	-49.86	2.82	27.43	-25.25	-13	-12.25	Vertical
2532	-50.12	2.92	27.74	-25.30	-13	-12.30	Vertical

2532	-50.26	2.92	27.74	-25.44	-13	-12.44	Horizontal

Note: 1. Absolute Level = SG Level- Cable Loss+ Antenna Gain
2. Over Limit= Absolute Level (dBm)-Limit(dBm)

9.4 LTE BAND 7

QPSK EIRP POWER FOR LTE BAND 7 (5.0MHZ BANDWIDTH)

Test Results for Low Channel 1710.7MHz							
Frequency(MHz)	SG Level(dBm)	Cable Loss(dB)	Antenna Gain(dB)	Absolute Level(dBm)	Limit （dBm）	Margin(dBm)	Polarity
5005	-51.26	5.23	35.81	-20.68	-13	-7.68	Horizontal
5005	-52.34	5.23	35.81	-21.76	-13	-8.76	Vertical
7507.5	-52.51	5.67	36.85	-21.33	-13	-8.33	Vertical
7507.5	-51.62	5.67	36.85	-20.44	-13	-7.44	Horizontal
Test Results for Mid Channel 1732.5MHz							
5070	-52.62	5.23	35.82	-22.03	-13	-9.03	Horizontal
5070	-52.11	5.23	35.82	-21.52	-13	-8.52	Vertical
7605	-51.02	5.67	36.85	-19.84	-13	-6.84	Vertical
7605	-52.07	5.67	36.85	-20.89	-13	-7.89	Horizontal
Test Results for High Channel 1754.3MHz							
5135	-50.85	5.24	35.83	-20.26	-13	-7.26	Horizontal
5135	-51.22	5.24	35.83	-20.63	-13	-7.63	Vertical
7702.5	-51.36	5.68	36.87	-20.17	-13	-7.17	Vertical
7702.5	-52.68	5.68	36.87	-21.49	-13	-8.49	Horizontal

QPSK EIRP POWER FOR LTE BAND 7 (20.0MHZ BANDWIDTH)

Test Results for Low Channel 1710.7MHz							
Frequency(MHz)	SG Level(dBm)	Cable Loss(dB)	Antenna Gain(dB)	Absolute Level(dBm)	Limit （dBm）	Margin(dBm)	Polarity
5020	-51.26	5.23	35.82	-20.67	-13	-7.67	Horizontal
5020	-52.34	5.23	35.82	-21.75	-13	-8.75	Vertical
7530	-52.67	5.67	36.86	-21.48	-13	-8.48	Vertical
7530	-52.27	5.67	36.86	-21.08	-13	-8.08	Horizontal
Test Results for Mid Channel 1732.5MHz							
5070	-52.17	5.23	35.82	-21.58	-13	-8.58	Horizontal
5070	-52.51	5.23	35.82	-21.92	-13	-8.92	Vertical
7605	-51.36	5.67	36.85	-20.18	-13	-7.18	Vertical
7605	-52.17	5.67	36.85	-20.99	-13	-7.99	Horizontal
Test Results for High Channel 1754.3MHz							
5120	-52.21	5.24	35.83	-21.62	-13	-8.62	Horizontal
5120	-52.61	5.24	35.83	-22.02	-13	-9.02	Vertical
7680	-52.11	5.7	36.88	-20.93	-13	-7.93	Vertical
7680	-52.15	5.7	36.88	-20.97	-13	-7.97	Horizontal

Note: 1. Absolute Level = SG Level- Cable Loss+ Antenna Gain
2. Over Limit= Absolute Level (dBm)-Limit(dBm)

10. FREQUENCY STABILITY

RULE PART(S)

FCC: §2.1055, §22.355, §24.235, §27.54

LIMITS

§22.355 - The carrier frequency shall not depart from the reference frequency in excess of ±2.5 ppm for mobile stations.

§24.235 - The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

TEST PROCEDURE

Use CMW 500 with Frequency Error measurement capability.

- Temp. = −30° to +50°C
- Voltage =low voltage, 36VDC, Normal, 3.8VDC and High voltage, 4.4VDC.

Frequency Stability vs Temperature:

The EUT is place inside a temperature chamber. The temperature is set to -30ºC and allowed to stabilize. After sufficient soak time, the transmitting frequency error is measured. The temperature is increased by 10 degrees, allowed to stabilize and soak, and then the measurement is repeated. This is repeated until +50ºC is reached.

Frequency Stability vs Voltage:

The peak frequency error is recorded (worst-case).

MODES TESTED

- LTE Band 2
- LTE Band 4
- LTE Band 5
- LTE Band7

RESULTS

See the following pages.

10.1 LTE BAND 2

QPSK, (20MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 2 QPSK, (CH *18900* RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.4	1880	-14.2	0.006536	2.5
3.8	1880	-13.5	-0.007746	2.5
4.3	1880	-11.2	-0.005957	2.5

Frequency error vs. Temperature

Temperature [° C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 2 QPSK, (CH *18900* RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25C)	1880	-13.5	-0.007181	2.5
Extreme (50C)	1880	-12	-0.006383	2.5
Extreme (40C)	1880	-14	-0.007447	2.5
Extreme (30C)	1880	-9	-0.004787	2.5
Extreme (10C)	1880	-8	-0.004255	2.5
Extreme (0C)	1880	-10	-0.005319	2.5
Extreme (-10C)	1880	11	0.005851	2.5
Extreme (-20C)	1880	12	0.006383	2.5
Extreme (-30C)	1880	13	0.006915	2.5

16QAM, (20MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 2 16QAM, (CH *18900* RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.4	1880	11	0.005851	2.5
3.8	1880	10	0.005319	2.5
4.3	1880	9	0.004787	2.5

Frequency error vs. Temperature

Temperature [° C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 2 16QAM, (CH *18900* RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25C)	1880	9	0.004787	2.5
Extreme (50C)	1880	10	0.005319	2.5
Extreme (40C)	1880	11	0.005851	2.5
Extreme (30C)	1880	-13	-0.006915	2.5
Extreme (10C)	1880	-12	-0.006383	2.5
Extreme (0C)	1880	-10.1	-0.005372	2.5
Extreme (-10C)	1880	11.8	0.006277	2.5
Extreme (-20C)	1880	11.4	0.006064	2.5
Extreme (-30C)	1880	12.2	0.006489	2.5

***Note:** Frequency error measurements were made by using the build-in capability of the Wireless Communication Test Set.

10.2 LTE BAND 4

QPSK, (10MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 4 QPSK, (CH 20175 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.4	1732.5	-10	-0.005772	2.5
3.8	1732.5	-11.2	-0.006465	2.5
4.3	1732.5	-9	-0.005195	2.5

Frequency error vs. Temperature

Temperature [°C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 4 QPSK, (CH 20175 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25C)	1732.5	-8.9	-0.005137	2.5
Extreme (50C)	1732.5	-9.4	-0.005426	2.5
Extreme (40C)	1732.5	-11	-0.006349	2.5
Extreme (30C)	1732.5	-13	-0.007504	2.5
Extreme (10C)	1732.5	-11	-0.006349	2.5
Extreme (0C)	1732.5	-9.3	-0.005368	2.5
Extreme (-10C)	1732.5	-7	-0.004040	2.5
Extreme (-20C)	1732.5	7.6	0.004387	2.5
Extreme (-30C)	1732.5	8.2	0.004733	2.5

16QAM, (20MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 4 16QAM, (CH 20175 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.4	1732.5	17	0.009812	2.5
3.8	1732.5	13	0.007504	2.5
4.3	1732.5	15	0.008658	2.5

Frequency error vs. Temperature

Temperature [°C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 4 16QAM, (CH 20175 RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25C)	1732.5	-14	-0.008081	2.5
Extreme (50C)	1732.5	-8	-0.004618	2.5
Extreme (40C)	1732.5	-7	-0.004040	2.5
Extreme (30C)	1732.5	-3	-0.001732	2.5
Extreme (10C)	1732.5	8	0.004618	2.5
Extreme (0C)	1732.5	11	0.006349	2.5
Extreme (-10C)	1732.5	-12	-0.006926	2.5
Extreme (-20C)	1732.5	-11	-0.006349	2.5
Extreme (-30C)	1732.5	-13	-0.007504	2.5

***Note:** Frequency error measurements were made by using the build-in capability of the Wireless Communication Test Set.

10.3 LTE BAND 5

QPSK, (10MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 4 QPSK, (CH 20175 RB size 100 RB Offset 0 10MHz BANDWIDTH)				
3.4	836.5	-11	-0.013150	2.5
3.8	836.5	-12	-0.014345	2.5
4.3	836.5	-8	-0.009564	2.5

Frequency error vs. Temperature

Temperature [°C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 5 QPSK, (CH 20175 RB size 100 RB Offset 0 10MHz BANDWIDTH)				
Normal (25C)	836.5	-8	-0.009564	2.5
Extreme (50C)	836.5	-6	-0.007173	2.5
Extreme (40C)	836.5	8	0.009564	2.5
Extreme (30C)	836.5	7	0.008368	2.5
Extreme (10C)	836.5	8	0.009564	2.5
Extreme (0C)	836.5	7	0.008368	2.5
Extreme (-10C)	836.5	13	0.015541	2.5
Extreme (-20C)	836.5	11	0.013150	2.5
Extreme (-30C)	836.5	10	0.011955	2.5

16QAM, (10MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 5 16QAM, (CH 20175 RB size 100 RB Offset 0 10MHz BANDWIDTH)				
3.4	836.5	12	0.014345	2.5
3.8	836.5	11	0.013150	2.5
4.3	836.5	15	0.017932	2.5

Frequency error vs. Temperature

Temperature [°C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 5 16QAM, (CH 20175 RB size 100 RB Offset 0 10MHz BANDWIDTH)				
Normal (25C)	836.5	9	0.010759	2.5
Extreme (50C)	836.5	5	0.005977	2.5
Extreme (40C)	836.5	10	0.011955	2.5
Extreme (30C)	836.5	15	0.017932	2.5
Extreme (10C)	836.5	14	0.016736	2.5
Extreme (0C)	836.5	13	0.015541	2.5
Extreme (-10C)	836.5	15	0.017932	2.5
Extreme (-20C)	836.5	10	0.011955	2.5
Extreme (-30C)	836.5	-5	-0.005977	2.5

***Note:** Frequency error measurements were made by using the build-in capability of the Wireless Communication Test Set.

10.4 LTE BAND 7

QPSK, (20MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 7 QPSK, (CH *21100* RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.4	2535	-11.6	-0.005756	2.5
3.8	2535	-12.6	-0.006631	2.5
4.3	2535	-13.2	-0.005207	2.5

Frequency error vs. Temperature

Temperature [° C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 7 QPSK, (CH *21100* RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25C)	2535	-14	-0.005523	2.5
Extreme (50C)	2535	-12	-0.004734	2.5
Extreme (40C)	2535	-9	-0.003550	2.5
Extreme (30C)	2535	-10	-0.003945	2.5
Extreme (10C)	2535	8	0.003156	2.5
Extreme (0C)	2535	-9	-0.003550	2.5
Extreme (-10C)	2535	10	0.003945	2.5
Extreme (-20C)	2535	11	0.004339	2.5
Extreme (-30C)	2535	-7	-0.002761	2.5

16QAM, (20MHz BANDWIDTH)

Frequency error vs. Voltage

Voltage [Vdc]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 7 16QAM, (CH *21100* RB size 100 RB Offset 0 20MHz BANDWIDTH)				
3.4	2535	-13	-0.005128	2.5
3.8	2535	-11	-0.004339	2.5
4.3	2535	-17	-0.006706	2.5

Frequency error vs. Temperature

Temperature [° C]	Frequency [MHz]	Frequency* Error[Hz]	Frequency Error[ppm]	Limit [ppm]
BAND 7 16QAM, (CH *21100* RB size 100 RB Offset 0 20MHz BANDWIDTH)				
Normal (25C)	2535	-10	-0.003945	2.5
Extreme (50C)	2535	-11.7	-0.004615	2.5
Extreme (40C)	2535	-12	-0.004734	2.5
Extreme (30C)	2535	-13	-0.005128	2.5
Extreme (10C)	2535	-14	-0.005523	2.5
Extreme (0C)	2535	-11	-0.004339	2.5
Extreme (-10C)	2535	-9	-0.003550	2.5
Extreme (-20C)	2535	-15	-0.005917	2.5
Extreme (-30C)	2535	-12	-0.004734	2.5

***Note:** Frequency error measurements were made by using the build-in capability of the Wireless Communication Test Set.

11. Peak-to-Average Ratio

11.1 Description of the PAR Measurement

The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

11.2 Measuring Instruments

See list of measuring instruments of this test report.

11.3 Test Procedures

1. The EUT was connected to Spectrum Analyzer and Base Station via power divider.
2. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
3. For GSM/EGPRS operating modes:
   a. Set the RBW = 1MHz, VBW = 1MHz, Peak detector in spectrum analyzer.
   b. Set EUT in maximum power output, and triggered the burst signal.
   c. Measured respectively the Peak level and Mean level, and the deviation was recorded as Peak to Average Ratio.
4. For UMTS operating modes:
   a. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
   b. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.

11.4 Test Setup



MODES TESTED

- ☐ LTE Band2
- LTE Band 4
- LTE Band 5
- ☐ LTE Band7

BAND	CHANNEL	Frequency [MHz]	BANDWIDTH	NO. RB	RB POS.	MODULATION	PAR [dB]
2	18900	1880.0	1.4	1	Low	QPSK	5.50
2	18900	1880.0	1.4	1	Low	16QAM	5.32
2	18900	1880.0	3.0	1	Low	QPSK	2.33
2	18900	1880.0	3.0	1	Low	16QAM	2.10
2	18900	1880.0	5.0	1	Low	QPSK	1.27
2	18900	1880.0	5.0	1	Low	16QAM	1.42
2	18900	1880.0	10.0	1	Low	QPSK	1.34
2	18900	1880.0	10.0	1	Low	16QAM	1.10
2	18900	1880.0	15.0	1	Low	QPSK	1.14
2	18900	1880.0	15.0	1	Low	16QAM	1.03
2	18900	1880.0	20.0	1	Low	QPSK	1.45
2	18900	1880.0	20.0	1	Low	16QAM	1.21
4	20175	1732.5	1.4	1	Low	QPSK	5.88
4	20175	1732.5	1.4	1	Low	16QAM	4.97
4	20175	1732.5	3.0	1	Low	QPSK	2.18
4	20175	1732.5	3.0	1	Low	16QAM	2.36
4	20175	1732.5	5.0	1	Low	QPSK	1.15
4	20175	1732.5	5.0	1	Low	16QAM	1.02
4	20175	1732.5	10.0	1	Low	QPSK	1.18
4	20175	1732.5	10.0	1	Low	16QAM	0.96

4	20175	1732.5	15.0	1	Low	QPSK	1.20
4	20175	1732.5	15.0	1	Low	16QAM	0.98
4	20175	1732.5	20.0	1	Low	QPSK	1.20
4	20175	1732.5	20.0	1	Low	16QAM	1.21
5	20407	824.7	1.4	1	Low	QPSK	5.67
5	20407	824.7	1.4	1	Low	16-QAM	6.65
5	20525	836.5	1.4	1	Low	QPSK	1.75
5	20525	836.5	1.4	1	Low	16-QAM	1.75
5	20643	848.3	1.4	1	Low	QPSK	2.84
5	20643	848.3	1.4	1	Low	16-QAM	2.38
5	20415	825.5	3.0	1	Low	QPSK	1.84
5	20415	825.5	3.0	1	Low	16-QAM	1.75
5	20525	836.5	3.0	1	Low	QPSK	3.59
5	20525	836.5	3.0	1	Low	16-QAM	4.11
5	20635	847.5	3.0	1	Low	QPSK	4.47
5	20635	847.5	3.0	1	Low	16-QAM	4.52
5	20425	826.5	5.0	1	Low	QPSK	3.75
5	20425	826.5	5.0	1	Low	16-QAM	3.53
5	20525	836.5	5.0	1	Low	QPSK	3.19
5	20525	836.5	5.0	1	Low	16-QAM	3.62
5	20625	846.5	5.0	1	Low	QPSK	5.71
5	20625	846.5	5.0	1	Low	16-QAM	4.73

5	20407	824.7	1.4	1	Low	QPSK	5.76
5	20407	824.7	1.4	1	Low	16-QAM	5.24
5	20450	829.0	10.0	1	Low	QPSK	4.28
5	20450	829.0	10.0	1	Low	16-QAM	4.43
5	20525	836.5	10.0	1	Low	QPSK	4.92
5	20525	836.5	10.0	1	Low	16-QAM	5.41
7	21100	2535.0	5.0	1	Low	QPSK	1.56
7	21100	2535.0	5.0	1	Low	16QAM	1.33
7	21100	2535.0	10.0	1	Low	QPSK	1.25
7	21100	2535.0	10.0	1	Low	16QAM	1.00
7	21100	2535.0	15.0	1	Low	QPSK	1.48
7	21100	2535.0	15.0	1	Low	16QAM	1.21
7	21100	2535.0	20.0	1	Low	QPSK	1.22
7	21100	2535.0	20.0	1	Low	16QAM	1.22

11.5 LTE BAND 2

Band 2,UL Channel 18900,UL Frequency 1880.0,BW 1.4,NO. RB 1,RB POS. Low,QPSK



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 1.4,NO. RB 1,RB POS. Low,16-QAM



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 3.0,NO. RB 1,RB POS. Low,QPSK



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 3.0,NO. RB 1,RB POS. Low,16-QAM



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 5.0,NO. RB 1,RB POS. Low,QPSK



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 5.0,NO. RB 1,RB POS. Low,16-QAM



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 10.0,NO. RB 1,RB POS. Low,QPSK



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 10.0,NO. RB 1,RB POS. Low,16-QAM



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 15.0,NO. RB 1,RB POS. Low,QPSK



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 15.0,NO. RB 1,RB POS. Low,16-QAM



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 20.0,NO. RB 1,RB POS. Low,QPSK



Band 2,UL Channel 18900,UL Frequency 1880.0,BW 20.0,NO. RB 1,RB POS. Low,16-QAM



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 1.4,NO. RB 1,RB POS. Low,QPSK



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 1.4,NO. RB 1,RB POS. Low,16-QAM



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 3.0,NO. RB 1,RB POS. Low,QPSK



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 3.0,NO. RB 1,RB POS. Low,16-QAM



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 5.0,NO. RB 1,RB POS. Low,QPSK



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 5.0,NO. RB 1,RB POS. Low,16-QAM



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 10.0,NO. RB 1,RB POS. Low,QPSK



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 10.0,NO. RB 1,RB POS. Low,16-QAM



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 15.0,NO. RB 1,RB POS. Low,QPSK



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 15.0,NO. RB 1,RB POS. Low,16-QAM



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 20.0,NO. RB 1,RB POS. Low,QPSK



Band 4,UL Channel 20175,UL Frequency 1732.5,BW 20.0,NO. RB 1,RB POS. Low,16-QAM



Band 5,UL Channel 20525,UL Frequency 836.5,BW 1.4,NO. RB 1,RB POS. Low,QPSK



Band 5,UL Channel 20525,UL Frequency 836.5,BW 1.4,NO. RB 1,RB POS. Low,16-QAM



Band 5,UL Channel 20525,UL Frequency 836.5,BW 3.0,NO. RB 1,RB POS. Low,QPSK



Band 5,UL Channel 20525,UL Frequency 836.5,BW 3.0,NO. RB 1,RB POS. Low,16-QAM



Band 5,UL Channel 20525,UL Frequency 836.5,BW 5.0,NO. RB 1,RB POS. Low,QPSK



Band 5,UL Channel 20525,UL Frequency 836.5,BW 5.0,NO. RB 1,RB POS. Low,16-QAM



Band 5,UL Channel 20525,UL Frequency 836.5,BW 10.0,NO. RB 1,RB POS. Low,QPSK



Band 5,UL Channel 20525,UL Frequency 836.5,BW 10.0,NO. RB 1,RB POS. Low,16-QAM



Band 7,UL Channel 21100,UL Frequency 2535.0,BW 5.0,NO. RB 1,RB POS. Low,QPSK



Band 7,UL Channel 21100,UL Frequency 2535.0,BW 5.0,NO. RB 1,RB POS. Low,16-QAM



Band 7,UL Channel 21100,UL Frequency 2535.0,BW 10.0,NO. RB 1,RB POS. Low,QPSK



Band 7,UL Channel 21100,UL Frequency 2535.0,BW 10.0,NO. RB 1,RB POS. Low,16-QAM



Band 7,UL Channel 21100,UL Frequency 2535.0,BW 15.0,NO. RB 1,RB POS. Low,QPSK



Band 7,UL Channel 21100,UL Frequency 2535.0,BW 15.0,NO. RB 1,RB POS. Low,16-QAM



Band 7,UL Channel 21100,UL Frequency 2535.0,BW 20.0,NO. RB 1,RB POS. Low,QPSK



Band 7,UL Channel 21100,UL Frequency 2535.0,BW 20.0,NO. RB 1,RB POS. Low,16-QAM



----END OF REPORT----