






JianYan Testing Group Shenzhen Co., Ltd.

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366

Project No.: JYTSZR2210040






Band41-20MHz-QPSK-39750-1RB#0-Range1:30~1000MHz


Band41-20MHz-QPSK-39750-1RB#0-Range2:1000~27000MHz




Band41-20MHz-QPSK-40620-1RB#0-Range1:30~1000MHz

Band41-20MHz-QPSK-40620-1RB#0-Range2:1000~27000MHz









Band41-20MHz-16QAM-41490-1RB#0-Range1:30~1000MHz


Band41-20MHz-16QAM-41490-1RB#0-Range2:1000~27000MHz



Band41-20MHz-64QAM-39750-1RB#0-Range1:30~1000MHz

Band41-20MHz-64QAM-39750-1RB#0-Range2:1000~27000MHz









Band66-1.4MHz-QPSK-132322-1RB#0-Range1:30
~1000MHz

Band66-1.4MHz-QPSK-132322-1RB#0-Range2:1000
~20000MHz



Band66-1.4MHz-QPSK-132665-1RB#0-Range1:30
~1000MHz

Band66-1.4MHz-QPSK-132665-1RB#0-Range2:1000
~20000MHz




JianYan Testing Group Shenzhen Co., Ltd.

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366


Project No.: JYTSZR2210040






Band66-1.4MHz-64QAM-131979-1RB#0-Range1:3
0~1000MHz


Band66-1.4MHz-64QAM-131979-1RB#0-Range2:100
0~20000MHz



Band66-1.4MHz-64QAM-132322-1RB#0-Range1:3
0~1000MHz

Band66-1.4MHz-64QAM-132322-1RB#0-Range2:100
0~20000MHz








Band66-20MHz-QPSK-132572-1RB#0-Range1:30
~1000MHz


Band66-20MHz-QPSK-132572-1RB#0-Range2:1000~
20000MHz




Band66-20MHz-16QAM-132072-1RB#0-Range1:3
0~1000MHz

Band66-20MHz-16QAM-132072-1RB#0-Range2:1000
~20000MHz







Appendix F: Frequency Stability

Test Result

LTE Band 2 part:

Reference Frequency: LTE Band 2 (10MHz) Middle channel=18900 Frequency=1880.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.89	-30	11.37	0.006048	Within authorized band for Band 2	Pass
	-20	13.13	0.006984		
	-10	-10.70	-0.005691		
	0	11.37	0.006048		
	10	14.55	0.007739		
	20	14.63	0.007782		
	30	15.96	0.008489		
	40	12.17	0.006473		
	50	-9.93	-0.005282		
16QAM					
3.89	-30	13.79	0.007335	Within authorized band for Band 2	Pass
	-20	14.93	0.007941		
	-10	-12.73	-0.006771		
	0	11.14	0.005926		
	10	21.41	0.011388		
	20	15.13	0.008048		
	30	13.35	0.007101		
	40	19.07	0.010144		
	50	20.84	0.011085		
64QAM					
3.89	-30	17.15	0.009122	Within authorized band for Band 2	Pass
	-20	12.70	0.006755		
	-10	18.47	0.009824		
	0	-9.73	-0.005176		
	10	7.81	0.004154		
	20	12.33	0.006559		
	30	15.68	0.008340		
	40	16.44	0.008745		
	50	-5.11	-0.002718		
Voltage					
Temperature	Power supplied	Frequency error		Limit (ppm)	Result