

Annex 4: Test setup photographs to
PARTIAL TEST REPORT
No.: 6-0658-15-5-4a/b

According to:
FCC Regulations
Part 15.207 / 15.209
Part 15.247

IC-Regulations
RSS-Gen, Issue 4
RSS-247, Issue 1

for

Jaguar Land Rover Ltd.

ISC1.0
Infotainment Slave Controller
(Bluetooth 2.4GHz)

FCC ID: 2AE51-ISC10
IC: 2145A-ISC10
PMN: Infotainment System
HVIN: ISC1.0

Laboratory Accreditation and Listings			
 DAkkS Deutsche Akkreditierungsstelle D-PL-12047-01-01	 FEDERAL COMMUNICATIONS COMMISSION FC • USA • MRA US-EU 0003	 Industry Canada Reg. No.: 3462D-1 Reg. No.: 3462D-2 Reg. No.: 3462D-3	 Voluntary Controls for Electromagnetic Emissions Reg. No.: R-2666 C-2914, T-1967, G-301
 WiFi ALLIANCE AUTHORIZED RF LABORATORY	 CTIA Authorized Test Lab LAB CODE 20011130-00		
accredited according to DIN EN ISO/IEC 17025			
CETECOM GmbH Laboratory Radio Communications & Electromagnetic Compatibility Im Teelbruch 116 • 45219 Essen • Germany Registered in Essen, Germany, Reg. No.: HRB Essen 8984 Tel.: + 49 (0) 20 54 / 95 19-954 • Fax: + 49 (0) 20 54 / 95 19-964 E-mail: info@cetecom.com • Internet: www.cetecom.com			



Table of contents

1. TEST SETUP PHOTOGRAPHS3


1.1. General Limit - Radiated field strength emissions below 30 MHz in Semi Anechoic room3

1.2. General Limit - Radiated field strength emissions, 30 MHz - 1 GHz in Semi Anechoic room4


1.3. General Limit - Radiated emissions, above 1 GHz in Fully Anechoic room6

1. Test setup photographs

1.1. General Limit - Radiated field strength emissions below 30 MHz in Semi Anechoic room



Setup long shot view




Setup close-up view


1.2. General Limit - Radiated field strength emissions, 30 MHz - 1 GHz in Semi Anechoic room



Setup long shot view




Setup close-up view#1




Setup close up view#2


1.3. General Limit - Radiated emissions, above 1 GHz in Fully Anechoic room




Test setup close up view#1



Test setup close up view#1



Test setup long shot view



Test setup back side