


Annex A.6. Conducted Spurious Emission

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	840.784	-52.28	-27	Pass	9700
1000	5150	0.1	Peak	5148.9	-49.82	-27	Pass	41499
5150	5350	0.1	Peak	5181.216	1.24	24	Pass	2000
5350	10300	0.1	Peak	6951.85	-48.4	-27	Pass	49499
10300	10700	0.1	Peak	10358.715	-50.97	-27	Pass	4000
10700	25000	0.1	Peak	15843.661	-49.7	-27	Pass	142999



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	837.383	-51.28	-27	Pass	9700
1000	5150	0.1	Peak	5024.874	-49.68	-27	Pass	41499
5150	5350	0.1	Peak	5218.734	1.41	24	Pass	2000
5350	10300	0.1	Peak	6971.351	-49.7	-27	Pass	49499
10300	10700	0.1	Peak	10508.352	-51.7	-27	Pass	4000
10700	25000	0.1	Peak	19038.361	-50.38	-27	Pass	142999



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	895.389	-50.84	-27	Pass	9700
1000	5150	0.1	Peak	5126.395	-50.68	-27	Pass	41499
5150	5350	0.1	Peak	5238.744	1.57	24	Pass	2000
5350	10300	0.1	Peak	6937.65	-49.8	-27	Pass	49499
10300	10700	0.1	Peak	10663.691	-51.93	-27	Pass	4000
10700	25000	0.1	Peak	16409.078	-50.37	-27	Pass	142999



4. 802.11n_20M_Band1_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	632.562	-52.15	-27	Pass	9700
1000	5150	0.1	Peak	5148.9	-48.01	-27	Pass	41499
5150	5350	0.1	Peak	5181.216	0.95	24	Pass	2000
5350	10300	0.1	Peak	6908.349	-49.33	-27	Pass	49499
10300	10700	0.1	Peak	10435.634	-51.18	-27	Pass	4000
10700	25000	0.1	Peak	21865.149	-49.71	-27	Pass	142999



5. 802.11n_20M_Band1_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	785.878	-52.6	-27	Pass	9700
1000	5150	0.1	Peak	4732.212	-49.7	-27	Pass	41499
5150	5350	0.1	Peak	5218.634	0.38	24	Pass	2000
5350	10300	0.1	Peak	6965.65	-49.21	-27	Pass	49499
10300	10700	0.1	Peak	10614.279	-51.32	-27	Pass	4000
10700	25000	0.1	Peak	20133.795	-49.55	-27	Pass	142999



6. 802.11n_20M_Band1_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	939.494	-52.11	-27	Pass	9700
1000	5150	0.1	Peak	5043.478	-50.39	-27	Pass	41499
5150	5350	0.1	Peak	5238.744	0.36	24	Pass	2000
5350	10300	0.1	Peak	6917.249	-49.47	-27	Pass	49499
10300	10700	0.1	Peak	10310.403	-50.57	-27	Pass	4000
10700	25000	0.1	Peak	15879.762	-49.63	-27	Pass	142999



7. 802.11n_40M_Band1_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	915.491	-51.83	-27	Pass	9700
1000	5150	0.1	Peak	5147.499	-40.24	-27	Pass	41499
5150	5350	0.1	Peak	5194.922	-2.45	24	Pass	2000
5350	10300	0.1	Peak	6127.624	-49.54	-27	Pass	49499
10300	10700	0.1	Peak	10599.375	-51.64	-27	Pass	4000
10700	25000	0.1	Peak	15848.061	-50.11	-27	Pass	142999



8. 802.11n_40M_Band1_H

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	908.591	-52.01	-27	Pass	9700
1000	5150	0.1	Peak	5084.486	-50.59	-27	Pass	41499
5150	5350	0.1	Peak	5234.942	-2.22	24	Pass	2000
5350	10300	0.1	Peak	6115.424	-49.95	-27	Pass	49499
10300	10700	0.1	Peak	10336.609	-50.76	-27	Pass	4000
10700	25000	0.1	Peak	15796.659	-50.06	-27	Pass	142999



9. 802.11a_20M_Band4_L

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	908.391	-52.05	-27	Pass	9700
1000	5650	1	Peak	5454.958	-39.93	-27	Pass	4650
5650	5700	1	Peak	5650	-39.01	-27	Pass	691
5700	5720	1	Peak	5717.855	-22.23	15	Pass	691
5720	5725	1	Peak	5720.196	-19.77	16.05	Pass	691
5725	5850	1	Peak	5743.841	11.57	30	Pass	691
5850	5855	1	Peak	5854.913	-38.93	15.8	Pass	691
5855	5875	1	Peak	5875	-39.08	10	Pass	691
5875	5925	1	Peak	5924.928	-40.22	-26.95	Pass	691
5925	25000	1	Peak	6929.053	-39.08	-27	Pass	19075



10. 802.11a_20M_Band4_M

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	616.06	-51.9	-27	Pass	9700
1000	5650	1	Peak	4716.799	-39.67	-27	Pass	4650
5650	5700	1	Peak	5650	-39.89	-27	Pass	691
5700	5720	1	Peak	5704.493	-37.36	11.26	Pass	691
5720	5725	1	Peak	5720	-37.74	15.6	Pass	691
5725	5850	1	Peak	5786.051	10.8	30	Pass	691
5850	5855	1	Peak	5854.674	-37.9	16.34	Pass	691
5855	5875	1	Peak	5872.942	-38.35	10.58	Pass	691
5875	5925	1	Peak	5924.42	-39.17	-26.57	Pass	691
5925	25000	1	Peak	15820.519	-39.29	-27	Pass	19075



11. 802.11a_20M_Band4_H

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	980.798	-51.65	-27	Pass	9700
1000	5650	1	Peak	5374.941	-38.41	-27	Pass	4650
5650	5700	1	Peak	5650.072	-40.08	-26.95	Pass	691
5700	5720	1	Peak	5704.493	-38.3	11.26	Pass	691
5720	5725	1	Peak	5720.051	-39.13	15.72	Pass	691
5725	5850	1	Peak	5826.268	10.13	30	Pass	691
5850	5855	1	Peak	5854.152	-26.71	17.53	Pass	691
5855	5875	1	Peak	5855.754	-31.19	15.39	Pass	691
5875	5925	1	Peak	5924.565	-39.82	-26.68	Pass	691
5925	25000	1	Peak	16347.546	-38.62	-27	Pass	19075



12. 802.11n_20M_Band4_L

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	664.365	-52.46	-27	Pass	9700
1000	5650	1	Peak	5416.95	-40.13	-27	Pass	4650
5650	5700	1	Peak	5650.072	-38.71	-26.95	Pass	691
5700	5720	1	Peak	5719.884	-21.34	15.57	Pass	691
5720	5725	1	Peak	5722.283	-13.97	20.8	Pass	691
5725	5850	1	Peak	5746.014	11.06	30	Pass	691
5850	5855	1	Peak	5854.862	-38.65	15.91	Pass	691
5855	5875	1	Peak	5874.855	-38.72	10.04	Pass	691
5875	5925	1	Peak	5924.275	-39.46	-26.46	Pass	691
5925	25000	1	Peak	5998.004	-39.31	-27	Pass	19075



13. 802.11n_20M_Band4_M

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	434.942	-52.52	-27	Pass	9700
1000	5650	1	Peak	4102.667	-39.65	-27	Pass	4650
5650	5700	1	Peak	5650.725	-39.09	-26.46	Pass	691
5700	5720	1	Peak	5701.362	-38.05	10.38	Pass	691
5720	5725	1	Peak	5720.065	-37.61	15.75	Pass	691
5725	5850	1	Peak	5781.884	11.14	30	Pass	691
5850	5855	1	Peak	5854.949	-37.89	15.72	Pass	691
5855	5875	1	Peak	5873.696	-38.4	10.37	Pass	691
5875	5925	1	Peak	5924.42	-39.36	-26.57	Pass	691
5925	25000	1	Peak	6966.055	-38.7	-27	Pass	19075



14. 802.11n_20M_Band4_H

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	913.691	-52.1	-27	Pass	9700
1000	5650	1	Peak	5361.938	-38.64	-27	Pass	4650
5650	5700	1	Peak	5650.145	-40.91	-26.89	Pass	691
5700	5720	1	Peak	5704.29	-38	11.2	Pass	691
5720	5725	1	Peak	5720.007	-38.29	15.62	Pass	691
5725	5850	1	Peak	5823.37	10.79	30	Pass	691
5850	5855	1	Peak	5854.275	-26.26	17.25	Pass	691
5855	5875	1	Peak	5857.29	-29.95	14.96	Pass	691
5875	5925	1	Peak	5925	-40.12	-27	Pass	691
5925	25000	1	Peak	6142.011	-38.75	-27	Pass	19075



15. 802.11n_40M_Band4_L

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	779.677	-52.17	-27	Pass	9700
1000	5650	1	Peak	5154.894	-38.99	-27	Pass	4650
5650	5700	1	Peak	5650.072	-39.56	-26.95	Pass	691
5700	5720	1	Peak	5718.145	-12.98	15.08	Pass	691
5720	5725	1	Peak	5720.319	-13.6	16.33	Pass	691
5725	5850	1	Peak	5761.232	8.77	30	Pass	691
5850	5855	1	Peak	5854.92	-38.56	15.78	Pass	691
5855	5875	1	Peak	5874.536	-38.23	10.13	Pass	691
5875	5925	1	Peak	5924.42	-39.41	-26.57	Pass	691
5925	25000	1	Peak	6959.054	-38.99	-27	Pass	19075



16. 802.11n_40M_Band4_H

16.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	799.779	-51.9	-27	Pass	9700
1000	5650	1	Peak	5396.946	-40.29	-27	Pass	4650
5650	5700	1	Peak	5650.29	-40.41	-26.79	Pass	691
5700	5720	1	Peak	5700.232	-37.09	10.06	Pass	691
5720	5725	1	Peak	5720.065	-31.97	15.75	Pass	691
5725	5850	1	Peak	5797.101	7.92	30	Pass	691
5850	5855	1	Peak	5854.514	-30.55	16.71	Pass	691
5855	5875	1	Peak	5866.884	-33.01	12.27	Pass	691
5875	5925	1	Peak	5924.565	-39.63	-26.68	Pass	691
5925	25000	1	Peak	15817.519	-39.15	-27	Pass	19075



END