



Exhibit: Test Setup Photos

FCC ID: 2AED9-RR401
IC: 20128-RR401

Report File #: 7169003381R-000

Client	Rutherford Controls Int'l Inc. (RCI)	
Product	Lock N' Prox, Model 3590	
Standard(s)	RSS-210 Issue 9:2016 FCC Part 15 Subpart 15.209:2016	




Figure 1 – EUT Close Up

Client	Rutherford Controls Int'l Inc. (RCI)	
Product	Lock N' Prox, Model 3590	
Standard(s)	RSS-210 Issue 9:2016 FCC Part 15 Subpart 15.209:2016	



Figure 2 – Radiated Emissions Setup – Photo 1

Client	Rutherford Controls Int'l Inc. (RCI)	
Product	Lock N' Prox, Model 3590	
Standard(s)	RSS-210 Issue 9:2016 FCC Part 15 Subpart 15.209:2016	



Figure 3 – Radiated Emissions Setup – Photo 2

Client	Rutherford Controls Int'l Inc. (RCI)	
Product	Lock N' Prox, Model 3590	
Standard(s)	RSS-210 Issue 9:2016 FCC Part 15 Subpart 15.209:2016	



Figure 4 – Radiated Emissions Setup – Photo 3

Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm.