



Site : Chamber
Condition : FCC_part 22 Bandedge
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA BandV CH4132
Note :

Polarization: *Vertical*
Power : 3.7 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.0000	-73.09	peak	35.56	-37.53	-13.00	150	100	-24.53	

Report Number: W6M21611-16408-P-2224
FCC ID: 2AENAYPZN02




Site : Chamber
Condition : FCC_part 22 Bandedge
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA BandV CH4233
Note :

Polarization: *Horizontal*
Power : 3.7 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	849.0000	-76.23	peak	36.49	-39.74	-13.00	150	210	-26.74	

Report Number: W6M21611-16408-P-2224
FCC ID: 2AENAYPZN02



Site : Chamber
Condition : FCC_part 22 Bandedge
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA BandV CH4233
Note :

Polarization: *Vertical*
Power : 3.7 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	849.0000	-77.07	peak	36.33	-40.74	-13.00	150	210	-27.74	

Test equipment: ETSTW-RE 004, ETSTW-RE 030, ETSTW-RE 062, ETSTW-RE 142, ETSTW-RE 147, ETSTW-GSM 002


8. Frequency Stability

8.1 Test procedure

☑ The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.

☐ An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.

☑ End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.



8.2 Test Results

8.2.1 Frequency Stability vs. Temperature

Band 850 MHz & Band 1900 MHz

CH128	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH512	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	-26.000	-0.032	±2.5	3.7VDC	-30	37.000	0.020	±2.5
	-20	-28.000	-0.034			-20	43.000	0.023	
	-10	34.000	0.041			-10	45.000	0.024	
	0	-51.000	-0.062			0	52.000	0.028	
	10	26.000	0.032			10	31.000	0.017	
	20	-19.000	-0.023			20	41.000	0.022	
	30	31.000	0.038			30	53.000	0.029	
	40	-42.000	-0.051			40	-56.000	-0.030	
	50	-39.000	-0.047			50	-24.000	-0.013	
4.07VDC	25	28.000	0.034		4.07VDC	25	-33.000	-0.018	
3.33VDC	25	-35.000	-0.042		3.33VDC	25	-28.000	-0.015	
CH188	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH661	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	-27.000	-0.032	±2.5	3.7VDC	-30	-26.000	-0.014	±2.5
	-20	26.000	0.031			-20	38.000	0.020	
	-10	33.000	0.039			-10	40.000	0.021	
	0	-43.000	-0.051			0	-51.000	-0.027	
	10	25.000	0.030			10	16.000	0.009	
	20	16.000	0.019			20	23.000	0.012	
	30	-21.000	-0.025			30	27.000	0.014	
	40	37.000	0.044			40	-24.000	-0.013	
	50	-29.000	-0.035			50	29.000	0.015	
4.07VDC	25	29.000	0.035		4.07VDC	25	-37.000	-0.020	
3.33VDC	25	-20.000	-0.024		3.33VDC	25	40.000	0.021	
CH251	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH810	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	19.000	0.022	±2.5	3.7VDC	-30	-41.000	-0.021	±2.5
	-20	-26.000	-0.031			-20	37.000	0.019	
	-10	17.000	0.020			-10	-51.000	-0.027	
	0	-34.000	-0.040			0	43.000	0.023	
	10	-25.000	-0.029			10	59.000	0.031	
	20	17.000	0.020			20	26.000	0.014	
	30	-29.000	-0.034			30	23.000	0.012	
	40	-34.000	-0.040			40	24.000	0.013	
	50	-52.000	-0.061			50	-26.000	-0.014	
4.07VDC	25	29.000	0.034		4.07VDC	25	-19.000	-0.010	
3.33VDC	25	-13.000	-0.015		3.33VDC	25	27.000	0.014	

Band II & Band V

CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	48.000	0.026	±2.5	3.7VDC	-30	29.000	0.035	±2.5
	-20	-52.000	-0.028			-20	-23.000	-0.028	
	-10	25.000	0.013			-10	41.000	0.050	
	0	36.000	0.019			0	53.000	0.064	
	10	-41.000	-0.022			10	-28.000	-0.034	
	20	-53.000	-0.029			20	26.000	0.031	
	30	56.000	0.030			30	41.000	0.050	
	40	31.000	0.017			40	-35.000	-0.042	
	50	-28.000	-0.015			50	29.000	0.035	
4.07VDC	25	-15.000	-0.008		4.07VDC	25	-34.000	-0.041	
3.33VDC	25	29.000	0.016		3.33VDC	25	45.000	0.054	
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	-50.000	-0.027	±2.5	3.7VDC	-30	-22.000	-0.026	±2.5
	-20	-43.000	-0.023			-20	27.000	0.032	
	-10	41.000	0.022			-10	38.000	0.045	
	0	-28.000	-0.015			0	52.000	0.062	
	10	36.000	0.019			10	10.000	0.012	
	20	51.000	0.027			20	-32.000	-0.038	
	30	-50.000	-0.027			30	29.000	0.035	
	40	42.000	0.022			40	27.000	0.032	
	50	33.000	0.018			50	13.000	0.016	
4.07VDC	25	-34.000	-0.018		4.07VDC	25	-33.000	-0.039	
3.33VDC	25	-37.000	-0.020		3.33VDC	25	-29.000	-0.035	
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	45.000	0.024	±2.5	3.7VDC	-30	49.000	0.058	±2.5
	-20	31.000	0.016			-20	34.000	0.040	
	-10	29.000	0.015			-10	-38.000	-0.045	
	0	-34.000	-0.018			0	29.000	0.034	
	10	31.000	0.016			10	23.000	0.027	
	20	-53.000	-0.028			20	-16.000	-0.019	
	30	15.000	0.008			30	28.000	0.033	
	40	26.000	0.014			40	46.000	0.054	
	50	-34.000	-0.018			50	-50.000	-0.059	
4.07VDC	25	53.000	0.028		4.07VDC	25	31.000	0.037	
3.33VDC	25	-27.000	-0.014		3.33VDC	25	-36.000	-0.043	

Test equipment: ETSTW-CE 009, ETSTW-RE 055, ETSTW-GSM 002

9 Maximum Permissible Exposure

9.1 Applicable Standard

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of - - m normally can be maintained between the user and the device.

9.2 MPE Calculation Method

(A) Limits for Occupational/Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm^2)	Averaging Time $\|E\|^2$, $\|H\|^2$ or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	($900/f^2$)*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

(B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm^2)	Averaging Time $\|E\|^2$, $\|H\|^2$ or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	($180/f^2$)*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30

f = frequency in MHz *Plane-wave equivalent power density

$$E\ (V/m) = \frac{\sqrt{30 \times P \times G}}{d} \qquad \text{Power Density: } Pd\ (W/m^2) = \frac{E^2}{377}$$

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)
d = Separation distance between radiator and human body (m)
The formula can be changed to

$$Pd = \frac{30 \times P \times G}{377 \times d^2}$$

Frequency	Max output power (dBm) / (W)		Antenna Gain	Power Density(S) (mW/cm²)	Limit of Power Density (S) (mW/cm²)	Test Result
GSM 850	- -	- -	- -	- -	- -	- -
PCS 1900	- -	- -	- -	- -	- -	- -
Band II	- -	- -	- -	- -	- -	- -
Band V	- -	- -	- -	- -	- -	- -

From the peak EUT RF output power, the minimum mobile separation distance, d= - - m, as well as the gain of the used antenna, the RF power density can be obtained.

Explanation: Please refer to SAR test report.

Appendix

Measurement diagrams

1. RF Power Output
2. Filed Strength of Spurious Emission

Appendix

Measurement diagrams


RF Power Output

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P1H | Data :#1 | Date: 2016/12/9 | Time: 上午 10:02:25 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH128
Note :

Polarization: *Horizontal*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.2571	-4.22	peak	35.64	31.42	38.45	150	140	-7.03	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P1H | Data :#2 | Date: 2016/12/9 | Time: 下午 01:20:21 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH128
Note :

Polarization: *Vertical*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.2591	-7.73	peak	35.57	27.84	38.45	150	100	-10.61	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P2H | Data :#1 | Date: 2016/12/9 | Time: 上午 10:22:57 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH188
Note :

Polarization: *Horizontal*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.2591	-6.20	peak	36.05	29.85	38.45	150	60	-8.60	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P2H | Data :#2 | Date: 2016/12/9 | Time: 下午 01:14:44 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH188
Note :

Polarization: *Vertical*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.2591	-8.41	peak	35.94	27.53	38.45	150	170	-10.92	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P3H | Data :#1 | Date: 2016/12/9 | Time: 上午 10:25:24 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH251
Note :

Polarization: *Horizontal*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.8511	-9.08	peak	36.48	27.40	38.45	150	40	-11.05	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P3H | Data :#2 | Date: 2016/12/9 | Time: 下午 01:12:12 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH251
Note :

Polarization: *Vertical*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.8651	-9.39	peak	36.33	26.94	38.45	150	30	-11.51	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P1H | Data :#1 | Date: 2016/12/7 | Time: 下午 03:16:42 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.235	-17.91	peak	44.16	26.25	33.00	150	200	-6.75	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P1H | Data :#2 | Date: 2016/12/8 | Time: 上午 10:05:27 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.175	-27.78	peak	45.39	17.61	33.00	150	40	-15.39	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P2H | Data :#1 | Date: 2016/12/7 | Time: 下午 03:14:42 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1880.055	-19.88	peak	44.17	24.29	33.00	150	170	-8.71	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P2H | Data :#2 | Date: 2016/12/8 | Time: 上午 10:07:12 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1880.015	-30.43	peak	45.49	15.06	33.00	150	200	-17.94	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P3H | Data :#1 | Date: 2016/12/7 | Time: 下午 03:09:06 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.845	-18.55	peak	44.40	25.85	33.00	150	200	-7.15	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P3H | Data :#2 | Date: 2016/12/8 | Time: 上午 10:14:55 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.865	-30.49	peak	45.86	15.37	33.00	150	100	-17.63	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P1L | Data :#1 | Date: 2016/12/9 | Time: 上午 10:03:29 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH128
Note :

Polarization: *Horizontal*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1168	-4.10	peak	35.63	31.53	38.45	150	140	-6.92	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P1L | Data :#2 | Date: 2016/12/9 | Time: 下午 01:18:38 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH128
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1310	-7.68	peak	35.56	27.88	38.45	150	50	-10.57	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P2L | Data :#1 | Date: 2016/12/9 | Time: 上午 10:10:29 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH188
Note :

Polarization: *Horizontal*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.1248	-6.22	peak	36.05	29.83	38.45	150	40	-8.62	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P2L | Data :#2 | Date: 2016/12/9 | Time: 下午 01:15:39 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH188
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.2471	-8.49	peak	35.94	27.45	38.45	150	110	-11.00	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P3L | Data :#1 | Date: 2016/12/9 | Time: 上午 10:26:44 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH251
Note :

Polarization: *Horizontal*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.7228	-8.89	peak	36.48	27.59	38.45	150	30	-10.86	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :850P3L | Data :#2 | Date: 2016/12/9 | Time: 下午 12:03:27 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH251
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.8591	-9.30	peak	36.32	27.02	38.45	150	40	-11.43	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P1L | Data :#1 | Date: 2016/12/7 | Time: 下午 03:19:41 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.205	-17.91	peak	44.16	26.25	33.00	150	250	-6.75	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P1L | Data :#2 | Date: 2016/12/8 | Time: 上午 10:03:10 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.165	-27.83	peak	45.39	17.56	33.00	150	80	-15.44	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P2L | Data :#1 | Date: 2016/12/7 | Time: 下午 03:13:34 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.895	-19.86	peak	44.17	24.31	33.00	150	170	-8.69	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P2L | Data :#2 | Date: 2016/12/8 | Time: 上午 10:09:21 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.995	-30.52	peak	45.49	14.97	33.00	150	240	-18.03	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P3L | Data :#1 | Date: 2016/12/7 | Time: 下午 03:10:36 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM1900 CH810
Note :

Polarization: *Horizontal*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.865	-18.54	peak	44.40	25.86	33.00	150	140	-7.14	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1900P3L | Data :#2 | Date: 2016/12/8 | Time: 上午 10:11:21 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 POWER
EUT : W6M21611-16408
M/N:
Test Mode : GSM1900 CH810
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.845	-30.67	peak	45.86	15.19	33.00	150	10	-17.81	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P1H | Data :#1 | Date: 2016/12/7 | Time: 下午 03:41:13 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.612	-23.97	peak	44.16	20.19	33.00	150	140	-12.81	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P1H | Data :#2 | Date: 2016/12/8 | Time: 上午 10:19:54 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.633	-33.99	peak	45.40	11.41	33.00	150	210	-21.59	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P2H Data :#1 Date: 2016/12/7 Temperature:24 ℃

Time: 下午 03:46:34 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1881.192	-27.29	peak	44.17	16.88	33.00	150	100	-16.12	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P2H | Data :#2 | Date: 2016/12/8 | Time: 上午 10:25:42 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1881.233	-38.25	peak	45.49	7.24	33.00	150	40	-25.76	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P3H | Data :#1 | Date: 2016/12/7 | Time: 下午 04:20:35 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.792	-26.27	peak	44.37	18.10	33.00	150	140	-14.90	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P3H | Data :#2 | Date: 2016/12/8 | Time: 上午 10:29:19 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 POWER
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band2 CH9538
Note :

Polarization: *Vertical*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.833	-38.28	peak	45.83	7.55	33.00	150	170	-25.45	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P1H | Data :#1 | Date: 2016/12/8 | Time: 下午 05:32:39 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	826.9511	-26.94	peak	35.73	8.79	38.45	150	140	-29.66	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P1H | Data :#2 | Date: 2016/12/9 | Time: 下午 01:25:40 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	826.3500	-22.02	peak	35.63	13.61	38.45	150	140	-24.84	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P2H | Data :#1 | Date: 2016/12/8 | Time: 下午 05:38:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band5 CH4183
Note :

Polarization: *Horizontal*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	835.6080	-24.71	peak	36.03	11.32	38.45	150	100	-27.13	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P2H | Data :#2 | Date: 2016/12/9 | Time: 下午 01:34:54 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4183

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.2112	-22.50	peak	35.97	13.47	38.45	150	140	-24.98	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P3H | Data :#1 | Date: 2016/12/8 | Time: 下午 05:50:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4233

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.1711	-26.28	peak	36.42	10.14	38.45	150	150	-28.31	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P3H | Data :#2 | Date: 2016/12/9 | Time: 下午 01:37:19 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4233

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.1511	-23.92	peak	36.27	12.35	38.45	150	170	-26.10	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P1L | Data :#1 | Date: 2016/12/7 | Time: 下午 03:38:40 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.612	-23.91	peak	44.16	20.25	33.00	150	200	-12.75	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P1L | Data :#2 | Date: 2016/12/8 | Time: 上午 10:22:59 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.612	-34.27	peak	45.40	11.13	33.00	150	300	-21.87	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P2L | Data :#1 | Date: 2016/12/7 | Time: 下午 04:17:20 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1881.233	-26.81	peak	44.17	17.36	33.00	150	170	-15.64	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P2L | Data :#2 | Date: 2016/12/8 | Time: 上午 10:24:47 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 POWER
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band2 CH9400
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1878.828	-38.56	peak	45.49	6.93	33.00	150	20	-26.07	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P3L | Data :#1 | Date: 2016/12/7 | Time: 下午 04:18:56 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.873	-26.09	peak	44.37	18.28	33.00	150	240	-14.72	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B2P3L | Data :#2 | Date: 2016/12/8 | Time: 上午 10:45:53 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.792	-37.87	peak	45.82	7.95	33.00	150	240	-25.05	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P1L | Data :#1 | Date: 2016/12/8 | Time: 下午 05:26:26 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	825.3880	-27.00	peak	35.68	8.68	38.45	150	100	-29.77	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P1L | Data :#2 | Date: 2016/12/9 | Time: 下午 01:28:34 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.1315	-22.16	peak	35.66	13.50	38.45	150	170	-24.95	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P2L | Data :#1 | Date: 2016/12/8 | Time: 下午 05:42:18 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	835.0870	-24.22	peak	36.01	11.79	38.45	150	240	-26.66	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P2L | Data :#2 | Date: 2016/12/9 | Time: 下午 01:32:28 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band5 CH4183
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.1912	-21.63	peak	35.97	14.34	38.45	150	170	-24.11	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P3L | Data :#1 | Date: 2016/12/8 | Time: 下午 05:47:30 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band5 CH4233
Note :

Polarization: *Horizontal*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	845.5880	-26.18	peak	36.37	10.19	38.45	150	100	-28.26	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B5P3L | Data :#2 | Date: 2016/12/9 | Time: 下午 01:41:10 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 POWER
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band5 CH4233
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.3114	-23.78	peak	36.28	12.50	38.45	150	170	-25.95	

*:Maximum data x:Over limit !:over margin

Appendix

Measurement diagrams


Filed Strength of Spurious Emission

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85011H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:21:42 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.19	peak	23.64	-75.55	-13.00	150	140	-62.55	
	153.3267	-103.63	peak	22.99	-80.64	-13.00	150	140	-67.64	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85011H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:25:37 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.6734	-94.87	peak	23.88	-70.99	-13.00	150	170	-57.99	
	97.7957	-99.52	peak	24.20	-75.32	-13.00	150	250	-62.32	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85012H | Data :#1 | Date: 2016/12/9 | Time: 下午 02:01:00 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	511.0221	-75.76	peak	-6.51	-82.27	-13.00	150	240	-69.27	
*	664.9300	-77.24	peak	-0.85	-78.09	-13.00	150	100	-65.09	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85012H | Data :#2 | Date: 2016/12/9 | Time: 下午 02:27:23 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 (850 band)
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH128
Note :

Polarization: *Vertical*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	541.4830	-76.47	peak	-4.13	-80.60	-13.00	150	140	-67.60	
*	897.3948	-71.47	peak	0.37	-71.10	-13.00	150	240	-58.10	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013H | Data :#1 | Date: 2016/12/8 | Time: 上午 11:25:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2280.561	-58.23	peak	5.05	-53.18	-13.00	150	40	-40.18	
*	2707.415	-61.77	peak	11.20	-50.57	-13.00	150	200	-37.57	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013H | Data :#3 | Date: 2016/12/8 | Time: 下午 02:21:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1997.996	-63.04	peak	6.13	-56.91	-13.00	150	240	-43.91	
*	2749.499	-62.75	peak	12.08	-50.67	-13.00	150	200	-37.67	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013H | Data :#2 | Date: 2016/12/8 | Time: 上午 11:25:53 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013H | Data :#4 | Date: 2016/12/8 | Time: 下午 02:21:23 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013H | Data :#3 | Date: 2017/1/3 | Time: 下午 05:38:06 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013H | Data :#8 | Date: 2017/1/3 | Time: 下午 05:40:03 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013H | Data :#4 | Date: 2017/1/3 | Time: 下午 05:38:31 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013H | Data :#9 | Date: 2017/1/3 | Time: 下午 05:40:41 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013H | Data :#5 | Date: 2017/1/3 | Time: 下午 05:38:59 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013H | Data :#10 | Date: 2017/1/3 | Time: 下午 05:41:11 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85011L | Data :#1 | Date: 2016/12/9 | Time: 下午 03:23:41 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.3548	-101.81	peak	23.88	-77.93	-13.00	150	140	-64.93	
*	97.7957	-97.87	peak	23.64	-74.23	-13.00	150	100	-61.23	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85011L | Data :#2 | Date: 2016/12/9 | Time: 下午 04:26:00 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	53.5071	-103.48	peak	23.67	-79.81	-13.00	150	170	-66.81	
*	171.3828	-103.83	peak	24.63	-79.20	-13.00	150	240	-66.20	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85012L | Data :#1 | Date: 2016/12/9 | Time: 下午 02:09:43 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	514.2285	-75.31	peak	-6.45	-81.76	-13.00	150	140	-68.76	
*	671.3427	-76.53	peak	-0.84	-77.37	-13.00	150	100	-64.37	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85012L | Data :#2 | Date: 2016/12/9 | Time: 下午 02:27:55 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	538.2766	-76.59	peak	-4.17	-80.76	-13.00	150	170	-67.76	
*	862.1243	-76.44	peak	0.34	-76.10	-13.00	150	240	-63.10	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013L | Data :#1 | Date: 2016/12/8 | Time: 上午 11:34:05 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2406.814	-62.66	peak	9.01	-53.65	-13.00	150	240	-40.65	
*	2671.343	-62.51	peak	10.40	-52.11	-13.00	150	200	-39.11	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013L | Data :#3 | Date: 2016/12/8 | Time: 下午 02:21:56 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2214.429	-61.59	peak	6.16	-55.43	-13.00	150	200	-42.43	
*	2773.547	-63.46	peak	12.08	-51.38	-13.00	150	300	-38.38	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013L | Data :#2 | Date: 2016/12/8 | Time: 上午 11:36:53 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013L | Data :#4 | Date: 2016/12/8 | Time: 下午 02:22:13 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013L | Data :#3 | Date: 2017/1/3 | Time: 下午 05:29:43 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013L | Data :#8 | Date: 2017/1/3 | Time: 下午 05:32:11 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013L | Data :#4 | Date: 2017/1/3 | Time: 下午 05:31:45 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013L | Data :#9 | Date: 2017/1/3 | Time: 下午 05:32:47 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013L | Data :#5 | Date: 2017/1/3 | Time: 下午 05:31:06 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85013L | Data :#10 | Date: 2017/1/3 | Time: 下午 05:33:14 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85021H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:26:33 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.53	peak	23.64	-74.89	-13.00	150	140	-61.89	
	194.2084	-102.09	peak	23.64	-78.45	-13.00	150	250	-65.45	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85021H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:26:38 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.91	peak	24.20	-74.71	-13.00	150	140	-61.71	
	106.3127	-104.05	peak	23.79	-80.26	-13.00	150	100	-67.26	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85022H | Data :#1 | Date: 2016/12/9 | Time: 下午 02:13:44 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	342.6855	-75.15	peak	-7.59	-82.74	-13.00	150	40	-69.74	
*	640.8818	-75.02	peak	-1.40	-76.42	-13.00	150	240	-63.42	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85022H | Data :#2 | Date: 2016/12/9 | Time: 下午 02:31:46 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 (850 band)
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH188
Note :

Polarization: *Vertical*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	626.4530	-76.21	peak	-3.00	-79.21	-13.00	150	240	-66.21	
*	878.1563	-74.91	peak	0.35	-74.56	-13.00	150	240	-61.56	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023H | Data :#1 | Date: 2016/12/8 | Time: 下午 01:31:31 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1144.289	-59.65	peak	2.00	-57.65	-13.00	150	240	-44.65	
*	2701.403	-63.32	peak	11.44	-51.88	-13.00	150	280	-38.88	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023H | Data :#3 | Date: 2016/12/8 | Time: 下午 02:23:41 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2785.571	-61.82	peak	12.07	-49.75	-13.00	150	20	-36.75	
	3422.846	-62.77	peak	11.08	-51.69	-13.00	150	190	-38.69	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023H | Data :#2 | Date: 2016/12/8 | Time: 下午 01:31:51 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023H | Data :#4 | Date: 2016/12/8 | Time: 下午 02:23:52 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023H | Data :#3 | Date: 2017/1/3 | Time: 下午 05:56:24 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023H | Data :#8 | Date: 2017/1/3 | Time: 下午 05:57:24 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023H | Data :#4 | Date: 2017/1/3 | Time: 下午 05:56:44 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023H | Data :#9 | Date: 2017/1/3 | Time: 下午 05:57:41 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023H | Data :#5 | Date: 2017/1/3 | Time: 下午 05:57:01 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023H | Data :#10 | Date: 2017/1/3 | Time: 下午 05:58:57 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85021L | Data :#1 | Date: 2016/12/9 | Time: 下午 03:24:27 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.36	peak	23.64	-75.72	-13.00	150	240	-62.72	
	173.7676	-103.31	peak	23.96	-79.35	-13.00	150	170	-66.35	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85021L | Data :#2 | Date: 2016/12/9 | Time: 下午 04:27:06 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 (850 band)
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH188
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.64	peak	24.20	-75.44	-13.00	150	170	-62.44	
	171.3828	-103.94	peak	24.63	-79.31	-13.00	150	200	-66.31	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85022L | Data :#1 | Date: 2016/12/9 | Time: 下午 02:12:22 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	353.9080	-74.98	peak	-7.46	-82.44	-13.00	150	240	-69.44	
*	688.9780	-76.53	peak	-0.81	-77.34	-13.00	150	100	-64.34	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85022L | Data :#2 | Date: 2016/12/9 | Time: 下午 02:37:17 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	616.8337	-76.92	peak	-3.23	-80.15	-13.00	150	100	-67.15	
*	895.7916	-76.68	peak	0.37	-76.31	-13.00	150	200	-63.31	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023L | Data :#1 | Date: 2016/12/8 | Time: 下午 01:28:03 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1937.876	-57.84	peak	4.26	-53.58	-13.00	150	170	-40.58	
*	2707.415	-61.53	peak	11.20	-50.33	-13.00	150	240	-37.33	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023L | Data :#3 | Date: 2016/12/8 | Time: 下午 02:24:21 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2154.309	-61.33	peak	5.93	-55.40	-13.00	150	200	-42.40	
*	2809.619	-62.54	peak	11.79	-50.75	-13.00	150	300	-37.75	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023L | Data :#2 | Date: 2016/12/8 | Time: 下午 01:28:47 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023L | Data :#4 | Date: 2016/12/8 | Time: 下午 02:28:36 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023L | Data :#3 | Date: 2017/1/3 | Time: 下午 05:42:56 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023L | Data :#8 | Date: 2017/1/3 | Time: 下午 05:53:10 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 (850 band)
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH188
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023L | Data :#4 | Date: 2017/1/3 | Time: 下午 05:43:23 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023L | Data :#9 | Date: 2017/1/3 | Time: 下午 05:53:40 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023L | Data :#5 | Date: 2017/1/3 | Time: 下午 05:43:53 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85023L | Data :#10 | Date: 2017/1/3 | Time: 下午 05:53:55 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85031H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:27:25 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.43	peak	23.64	-74.79	-13.00	150	70	-61.79	
	153.6674	-102.51	peak	23.01	-79.50	-13.00	150	200	-66.50	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85031H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:27:40 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 (850 band)
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH251
Note :

Polarization: *Vertical*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-100.24	peak	24.20	-76.04	-13.00	150	170	-63.04	
	133.5672	-103.32	peak	22.56	-80.76	-13.00	150	100	-67.76	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85032H | Data :#1 | Date: 2016/12/9 | Time: 下午 02:14:30 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	352.3047	-76.48	peak	-7.43	-83.91	-13.00	150	100	-70.91	
*	668.1363	-77.37	peak	-0.85	-78.22	-13.00	150	240	-65.22	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85032H | Data :#2 | Date: 2016/12/9 | Time: 下午 02:38:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	567.1343	-76.83	peak	-3.88	-80.71	-13.00	150	170	-67.71	
*	833.2666	-76.39	peak	-0.22	-76.61	-13.00	150	240	-63.61	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033H | Data :#1 | Date: 2016/12/8 | Time: 下午 01:35:35 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2406.814	-61.46	peak	9.01	-52.45	-13.00	150	240	-39.45	
*	2695.391	-62.80	peak	11.32	-51.48	-13.00	150	280	-38.48	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033H | Data :#3 | Date: 2016/12/8 | Time: 下午 02:29:07 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2016.032	-61.40	peak	6.11	-55.29	-13.00	150	200	-42.29	
*	2731.463	-63.12	peak	12.08	-51.04	-13.00	150	300	-38.04	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033H | Data :#2 | Date: 2016/12/8 | Time: 下午 01:35:58 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033H | Data :#4 | Date: 2016/12/8 | Time: 下午 02:29:30 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033H | Data :#3 | Date: 2017/1/3 | Time: 下午 06:07:25 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033H | Data :#8 | Date: 2017/1/3 | Time: 下午 06:08:18 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033H | Data :#4 | Date: 2017/1/3 | Time: 下午 06:07:41 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033H | Data :#9 | Date: 2017/1/3 | Time: 下午 06:08:34 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033H | Data :#5 | Date: 2017/1/3 | Time: 下午 06:07:58 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033H | Data :#10 | Date: 2017/1/3 | Time: 下午 06:08:52 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85031L | Data :#1 | Date: 2016/12/9 | Time: 下午 03:31:58 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.27	peak	23.64	-74.63	-13.00	150	170	-61.63	
	157.7555	-102.07	peak	23.24	-78.83	-13.00	150	240	-65.83	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85031L | Data :#2 | Date: 2016/12/9 | Time: 下午 04:31:30 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.3327	-95.41	peak	23.88	-71.53	-13.00	150	140	-58.53	
	97.7957	-100.00	peak	24.20	-75.80	-13.00	150	100	-62.80	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85032L | Data :#1 | Date: 2016/12/9 | Time: 下午 02:15:20 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	551.1023	-75.56	peak	-5.71	-81.27	-13.00	150	240	-68.27	
*	639.2786	-76.19	peak	-1.49	-77.68	-13.00	150	100	-64.68	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85032L | Data :#2 | Date: 2016/12/9 | Time: 下午 02:38:40 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	663.3267	-76.11	peak	-2.11	-78.22	-13.00	150	140	-65.22	
*	897.3948	-76.38	peak	0.37	-76.01	-13.00	150	150	-63.01	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033L | Data :#1 | Date: 2016/12/8 | Time: 下午 01:36:29 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2226.453	-61.20	peak	6.37	-54.83	-13.00	150	240	-41.83	
*	2995.992	-61.94	peak	9.89	-52.05	-13.00	150	200	-39.05	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033L | Data :#3 | Date: 2016/12/8 | Time: 下午 02:36:01 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 (850 band)
EUT : W6M21611-16408
M/N:
Test Mode : GSM850 CH251
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2202.405	-60.79	peak	6.08	-54.71	-13.00	150	240	-41.71	
*	2791.583	-61.80	peak	12.07	-49.73	-13.00	150	200	-36.73	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033L | Data :#2 | Date: 2016/12/8 | Time: 下午 01:44:39 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033L | Data :#4 | Date: 2016/12/8 | Time: 下午 02:37:56 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033L | Data :#3 | Date: 2017/1/3 | Time: 下午 06:02:09 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033L | Data :#8 | Date: 2017/1/3 | Time: 下午 06:05:00 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033L | Data :#4 | Date: 2017/1/3 | Time: 下午 06:04:14 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033L | Data :#9 | Date: 2017/1/3 | Time: 下午 06:05:26 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033L | Data :#5 | Date: 2017/1/3 | Time: 下午 06:04:32 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :85033L | Data :#10 | Date: 2017/1/3 | Time: 下午 06:05:51 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM850 CH251

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :1 Data :#1 Date: 2016/12/27 Time: 下午 02:11:33 Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5310	27.46	peak	-6.58	20.88	43.50	100	85	-22.62	
	366.2925	33.04	peak	-4.28	28.76	46.00	100	100	-17.24	
*	385.7314	33.27	peak	-3.94	29.33	46.00	100	190	-16.67	
	399.3387	32.98	peak	-3.69	29.29	46.00	100	305	-16.71	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :1 Data :#2 Date: 2016/12/27 Temperature:24 ℃

Time: 下午 02:12:26 Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	31.9440	30.80	peak	-7.31	23.49	40.00	100	305	-16.51	
	111.6433	29.65	peak	-6.85	22.80	43.50	100	75	-20.70	
	399.3387	32.60	peak	-3.69	28.91	46.00	100	220	-17.09	
	418.7776	30.98	peak	-3.34	27.64	46.00	100	150	-18.36	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#1 Date: 2016/12/27 Temperature:24 ℃

Time: 下午 02:56:20 Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2010.020	43.82	peak	-5.52	38.30	74.00	100	165	-35.70	
*	7424.850	40.97	peak	4.94	45.91	74.00	100	270	-28.09	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#3 Date: 2016/12/27 Temperature:24 ℃

Time: 下午 02:58:14 Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21611-16408

M/N:

Test Mode : GSM 850 Idle

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3160.321	42.83	peak	-2.79	40.04	74.00	100	225	-33.96	
*	7102.204	41.66	peak	4.40	46.06	74.00	100	235	-27.94	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#2 Date: 2016/12/27 Temperature:24 ℃

Time: 下午 02:57:20 Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#4 Date: 2016/12/27 Time: 下午 02:59:14

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190011H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:42:02 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.59	peak	23.64	-73.95	-13.00	150	140	-60.95	
	159.1183	-103.46	peak	23.32	-80.14	-13.00	150	100	-67.14	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190011H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:12:54 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.9921	-95.42	peak	23.89	-71.53	-13.00	150	140	-58.53	
	160.4810	-102.92	peak	24.40	-78.52	-13.00	150	100	-65.52	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190012H | Data :#1 | Date: 2016/12/8 | Time: 下午 04:56:26 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	688.9780	-76.03	peak	-0.81	-76.84	-13.00	150	240	-63.84	
*	874.9500	-71.23	peak	0.66	-70.57	-13.00	150	100	-57.57	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190012H | Data :#2 | Date: 2016/12/9 | Time: 下午 02:54:22 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	650.5010	-77.20	peak	-2.43	-79.63	-13.00	150	240	-66.63	
*	894.1884	-76.58	peak	0.37	-76.21	-13.00	150	100	-63.21	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013H | Data :#1 | Date: 2016/12/8 | Time: 下午 02:49:46 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3248.497	-60.69	peak	8.03	-52.66	-13.00	150	240	-39.66	
*	3705.411	-54.64	peak	10.02	-44.62	-13.00	150	200	-31.62	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013H | Data :#3 | Date: 2016/12/8 | Time: 下午 02:49:46 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2797.595	-61.60	peak	12.07	-49.53	-13.00	150	240	-36.53	
	3705.411	-60.14	peak	10.32	-49.82	-13.00	150	140	-36.82	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013H | Data :#2 | Date: 2016/12/8 | Time: 下午 02:52:13 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013H | Data :#4 | Date: 2016/12/8 | Time: 下午 02:52:13 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013H | Data :#3 | Date: 2017/1/4 | Time: 上午 10:35:46 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013H Data :#8 Date: 2017/1/4 Time: 上午 10:37:08

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013H | Data :#4 | Date: 2017/1/4 | Time: 上午 10:36:00 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013H | Data :#9 | Date: 2017/1/4 | Time: 上午 10:37:19 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013H | Data :#5 | Date: 2017/1/4 | Time: 上午 10:36:53 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013H | Data :#10 | Date: 2017/1/4 | Time: 上午 10:37:32 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190011L | Data :#1 | Date: 2016/12/9 | Time: 下午 03:42:32 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 (1900 band)
EUT : W6M21611-16408
M/N:
Test Mode : GSM1900 CH512
Note :

Polarization: *Horizontal*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.20	peak	23.64	-74.56	-13.00	150	170	-61.56	
	158.7776	-102.42	peak	23.30	-79.12	-13.00	150	240	-66.12	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190011L | Data :#2 | Date: 2016/12/9 | Time: 下午 04:13:23 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.3107	-95.60	peak	23.90	-71.70	-13.00	150	170	-58.70	
	142.7656	-103.69	peak	22.74	-80.95	-13.00	150	20	-67.95	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190012L | Data :#1 | Date: 2016/12/8 | Time: 下午 04:58:34 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	688.9780	-76.03	peak	-0.81	-76.84	-13.00	150	200	-63.84	
*	894.1884	-65.14	peak	1.27	-63.87	-13.00	150	300	-50.87	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190012L | Data :#2 | Date: 2016/12/9 | Time: 下午 02:56:15 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	565.5311	-76.39	peak	-3.89	-80.28	-13.00	150	170	-67.28	
*	844.4890	-75.90	peak	0.15	-75.75	-13.00	150	240	-62.75	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013L | Data :#1 | Date: 2016/12/8 | Time: 下午 02:53:30 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1835.671	-50.44	peak	3.09	-47.35	-13.00	150	240	-34.35	
*	3705.411	-56.84	peak	10.02	-46.82	-13.00	150	100	-33.82	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013L | Data :#3 | Date: 2016/12/8 | Time: 下午 02:53:30 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH512

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2496.994	-62.50	peak	10.08	-52.42	-13.00	150	200	-39.42	
*	3705.411	-59.84	peak	10.32	-49.52	-13.00	150	100	-36.52	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013L | Data :#2 | Date: 2016/12/8 | Time: 下午 02:54:36 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013L | Data :#4 | Date: 2016/12/8 | Time: 下午 02:54:36 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013L | Data :#3 | Date: 2017/1/4 | Time: 上午 10:33:36 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013L Data :#8 Date: 2017/1/4 Time: 上午 10:34:19

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013L | Data :#4 | Date: 2017/1/4 | Time: 上午 10:33:53 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013L | Data :#9 | Date: 2017/1/4 | Time: 上午 10:34:32 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013L | Data :#5 | Date: 2017/1/4 | Time: 上午 10:34:05 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190013L | Data :#10 | Date: 2017/1/4 | Time: 上午 10:34:44 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190021H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:45:21 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH661

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.43	peak	23.64	-73.79	-13.00	150	170	-60.79	
	167.9760	-103.16	peak	23.71	-79.45	-13.00	150	200	-66.45	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190021H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:14:49 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH661

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.3107	-95.54	peak	23.90	-71.64	-13.00	150	170	-58.64	
	172.4048	-103.51	peak	24.66	-78.85	-13.00	150	240	-65.85	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190022H | Data :#1 | Date: 2016/12/8 | Time: 下午 05:04:07 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	676.1523	-76.48	peak	-0.83	-77.31	-13.00	150	140	-64.31	
*	874.9500	-72.04	peak	0.66	-71.38	-13.00	150	100	-58.38	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190022H | Data :#2 | Date: 2016/12/9 | Time: 下午 02:58:30 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	620.0401	-76.23	peak	-3.15	-79.38	-13.00	150	240	-66.38	
*	777.1543	-75.21	peak	-1.38	-76.59	-13.00	150	200	-63.59	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023H | Data :#1 | Date: 2016/12/8 | Time: 下午 02:57:37 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3248.497	-63.00	peak	8.03	-54.97	-13.00	150	200	-41.97	
*	3765.531	-56.48	peak	9.91	-46.57	-13.00	150	200	-33.57	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023H | Data :#3 | Date: 2016/12/8 | Time: 下午 02:57:37 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH661

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2490.982	-62.68	peak	9.92	-52.76	-13.00	150	240	-39.76	
*	3765.531	-59.98	peak	10.75	-49.23	-13.00	150	100	-36.23	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023H | Data :#2 | Date: 2016/12/8 | Time: 下午 02:59:55 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023H | Data :#4 | Date: 2016/12/8 | Time: 下午 02:59:55 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023H | Data :#3 | Date: 2017/1/4 | Time: 上午 10:40:50 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023H | Data :#8 | Date: 2017/1/4 | Time: 上午 10:41:46 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023H | Data :#4 | Date: 2017/1/4 | Time: 上午 10:41:20 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023H | Data :#9 | Date: 2017/1/4 | Time: 上午 10:41:58 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023H | Data :#5 | Date: 2017/1/4 | Time: 上午 10:41:34 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023H | Data :#10 | Date: 2017/1/4 | Time: 上午 10:42:08 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190021L | Data :#1 | Date: 2016/12/9 | Time: 下午 03:43:13 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH661

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.64	peak	23.64	-74.00	-13.00	150	140	-61.00	
	175.8116	-103.90	peak	24.04	-79.86	-13.00	150	250	-66.86	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190021L | Data :#2 | Date: 2016/12/9 | Time: 下午 04:16:55 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH661

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.0141	-95.37	peak	23.87	-71.50	-13.00	150	170	-58.50	
	151.6233	-103.72	peak	23.59	-80.13	-13.00	150	240	-67.13	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190022L | Data :#1 | Date: 2016/12/8 | Time: 下午 04:59:43 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	666.5331	-75.06	peak	-0.85	-75.91	-13.00	150	240	-62.91	
*	873.3467	-71.82	peak	0.61	-71.21	-13.00	150	100	-58.21	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190022L | Data :#2 | Date: 2016/12/9 | Time: 下午 02:59:25 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 (1900 band)
EUT : W6M21611-16408
M/N:
Test Mode : GSM1900 CH661
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	522.2445	-76.29	peak	-4.39	-80.68	-13.00	150	240	-67.68	
*	773.9480	-74.76	peak	-1.39	-76.15	-13.00	150	200	-63.15	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023L | Data :#1 | Date: 2016/12/8 | Time: 下午 02:56:01 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH661

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	-62.19	peak	10.02	-52.17	-13.00	150	240	-39.17	
*	3765.531	-53.88	peak	9.91	-43.97	-13.00	150	100	-30.97	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023L | Data :#3 | Date: 2016/12/8 | Time: 下午 02:56:01 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2118.236	-60.56	peak	5.82	-54.74	-13.00	150	100	-41.74	
*	3765.531	-53.88	peak	10.75	-43.13	-13.00	150	240	-30.13	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023L | Data :#2 | Date: 2016/12/8 | Time: 下午 02:57:01 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023L | Data :#4 | Date: 2016/12/8 | Time: 下午 02:57:01 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023L | Data :#3 | Date: 2017/1/4 | Time: 上午 10:38:51 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023L | Data :#8 | Date: 2017/1/4 | Time: 上午 10:39:24 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023L | Data :#4 | Date: 2017/1/4 | Time: 上午 10:39:02 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023L | Data :#9 | Date: 2017/1/4 | Time: 上午 10:39:36 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023L | Data :#5 | Date: 2017/1/4 | Time: 上午 10:39:13 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190023L | Data :#10 | Date: 2017/1/4 | Time: 上午 10:39:47 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190031H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:47:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH810

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.68	peak	23.64	-74.04	-13.00	150	240	-61.04	
	152.9860	-102.76	peak	22.97	-79.79	-13.00	150	180	-66.79	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190031H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:17:35 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH810

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.3548	-95.50	peak	23.87	-71.63	-13.00	150	170	-58.63	
	149.2385	-103.06	peak	23.36	-79.70	-13.00	150	240	-66.70	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190032H | Data :#1 | Date: 2016/12/8 | Time: 下午 05:07:51 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 (1900 band)
EUT : W6M21611-16408
M/N:
Test Mode : GSM1900 CH810
Note :

Polarization: *Horizontal*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	688.9780	-75.51	peak	-0.81	-76.32	-13.00	150	240	-63.32	
*	886.1724	-65.01	peak	1.01	-64.00	-13.00	150	100	-51.00	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190032H | Data :#2 | Date: 2016/12/9 | Time: 下午 03:00:38 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	512.6253	-75.76	peak	-4.53	-80.29	-13.00	150	140	-67.29	
*	772.3447	-73.85	peak	-1.40	-75.25	-13.00	150	100	-62.25	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033H | Data :#1 | Date: 2016/12/8 | Time: 下午 03:02:12 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH810

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3507.014	-62.23	peak	10.00	-52.23	-13.00	150	240	-39.23	
*	3819.639	-54.13	peak	9.95	-44.18	-13.00	150	200	-31.18	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033H Data :#3 Date: 2016/12/8 Time: 下午 03:02:12

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH810

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2154.309	-59.76	peak	5.93	-53.83	-13.00	150	240	-40.83	
*	3404.810	-62.32	peak	11.25	-51.07	-13.00	150	100	-38.07	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033H | Data :#2 | Date: 2016/12/8 | Time: 下午 03:04:11 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033H | Data :#4 | Date: 2016/12/8 | Time: 下午 03:04:11 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033H | Data :#3 | Date: 2017/1/4 | Time: 上午 10:46:23 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033H Data :#8 Date: 2017/1/4 Time: 上午 10:46:59

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033H | Data :#4 | Date: 2017/1/4 | Time: 上午 10:46:35 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033H | Data :#9 | Date: 2017/1/4 | Time: 上午 10:47:10 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033H | Data :#5 | Date: 2017/1/4 | Time: 上午 10:46:47 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033H | Data :#10 | Date: 2017/1/4 | Time: 上午 10:47:20 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190031L | Data :#1 | Date: 2016/12/9 | Time: 下午 03:49:57 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH810

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.71	peak	23.64	-75.07	-13.00	150	200	-62.07	
	132.5451	-103.24	peak	22.27	-80.97	-13.00	150	140	-67.97	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190031L | Data :#2 | Date: 2016/12/9 | Time: 下午 04:18:06 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 (1900 band)
EUT : W6M21611-16408
M/N:
Test Mode : GSM1900 CH810
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.3327	-94.92	peak	23.88	-71.04	-13.00	150	170	-58.04	
	161.8437	-103.45	peak	24.43	-79.02	-13.00	150	240	-66.02	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190032L | Data :#1 | Date: 2016/12/8 | Time: 下午 05:11:05 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	746.6934	-69.55	peak	-2.58	-72.13	-13.00	150	240	-59.13	
*	874.9500	-71.21	peak	0.66	-70.55	-13.00	150	100	-57.55	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190032L | Data :#2 | Date: 2016/12/9 | Time: 下午 03:02:12 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH810

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	538.2766	-75.25	peak	-4.17	-79.42	-13.00	150	240	-66.42	
*	773.9480	-74.85	peak	-1.39	-76.24	-13.00	150	100	-63.24	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033L | Data :#1 | Date: 2016/12/8 | Time: 下午 03:05:21 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH810

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3392.786	-62.20	peak	9.93	-52.27	-13.00	150	200	-39.27	
*	3819.639	-55.34	peak	9.95	-45.39	-13.00	150	300	-32.39	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033L | Data :#3 | Date: 2016/12/8 | Time: 下午 03:05:21 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH810

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2436.874	-59.54	peak	8.51	-51.03	-13.00	150	240	-38.03	
*	2749.499	-62.41	peak	12.08	-50.33	-13.00	150	100	-37.33	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033L | Data :#2 | Date: 2016/12/8 | Time: 下午 03:05:47 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : GSM1900 CH810

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033L | Data :#4 | Date: 2016/12/8 | Time: 下午 03:05:47 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033L | Data :#3 | Date: 2017/1/4 | Time: 上午 10:44:28 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033L | Data :#8 | Date: 2017/1/4 | Time: 上午 10:45:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033L | Data :#4 | Date: 2017/1/4 | Time: 上午 10:44:39 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033L | Data :#9 | Date: 2017/1/4 | Time: 上午 10:45:15 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033L | Data :#5 | Date: 2017/1/4 | Time: 上午 10:44:50 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :190033L | Data :#10 | Date: 2017/1/4 | Time: 上午 10:45:26 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :1 Data :#1 Date: 2016/12/27 Time: 下午 02:15:38

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21611-16408

M/N:

Test Mode : PCS 1900 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	362.4048	31.89	peak	-4.35	27.54	46.00	100	100	-18.46	
	377.9558	33.23	peak	-4.08	29.15	46.00	100	125	-16.85	
	399.3387	32.94	peak	-3.69	29.25	46.00	100	190	-16.75	
*	860.0401	28.59	peak	3.75	32.34	46.00	100	335	-13.66	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :1 Data :#2 Date: 2016/12/27 Time: 下午 02:16:31

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	31.9440	31.61	peak	-7.31	24.30	40.00	100	280	-15.70	
	403.2265	32.26	peak	-3.62	28.64	46.00	100	265	-17.36	
	669.5391	28.64	peak	0.88	29.52	46.00	100	140	-16.48	
*	834.7695	28.50	peak	3.13	31.63	46.00	100	35	-14.37	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 | Data :#1 | Date: 2016/12/27 | Time: 下午 02:50:57 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4478.958	42.85	peak	-0.70	42.15	74.00	100	85	-31.85	
*	7088.176	41.53	peak	4.38	45.91	74.00	100	260	-28.09	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#3 Date: 2016/12/27 Time: 下午 02:52:51

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3146.293	42.74	peak	-2.81	39.93	74.00	100	25	-34.07	
*	7102.204	41.38	peak	4.40	45.78	74.00	100	175	-28.22	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#2 Date: 2016/12/27 Temperature:24 ℃

Time: 下午 02:51:57 Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#4 Date: 2016/12/27 Time: 下午 02:53:51 Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B211H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:52:57 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.89	peak	23.64	-75.25	-13.00	150	170	-62.25	
	147.1944	-103.10	peak	22.64	-80.46	-13.00	150	150	-67.46	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B211H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:19:06 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 (1900 band)
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band2 CH9262
Note :

Polarization: *Vertical*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.9921	-95.67	peak	23.89	-71.78	-13.00	150	140	-58.78	
	149.9200	-103.39	peak	23.43	-79.96	-13.00	150	100	-66.96	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B212H | Data :#1 | Date: 2016/12/8 | Time: 下午 04:33:37 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 (1900 band)
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band2 CH9262
Note :

Polarization: *Horizontal*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	397.1945	-73.53	peak	-8.35	-81.88	-13.00	150	240	-68.88	
*	693.7876	-75.78	peak	-0.80	-76.58	-13.00	150	100	-63.58	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B212H | Data :#2 | Date: 2016/12/9 | Time: 下午 03:06:07 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	660.1203	-77.23	peak	-2.19	-79.42	-13.00	150	150	-66.42	
*	860.5211	-77.44	peak	0.34	-77.10	-13.00	150	140	-64.10	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213H | Data :#1 | Date: 2016/12/8 | Time: 下午 03:37:01 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3458.918	-62.24	peak	10.03	-52.21	-13.00	150	210	-39.21	
*	3705.411	-56.16	peak	10.02	-46.14	-13.00	150	200	-33.14	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213H | Data :#3 | Date: 2016/12/8 | Time: 下午 03:45:08 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3567.134	-61.77	peak	10.32	-51.45	-13.00	150	240	-38.45	
	3975.952	-62.24	peak	10.53	-51.71	-13.00	150	100	-38.71	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213H | Data :#2 | Date: 2016/12/8 | Time: 下午 03:38:22 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213H | Data :#4 | Date: 2016/12/8 | Time: 下午 03:46:39 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213H | Data :#3 | Date: 2017/1/4 | Time: 上午 10:51:03 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213H | Data :#8 | Date: 2017/1/4 | Time: 上午 10:51:41 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213H | Data :#4 | Date: 2017/1/4 | Time: 上午 10:51:16 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213H | Data :#9 | Date: 2017/1/4 | Time: 上午 10:51:55 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213H | Data :#5 | Date: 2017/1/4 | Time: 上午 10:51:26 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213H | Data :#10 | Date: 2017/1/4 | Time: 上午 10:52:07 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B211L | Data :#1 | Date: 2016/12/9 | Time: 下午 03:52:25 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.69	peak	23.64	-75.05	-13.00	150	140	-62.05	
	145.8317	-103.30	peak	22.56	-80.74	-13.00	150	200	-67.74	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B211L | Data :#2 | Date: 2016/12/9 | Time: 下午 04:20:46 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 (1900 band)
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band2 CH9262
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.3548	-95.10	peak	23.87	-71.23	-13.00	150	140	-58.23	
	169.3387	-103.78	peak	24.59	-79.19	-13.00	150	200	-66.19	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B212L | Data :#1 | Date: 2016/12/8 | Time: 下午 04:37:40 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	738.6774	-74.12	peak	-2.28	-76.40	-13.00	150	140	-63.40	
*	874.9500	-72.36	peak	0.66	-71.70	-13.00	150	100	-58.70	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B212L | Data :#2 | Date: 2016/12/9 | Time: 下午 03:10:22 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	555.9120	-76.81	peak	-3.97	-80.78	-13.00	150	240	-67.78	
*	729.0582	-68.32	peak	-1.36	-69.68	-13.00	150	140	-56.68	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213L | Data :#1 | Date: 2016/12/8 | Time: 下午 03:34:23 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3296.593	-60.84	peak	8.41	-52.43	-13.00	150	140	-39.43	
*	3705.411	-56.32	peak	10.02	-46.30	-13.00	150	100	-33.30	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213L | Data :#3 | Date: 2016/12/8 | Time: 下午 03:48:43 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3549.098	-62.09	peak	10.34	-51.75	-13.00	150	240	-38.75	
	3831.663	-62.74	peak	10.89	-51.85	-13.00	150	200	-38.85	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213L | Data :#2 | Date: 2016/12/8 | Time: 下午 03:54:48 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213L | Data :#4 | Date: 2016/12/8 | Time: 下午 03:59:42 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213L | Data :#3 | Date: 2017/1/4 | Time: 上午 10:48:52 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213L | Data :#8 | Date: 2017/1/4 | Time: 上午 10:49:29 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213L | Data :#4 | Date: 2017/1/4 | Time: 上午 10:49:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213L | Data :#9 | Date: 2017/1/4 | Time: 上午 10:49:41 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213L | Data :#5 | Date: 2017/1/4 | Time: 上午 10:49:15 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B213L | Data :#10 | Date: 2017/1/4 | Time: 上午 10:49:52 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9262

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B221H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:54:08 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.82	peak	23.64	-74.18	-13.00	150	140	-61.18	
	153.6674	-102.38	peak	23.01	-79.37	-13.00	150	210	-66.37	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B221H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:21:30 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.3548	-95.42	peak	23.87	-71.55	-13.00	150	170	-58.55	
	97.7957	-100.41	peak	24.20	-76.21	-13.00	150	270	-63.21	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B222H | Data :#1 | Date: 2016/12/8 | Time: 下午 04:47:00 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	746.6934	-71.80	peak	-2.58	-74.38	-13.00	150	270	-61.38	
*	886.1724	-61.11	peak	1.01	-60.10	-13.00	150	100	-47.10	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B222H | Data :#2 | Date: 2016/12/9 | Time: 下午 03:11:06 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	462.9260	-74.60	peak	-6.38	-80.98	-13.00	150	170	-67.98	
*	817.2345	-76.86	peak	-0.74	-77.60	-13.00	150	280	-64.60	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223H | Data :#1 | Date: 2016/12/8 | Time: 下午 03:23:33 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3470.942	-61.77	peak	10.02	-51.75	-13.00	150	140	-38.75	
*	3765.531	-60.06	peak	9.91	-50.15	-13.00	150	210	-37.15	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223H | Data :#3 | Date: 2016/12/8 | Time: 下午 04:01:24 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3194.389	-61.39	peak	9.23	-52.16	-13.00	150	40	-39.16	
*	3410.822	-62.07	peak	11.19	-50.88	-13.00	150	140	-37.88	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223H | Data :#2 | Date: 2016/12/8 | Time: 下午 03:24:42 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223H | Data :#4 | Date: 2016/12/8 | Time: 下午 04:03:41 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223H | Data :#3 | Date: 2017/1/4 | Time: 上午 10:57:42 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223H | Data :#8 | Date: 2017/1/4 | Time: 上午 10:58:16 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223H | Data :#4 | Date: 2017/1/4 | Time: 上午 10:57:52 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223H | Data :#9 | Date: 2017/1/4 | Time: 上午 10:58:24 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223H | Data :#5 | Date: 2017/1/4 | Time: 上午 10:58:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223H | Data :#10 | Date: 2017/1/4 | Time: 上午 10:58:35 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B221L | Data :#1 | Date: 2016/12/9 | Time: 下午 03:55:24 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 (1900 band)
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band2 CH9400
Note :

Polarization: *Horizontal*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.62	peak	23.64	-74.98	-13.00	150	140	-61.98	
	176.8337	-103.60	peak	24.09	-79.51	-13.00	150	250	-66.51	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B221L | Data :#2 | Date: 2016/12/9 | Time: 下午 04:22:09 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.6734	-94.70	peak	23.88	-70.82	-13.00	150	170	-57.82	
	140.7215	-103.52	peak	22.55	-80.97	-13.00	150	240	-67.97	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B222L | Data :#1 | Date: 2016/12/8 | Time: 下午 04:44:56 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	775.5511	-72.67	peak	-2.72	-75.39	-13.00	150	100	-62.39	
*	895.7916	-60.13	peak	1.32	-58.81	-13.00	150	240	-45.81	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B222L | Data :#2 | Date: 2016/12/9 | Time: 下午 03:11:46 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 24 (1900 band)
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band2 CH9400
Note :

Polarization: *Vertical*
Power : 3.33 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	485.3708	-75.61	peak	-5.36	-80.97	-13.00	150	140	-67.97	
*	772.3447	-76.02	peak	-1.40	-77.42	-13.00	150	100	-64.42	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223L | Data :#1 | Date: 2016/12/8 | Time: 下午 03:29:18 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3392.786	-62.64	peak	9.93	-52.71	-13.00	150	240	-39.71	
*	3765.531	-59.28	peak	9.91	-49.37	-13.00	150	100	-36.37	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223L | Data :#3 | Date: 2016/12/8 | Time: 下午 04:06:37 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3236.473	-60.84	peak	8.62	-52.22	-13.00	150	150	-39.22	
*	3410.822	-61.69	peak	11.19	-50.50	-13.00	150	100	-37.50	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223L | Data :#2 | Date: 2016/12/8 | Time: 下午 03:30:46 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223L | Data :#4 | Date: 2016/12/8 | Time: 下午 04:07:31 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223L | Data :#3 | Date: 2017/1/4 | Time: 上午 10:55:32 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223L Data :#8 Date: 2017/1/4 Time: 上午 10:56:08

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223L | Data :#4 | Date: 2017/1/4 | Time: 上午 10:55:43 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223L | Data :#9 | Date: 2017/1/4 | Time: 上午 10:56:18 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223L | Data :#5 | Date: 2017/1/4 | Time: 上午 10:55:54 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B223L | Data :#10 | Date: 2017/1/4 | Time: 上午 10:56:29 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B231H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:57:01 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.92	peak	23.64	-74.28	-13.00	150	100	-61.28	
	144.1283	-102.20	peak	22.47	-79.73	-13.00	150	150	-66.73	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B231H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:22:53 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.14	peak	24.20	-74.94	-13.00	150	170	-61.94	
	144.4690	-103.03	peak	22.91	-80.12	-13.00	150	240	-67.12	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B232H | Data :#1 | Date: 2016/12/8 | Time: 下午 04:49:03 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	775.5511	-73.69	peak	-2.72	-76.41	-13.00	150	240	-63.41	
*	895.7916	-60.27	peak	1.32	-58.95	-13.00	150	100	-45.95	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B232H | Data :#2 | Date: 2016/12/9 | Time: 下午 03:14:59 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	680.9620	-76.77	peak	-1.67	-78.44	-13.00	150	300	-65.44	
*	942.2846	-75.45	peak	-0.26	-75.71	-13.00	150	250	-62.71	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233H | Data :#1 | Date: 2016/12/8 | Time: 下午 03:19:02 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3549.098	-62.13	peak	9.91	-52.22	-13.00	150	200	-39.22	
*	3819.639	-50.38	peak	9.95	-40.43	-13.00	150	100	-27.43	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233H | Data :#3 | Date: 2016/12/8 | Time: 下午 04:09:43 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3212.425	-62.11	peak	9.09	-53.02	-13.00	150	210	-40.02	
*	3813.627	-62.87	peak	10.95	-51.92	-13.00	150	150	-38.92	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233H | Data :#2 | Date: 2016/12/8 | Time: 下午 03:21:36 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233H | Data :#4 | Date: 2016/12/8 | Time: 下午 04:14:01 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233H | Data :#3 | Date: 2017/1/4 | Time: 上午 11:02:28 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233H | Data :#8 | Date: 2017/1/4 | Time: 上午 11:03:11 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233H | Data :#4 | Date: 2017/1/4 | Time: 上午 11:02:43 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233H | Data :#9 | Date: 2017/1/4 | Time: 上午 11:03:25 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233H | Data :#5 | Date: 2017/1/4 | Time: 上午 11:02:57 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233H | Data :#10 | Date: 2017/1/4 | Time: 上午 11:03:38 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B231L | Data :#1 | Date: 2016/12/9 | Time: 下午 03:57:44 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.40	peak	23.64	-73.76	-13.00	150	140	-60.76	
	130.5010	-103.41	peak	22.28	-81.13	-13.00	150	270	-68.13	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B231L | Data :#2 | Date: 2016/12/9 | Time: 下午 04:24:03 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.3548	-95.34	peak	23.87	-71.47	-13.00	150	170	-58.47	
	138.6774	-104.05	peak	22.50	-81.55	-13.00	150	200	-68.55	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B232L | Data :#1 | Date: 2016/12/8 | Time: 下午 04:53:28 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	658.5171	-76.00	peak	-0.86	-76.86	-13.00	150	100	-63.86	
*	886.1724	-63.64	peak	1.01	-62.63	-13.00	150	200	-49.63	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B232L | Data :#2 | Date: 2016/12/9 | Time: 下午 03:15:49 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	589.5792	-76.13	peak	-3.71	-79.84	-13.00	150	180	-66.84	
*	873.3467	-75.08	peak	0.35	-74.73	-13.00	150	100	-61.73	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233L | Data :#1 | Date: 2016/12/8 | Time: 下午 03:13:53 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3434.870	-62.76	peak	10.04	-52.72	-13.00	150	200	-39.72	
*	3819.639	-50.13	peak	9.95	-40.18	-13.00	150	240	-27.18	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233L | Data :#3 | Date: 2016/12/8 | Time: 下午 04:15:28 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3194.389	-62.09	peak	9.23	-52.86	-13.00	150	100	-39.86	
*	3398.798	-62.83	peak	11.24	-51.59	-13.00	150	240	-38.59	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233L | Data :#2 | Date: 2016/12/8 | Time: 下午 03:17:19 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233L | Data :#4 | Date: 2016/12/8 | Time: 下午 04:15:52 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233L | Data :#3 | Date: 2017/1/4 | Time: 上午 11:00:16 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band2 CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233L | Data :#8 | Date: 2017/1/4 | Time: 上午 11:00:52 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233L | Data :#4 | Date: 2017/1/4 | Time: 上午 11:00:29 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233L | Data :#9 | Date: 2017/1/4 | Time: 上午 11:01:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233L | Data :#5 | Date: 2017/1/4 | Time: 上午 11:00:40 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B233L | Data :#10 | Date: 2017/1/4 | Time: 上午 11:01:15 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band2 CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :1 Data :#1 Date: 2016/12/27 Temperature:24 ℃

Time: 下午 02:18:12 Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	360.4607	31.99	peak	-4.38	27.61	46.00	100	335	-18.39	
	391.5631	33.25	peak	-3.83	29.42	46.00	100	180	-16.58	
	554.8496	29.10	peak	-1.14	27.96	46.00	100	100	-18.04	
*	817.2744	28.03	peak	2.46	30.49	46.00	100	65	-15.51	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :1 Data :#2 Date: 2016/12/27 Time: 下午 02:19:06

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	31.9440	31.40	peak	-7.31	24.09	40.00	100	135	-15.91	
	111.6433	28.84	peak	-6.85	21.99	43.50	100	185	-21.51	
	399.3387	32.41	peak	-3.69	28.72	46.00	100	255	-17.28	
*	411.0020	35.48	peak	-3.48	32.00	46.00	100	300	-14.00	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#1 Date: 2016/12/27 Temperature:24 ℃

Time: 下午 02:40:21 Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3244.489	48.95	peak	-2.81	46.14	74.00	100	280	-27.86	
*	7368.738	41.94	peak	4.81	46.75	74.00	100	205	-27.25	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#3 Date: 2016/12/27 Time: 下午 02:42:15

Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1883.767	44.85	peak	-6.04	38.81	74.00	100	35	-35.19	
*	7340.681	41.55	peak	4.63	46.18	74.00	100	115	-27.82	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#2 Date: 2016/12/27 Temperature:24 ℃

Time: 下午 02:41:21 Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Roy

File :3 Data :#4 Date: 2016/12/27 Temperature:24 ℃

Time: 下午 02:44:08 Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B511H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:33:32 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.28	peak	23.64	-75.64	-13.00	150	240	-62.64	
	153.6674	-102.23	peak	23.01	-79.22	-13.00	150	100	-66.22	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B511H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:32:30 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-101.03	peak	24.20	-76.83	-13.00	150	240	-63.83	
	155.3708	-103.58	peak	23.95	-79.63	-13.00	150	280	-66.63	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B512H | Data :#1 | Date: 2016/12/9 | Time: 下午 01:43:47 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	493.3868	-74.81	peak	-6.81	-81.62	-13.00	150	240	-68.62	
*	685.7716	-76.19	peak	-0.82	-77.01	-13.00	150	100	-64.01	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B512H | Data :#2 | Date: 2016/12/9 | Time: 下午 02:41:31 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	579.9600	-76.03	peak	-3.78	-79.81	-13.00	150	170	-66.81	
*	897.3948	-74.96	peak	0.37	-74.59	-13.00	150	200	-61.59	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513H | Data :#1 | Date: 2016/12/7 | Time: 下午 04:47:24 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-51.72	peak	2.76	-48.96	-13.00	150	170	-35.96	
*	2472.946	-55.03	peak	8.20	-46.83	-13.00	150	240	-33.83	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513H | Data :#3 | Date: 2016/12/8 | Time: 上午 10:51:48 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2436.874	-60.11	peak	8.51	-51.60	-13.00	150	140	-38.60	
*	2707.415	-61.30	peak	12.09	-49.21	-13.00	150	200	-36.21	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513H | Data :#2 | Date: 2016/12/7 | Time: 下午 04:55:47 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513H | Data :#4 | Date: 2016/12/8 | Time: 上午 10:52:26 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513H | Data :#3 | Date: 2017/1/4 | Time: 上午 11:07:07 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513H | Data :#8 | Date: 2017/1/4 | Time: 上午 11:07:42 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513H | Data :#4 | Date: 2017/1/4 | Time: 上午 11:07:18 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513H | Data :#9 | Date: 2017/1/4 | Time: 上午 11:07:51 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513H | Data :#5 | Date: 2017/1/4 | Time: 上午 11:07:29 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513H | Data :#10 | Date: 2017/1/4 | Time: 上午 11:08:02 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B511L | Data :#1 | Date: 2016/12/9 | Time: 下午 03:34:10 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	54.5291	-104.45	peak	23.82	-80.63	-13.00	150	140	-67.63	
*	97.7957	-98.46	peak	23.64	-74.82	-13.00	150	100	-61.82	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B511L | Data :#2 | Date: 2016/12/9 | Time: 下午 04:32:57 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-101.18	peak	24.20	-76.98	-13.00	150	140	-63.98	
	158.4370	-104.94	peak	24.24	-80.70	-13.00	150	110	-67.70	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B512L | Data :#1 | Date: 2016/12/9 | Time: 下午 01:46:45 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	576.7536	-76.91	peak	-4.66	-81.57	-13.00	150	240	-68.57	
*	882.9660	-77.32	peak	0.91	-76.41	-13.00	150	100	-63.41	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B512L | Data :#2 | Date: 2016/12/9 | Time: 下午 02:42:15 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	589.5792	-76.88	peak	-3.71	-80.59	-13.00	150	170	-67.59	
*	921.4430	-76.61	peak	0.05	-76.56	-13.00	150	240	-63.56	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513L | Data :#1 | Date: 2016/12/7 | Time: 下午 04:52:46 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1655.311	-51.79	peak	2.76	-49.03	-13.00	150	240	-36.03	
*	2472.946	-55.21	peak	8.20	-47.01	-13.00	150	200	-34.01	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513L | Data :#3 | Date: 2016/12/7 | Time: 下午 05:45:37 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2503.006	-61.29	peak	10.10	-51.19	-13.00	150	240	-38.19	
*	2743.487	-61.84	peak	12.08	-49.76	-13.00	150	280	-36.76	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513L | Data :#2 | Date: 2016/12/7 | Time: 下午 04:54:09 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513L | Data :#4 | Date: 2016/12/7 | Time: 下午 05:47:38 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513L | Data :#3 | Date: 2017/1/4 | Time: 上午 11:05:06 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513L | Data :#8 | Date: 2017/1/4 | Time: 上午 11:05:39 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 3.33 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513L | Data :#4 | Date: 2017/1/4 | Time: 上午 11:05:16 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513L | Data :#9 | Date: 2017/1/4 | Time: 上午 11:05:52 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513L | Data :#5 | Date: 2017/1/4 | Time: 上午 11:05:28 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B513L | Data :#10 | Date: 2017/1/4 | Time: 上午 11:06:04 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4132

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B521H | Data :#1 | Date: 2016/12/9 | Time: 下午 03:38:42 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber
Condition : FCC_part 22 (850 band)
EUT : W6M21611-16408
M/N:
Test Mode : WCDMA Band5 CH4183
Note :

Polarization: *Horizontal*
Power : 4.07 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	55.2105	-103.70	peak	23.83	-79.87	-13.00	150	170	-66.87	
*	97.7957	-98.12	peak	23.64	-74.48	-13.00	150	250	-61.48	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B521H | Data :#2 | Date: 2016/12/9 | Time: 下午 04:37:35 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.41	peak	24.20	-75.21	-13.00	150	170	-62.21	
	162.1844	-103.27	peak	24.44	-78.83	-13.00	150	240	-65.83	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B522H | Data :#1 | Date: 2016/12/9 | Time: 下午 01:48:21 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	469.3387	-75.50	peak	-7.14	-82.64	-13.00	150	200	-69.64	
*	648.8978	-76.70	peak	-0.94	-77.64	-13.00	150	300	-64.64	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B522H | Data :#2 | Date: 2016/12/9 | Time: 下午 02:45:36 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	491.7836	-75.64	peak	-5.07	-80.71	-13.00	150	240	-67.71	
*	773.9480	-74.97	peak	-1.39	-76.36	-13.00	150	100	-63.36	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523H | Data :#1 | Date: 2016/12/7 | Time: 下午 05:12:41 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-55.79	peak	2.78	-53.01	-13.00	150	240	-40.01	
*	2503.006	-54.83	peak	7.86	-46.97	-13.00	150	100	-33.97	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523H | Data :#3 | Date: 2016/12/7 | Time: 下午 05:34:21 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2484.970	-61.27	peak	9.77	-51.50	-13.00	150	240	-38.50	
*	2809.619	-60.94	peak	11.79	-49.15	-13.00	150	280	-36.15	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523H | Data :#2 | Date: 2016/12/7 | Time: 下午 05:13:27 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523H | Data :#4 | Date: 2016/12/7 | Time: 下午 05:35:10 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Vertical*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4183

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523H | Data :#3 | Date: 2017/1/4 | Time: 上午 11:11:42 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4183

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523H | Data :#8 | Date: 2017/1/4 | Time: 上午 11:13:32 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523H | Data :#4 | Date: 2017/1/4 | Time: 上午 11:11:54 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523H | Data :#9 | Date: 2017/1/4 | Time: 上午 11:13:44 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523H | Data :#5 | Date: 2017/1/4 | Time: 上午 11:12:15 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21611-16408

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band5 CH4183

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :B523H | Data :#10 | Date: 2017/1/4 | Time: 上午 11:13:58 | Temperature:24 ℃ | Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21611-16408

M/N:

Test Mode : WCDMA Band5 CH4183

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin