




Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11an HT40, CH46	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34016.000	7.31	58.83	66.14	74.00	-7.86	peak	104	168
2	34016.000	7.31	43.16	50.47	54.00	-3.53	AVG	104	168
3	35248.000	6.87	59.29	66.16	74.00	-7.84	peak	104	168
4	35248.000	6.87	42.53	49.40	54.00	-4.60	AVG	104	168

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11an HT40, CH151	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	11510.000	18.90	39.66	58.56	74.00	-15.44	peak	104	162
2	11510.000	18.90	31.75	50.65	54.00	-3.35	AVG	104	162
3	17265.000	26.29	40.62	66.91	74.00	-7.09	peak	104	162
4	17265.000	26.29	18.82	45.11	54.00	-8.89	AVG	104	162

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11an HT40, CH151	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34038.000	7.30	57.85	65.15	74.00	-8.85	peak	115	166
2	34038.000	7.30	42.03	49.33	54.00	-4.67	AVG	115	166
3	35402.000	6.32	58.98	65.30	74.00	-8.70	peak	115	166
4	35402.000	6.32	39.72	46.04	54.00	-7.96	AVG	115	166

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11an HT40, CH151	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	11510.000	18.90	37.66	56.56	74.00	-17.44	peak	117	181
2	11510.000	18.90	30.28	49.18	54.00	-4.82	AVG	117	181
3	17265.000	26.29	37.65	63.94	74.00	-10.06	peak	117	181
4	17265.000	26.29	22.58	48.87	54.00	-5.13	AVG	117	181

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11an HT40, CH151	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	33466.000	6.24	59.04	65.28	74.00	-8.72	peak	103	172
2	33466.000	6.24	44.41	50.65	54.00	-3.35	AVG	103	172
3	34038.000	7.30	57.85	65.15	74.00	-8.85	peak	103	172
4	34038.000	7.30	38.98	46.28	54.00	-7.72	AVG	103	172

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11an HT40, CH159	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	11590.000	18.95	39.35	58.30	74.00	-15.70	peak	102	169
2	11590.000	18.95	29.35	48.30	54.00	-5.70	AVG	102	169
3	17385.000	26.97	41.09	68.06	74.00	-5.94	peak	102	169
4	17385.000	26.97	22.47	49.44	54.00	-4.56	AVG	102	169

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11an HT40, CH159	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34038.000	7.30	57.39	64.69	74.00	-9.31	peak	113	164
2	34038.000	7.30	41.38	48.68	54.00	-5.32	AVG	113	164
3	35006.000	7.69	57.15	64.84	74.00	-9.16	peak	113	164
4	35006.000	7.69	38.78	46.47	54.00	-7.53	AVG	113	164

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11an HT40, CH159	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	11590.000	18.95	42.35	61.30	74.00	-12.70	peak	114	164
2	11590.000	18.95	28.89	47.84	54.00	-6.16	AVG	114	164
3	17385.000	26.97	42.86	69.83	74.00	-4.17	peak	114	164
4	17385.000	26.97	20.91	47.88	54.00	-6.12	AVG	114	164

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11an HT40, CH159	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	33466.000	6.24	59.04	65.28	74.00	-8.72	peak	103	172
2	33466.000	6.24	44.41	50.65	54.00	-3.35	AVG	103	172
3	34038.000	7.30	57.85	65.15	74.00	-8.85	peak	103	172
4	34038.000	7.30	38.98	46.28	54.00	-7.72	AVG	103	172

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH36	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	10360.000	16.94	42.85	59.79	74.00	-14.21	peak	105	166
2	10360.000	16.94	33.24	50.18	54.00	-3.82	AVG	105	166
3	15540.000	21.17	41.82	62.99	74.00	-11.01	peak	105	166
4	15540.000	21.17	23.92	45.09	54.00	-8.91	AVG	105	166

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH36	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34126.000	7.25	59.30	66.55	74.00	-7.45	peak	102	173
2	34126.000	7.25	41.73	48.98	54.00	-5.02	AVG	102	173
3	35248.000	6.87	60.65	67.52	74.00	-6.48	peak	102	173
4	35248.000	6.87	38.29	45.16	54.00	-8.84	AVG	102	173

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH36	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	10360.000	16.94	45.26	62.20	74.00	-11.80	peak	113	181
2	10360.000	16.94	30.88	47.82	54.00	-6.18	AVG	113	181
3	15540.000	21.17	44.08	65.25	74.00	-8.75	peak	113	181
4	15540.000	21.17	27.63	48.80	54.00	-5.20	AVG	113	181

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH36	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	33994.000	7.31	60.24	67.55	74.00	-6.45	peak	107	167
2	33994.000	7.31	41.78	49.09	54.00	-4.91	AVG	107	167
3	35358.000	6.48	60.82	67.30	74.00	-6.70	peak	107	167
4	35358.000	6.48	38.32	44.80	54.00	-9.20	AVG	107	167

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH44	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	10440.000	17.08	43.37	60.45	74.00	-13.55	peak	115	177
2	10440.000	17.08	32.54	49.62	54.00	-4.38	AVG	115	177
3	15660.000	20.93	39.70	60.63	74.00	-13.37	peak	115	177
4	15660.000	20.93	26.31	47.24	54.00	-6.76	AVG	115	177

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH44	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34060.000	7.28	60.23	67.51	74.00	-6.49	peak	101	161
2	34060.000	7.28	41.58	48.86	54.00	-5.14	AVG	101	161
3	35402.000	6.32	61.23	67.55	74.00	-6.45	peak	101	161
4	35402.000	6.32	38.63	44.95	54.00	-9.05	AVG	101	161

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH44	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	10440.000	17.08	43.71	60.79	74.00	-13.21	peak	109	161
2	10440.000	17.08	30.27	47.35	54.00	-6.65	AVG	109	161
3	15660.000	20.93	41.46	62.39	74.00	-11.61	peak	109	161
4	15660.000	20.93	26.55	47.48	54.00	-6.52	AVG	109	161

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH44	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34038.000	7.30	61.56	68.86	74.00	-5.14	peak	118	165
2	34038.000	7.30	44.23	51.53	54.00	-2.47	AVG	118	165
3	35468.000	6.10	61.98	68.08	74.00	-5.92	peak	118	165
4	35468.000	6.10	42.99	49.09	54.00	-4.91	AVG	118	165

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH48	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	10480.000	17.15	41.30	58.45	74.00	-15.55	peak	104	172
2	10480.000	17.15	31.28	48.43	54.00	-5.57	AVG	104	172
3	15720.000	20.83	41.78	62.61	74.00	-11.39	peak	104	172
4	15720.000	20.83	28.41	49.24	54.00	-4.76	AVG	104	172

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH48	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34148.000	7.24	59.67	66.91	74.00	-7.09	peak	113	165
2	34148.000	7.24	42.73	49.97	54.00	-4.03	AVG	113	165
3	35380.000	6.40	60.94	67.34	74.00	-6.66	peak	113	165
4	35380.000	6.40	40.85	47.25	54.00	-6.75	AVG	113	165

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH48	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	10480.000	17.15	46.62	63.77	74.00	-10.23	peak	114	173
2	10480.000	17.15	30.47	47.62	54.00	-6.38	AVG	114	173
3	15720.000	20.83	41.96	62.79	74.00	-11.21	peak	114	173
4	15720.000	20.83	25.34	46.17	54.00	-7.83	AVG	114	173

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH48	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34082.000	7.27	60.21	67.48	74.00	-6.52	peak	102	167
2	34082.000	7.27	42.33	49.60	54.00	-4.40	AVG	102	167
3	35358.000	6.48	60.85	67.33	74.00	-6.67	peak	102	167
4	35358.000	6.48	39.87	46.35	54.00	-7.65	AVG	102	167

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH149	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	11490.000	18.87	38.52	57.39	74.00	-16.61	peak	118	176
2	11490.000	18.87	31.26	50.13	54.00	-3.87	AVG	118	176
3	17235.000	26.12	41.64	67.76	74.00	-6.24	peak	118	176
4	17235.000	26.12	23.65	49.77	54.00	-4.23	AVG	118	176

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH149	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34170.000	7.23	60.54	67.77	74.00	-6.23	peak	115	173
2	34170.000	7.23	42.86	50.09	54.00	-3.91	AVG	115	173
3	35468.000	6.10	62.39	68.49	74.00	-5.51	peak	115	173
4	35468.000	6.10	41.07	47.17	54.00	-6.83	AVG	115	173

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH149	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	11490.000	18.87	40.52	59.39	74.00	-14.61	peak	117	185
2	11490.000	18.87	29.52	48.39	54.00	-5.61	AVG	117	185
3	17235.000	26.12	41.15	67.27	74.00	-6.73	peak	117	185
4	17235.000	26.12	21.38	47.50	54.00	-6.50	AVG	117	185

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH149	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34060.000	7.28	61.34	68.62	74.00	-5.38	peak	105	178
2	34060.000	7.28	41.74	49.02	54.00	-4.98	AVG	105	178
3	35424.000	6.25	61.02	67.27	74.00	-6.73	peak	105	178
4	35424.000	6.25	37.57	43.82	54.00	-10.18	AVG	105	178

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH157	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	11570.000	18.94	39.87	58.81	74.00	-15.19	peak	108	171
2	11570.000	18.94	29.34	48.28	54.00	-5.72	AVG	108	171
3	17355.000	26.79	42.20	68.99	74.00	-5.01	peak	108	171
4	17355.000	26.79	22.21	49.00	54.00	-5.00	AVG	108	171

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH157	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34038.000	7.30	61.03	68.33	74.00	-5.67	peak	102	162
2	34038.000	7.30	40.35	47.65	54.00	-6.35	AVG	102	162
3	35336.000	6.56	60.90	67.46	74.00	-6.54	peak	102	162
4	35336.000	6.56	37.57	44.13	54.00	-9.87	AVG	102	162

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH157	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	11570.000	18.94	40.82	59.76	74.00	-14.24	peak	116	178
2	11570.000	18.94	29.78	48.72	54.00	-5.28	AVG	116	178
3	17355.000	26.79	42.64	69.43	74.00	-4.57	peak	116	178
4	17355.000	26.79	19.64	46.43	54.00	-7.57	AVG	116	178

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH157	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34016.000	7.31	61.20	68.51	74.00	-5.49	peak	112	166
2	34016.000	7.31	37.55	44.86	54.00	-9.14	AVG	112	166
3	35358.000	6.48	61.59	68.07	74.00	-5.93	peak	112	166
4	35358.000	6.48	37.85	44.33	54.00	-9.67	AVG	112	166

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH165	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	11650.000	19.00	37.93	56.93	74.00	-17.07	peak	112	184
2	11650.000	19.00	30.21	49.21	54.00	-4.79	AVG	112	184
3	17475.000	27.48	37.52	65.00	74.00	-9.00	peak	112	184
4	17475.000	27.48	18.58	46.06	54.00	-7.94	AVG	112	184

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT20, CH165	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	33994.000	7.31	60.32	67.63	74.00	-6.37	peak	118	165
2	33994.000	7.31	41.33	48.64	54.00	-5.36	AVG	118	165
3	35468.000	6.10	61.71	67.81	74.00	-6.19	peak	118	165
4	35468.000	6.10	38.56	44.66	54.00	-9.34	AVG	118	165

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH165	Temperature	: 25 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	11650.000	19.00	40.31	59.31	74.00	-14.69	peak	103	177
2	11650.000	19.00	28.19	47.19	54.00	-6.81	AVG	103	177
3	17475.000	27.48	41.95	69.43	74.00	-4.57	peak	103	177
4	17475.000	27.48	18.65	46.13	54.00	-7.87	AVG	103	177

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT20, CH165	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34170.000	7.23	59.66	66.89	74.00	-7.11	peak	114	175
2	34170.000	7.23	41.76	48.99	54.00	-5.01	AVG	114	175
3	35050.000	7.54	60.17	67.71	74.00	-6.29	peak	114	175
4	35050.000	7.54	36.88	44.42	54.00	-9.58	AVG	114	175

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT40, CH38	Temperature	: 26 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	10380.000	16.97	43.80	60.77	74.00	-13.23	peak	111	168
2	10380.000	16.97	28.73	45.70	54.00	-8.30	AVG	111	168
3	15570.000	21.10	45.18	66.28	74.00	-7.72	peak	111	168
4	15570.000	21.10	26.29	47.39	54.00	-6.61	AVG	111	168

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT40, CH38	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	33972.000	7.27	58.44	65.71	74.00	-8.29	peak	108	171
2	33972.000	7.27	42.29	49.56	54.00	-4.44	AVG	108	171
3	35182.000	7.09	57.73	64.82	74.00	-9.18	peak	108	171
4	35182.000	7.09	40.77	47.86	54.00	-6.14	AVG	108	171

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT40, CH38	Temperature	: 26 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	10380.000	16.97	41.07	58.04	74.00	-15.96	peak	115	186
2	10380.000	16.97	27.39	44.36	54.00	-9.64	AVG	115	186
3	15570.000	21.10	41.14	62.24	74.00	-11.76	peak	115	186
4	15570.000	21.10	23.63	44.73	54.00	-9.27	AVG	115	186

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT40, CH38	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34016.000	7.31	57.98	65.29	74.00	-8.71	peak	106	173
2	34016.000	7.31	42.86	50.17	54.00	-3.83	AVG	106	173
3	35292.000	6.71	58.84	65.55	74.00	-8.45	peak	106	173
4	35292.000	6.71	40.76	47.47	54.00	-6.53	AVG	106	173

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT40, CH46	Temperature	: 26 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	10460.000	17.11	40.77	57.88	74.00	-16.12	peak	116	167
2	10460.000	17.11	30.62	47.73	54.00	-6.27	AVG	116	167
3	15690.000	20.89	41.20	62.09	74.00	-11.91	peak	116	167
4	15690.000	20.89	24.57	45.46	54.00	-8.54	AVG	116	167

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: VERTICAL
Test Mode	: 802.11ac VHT40, CH46	Temperature	: 24 °C
Test Date	: Aug. 13, 2014	Humidity	: 53 %
Memo	:	Atmospheric Pressure	: 1038 hpa




No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	34016.000	7.31	58.47	65.78	74.00	-8.22	peak	105	164
2	34016.000	7.31	42.79	50.10	54.00	-3.90	AVG	105	164
3	34984.000	7.70	57.73	65.43	74.00	-8.57	peak	105	164
4	34984.000	7.70	41.92	49.62	54.00	-4.38	AVG	105	164

Note: Level = Reading + Factor

Margin = Level - Limit



Power	: AC 120V	Pol/Phase	: HORIZONTAL
Test Mode	: 802.11ac VHT40, CH46	Temperature	: 26 °C
Test Date	: Aug. 11, 2014	Humidity	: 52 %
Memo	:	Atmospheric Pressure	: 1010 hpa



No.	Frequency (MHz)	Factor (dB/m)	Reading (dBuV)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Height (cm)	Azimuth (deg)
1	10460.000	17.11	42.93	60.04	74.00	-13.96	peak	104	165
2	10460.000	17.11	29.64	46.75	54.00	-7.25	AVG	104	165
3	15690.000	20.89	42.13	63.02	74.00	-10.98	peak	104	165
4	15690.000	20.89	22.75	43.64	54.00	-10.36	AVG	104	165

Note: Level = Reading + Factor

Margin = Level - Limit