


Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	47.790	36.800
62	5310	49.000	37.000

CH54




Date: 13.MAR.2025 13:37:03

CH62 26 dB Bandwidth




Date: 13.MAR.2025 09:53:10

99 % Occupied Bandwidth



Date: 12.MAR.2025 19:33:06




Date: 12.MAR.2025 19:33:31

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	133.598	76.800

CH58 26 dB Bandwidth



Date: 13.MAR.2025 11:12:11

99 % Occupied Bandwidth




Date: 13.MAR.2025 11:11:39

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.350	16.800
116	5580	20.250	16.800
140	5700	20.450	16.800

CH100




Date: 12.MAR.2025 08:16:40

CH116
26 dB Bandwidth




Date: 12.MAR.2025 08:21:26

CH140




Date: 12.MAR.2025 08:26:46


99 % Occupied Bandwidth



Date: 12.MAR.2025 08:16:04



Date: 12.MAR.2025 08:20:48




Date: 12.MAR.2025 08:26:10

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.599	17.800
116	5580	20.490	17.800
140	5700	20.550	17.800

CH100




Date: 12.MAR.2025 18:56:41

CH116
26 dB Bandwidth




Date: 12.MAR.2025 18:57:49

CH140




Date: 12.MAR.2025 18:58:53


99 % Occupied Bandwidth



Date: 12.MAR.2025 18:56:09



Date: 12.MAR.2025 18:57:16




Date: 12.MAR.2025 18:58:21

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.609	37.000
110	5550	48.300	37.000
134	5670	40.900	36.800

CH102




Date: 13.MAR.2025 10:25:11

CH110
26 dB Bandwidth




Date: 13.MAR.2025 10:44:45

CH134




Date: 13.MAR.2025 10:37:14


99 % Occupied Bandwidth



Date: 12.MAR.2025 19:36:03



Date: 12.MAR.2025 19:36:26




Date: 13.MAR.2025 10:36:16

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	169.800	77.600
122	5610	139.396	77.200

CH106




Date: 13.MAR.2025 11:14:47

CH122
26 dB Bandwidth




Date: 13.MAR.2025 11:27:49

99 % Occupied Bandwidth



Date: 13.MAR.2025 11:14:31




Date: 13.MAR.2025 11:26:53

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.890	36.000	0.5	Complies
157	5785	15.989	36.360	0.5	Complies
165	5825	16.350	35.400	0.5	Complies

CH149




Date: 13.MAR.2025 11:47:54

CH157
6 dB Bandwidth




Date: 13.MAR.2025 11:48:49

CH165




Date: 13.MAR.2025 11:51:55


99 % Occupied Bandwidth



Date: 13.MAR.2025 11:46:45



Date: 13.MAR.2025 11:49:58




Date: 13.MAR.2025 11:50:44

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.799	37.200	0.5	Complies
157	5785	17.550	38.160	0.5	Complies
165	5825	16.650	37.080	0.5	Complies

CH149




Date: 13.MAR.2025 11:42:09

CH157
6 dB Bandwidth




Date: 13.MAR.2025 11:38:32

CH165




Date: 13.MAR.2025 11:39:53


99 % Occupied Bandwidth



Date: 13.MAR.2025 11:40:49




Date: 13.MAR.2025 11:37:29



Date: 13.MAR.2025 11:40:17


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	27.790	72.820	0.5	Complies
159	5795	32.000	72.600	0.5	Complies

CH159
6 dB Bandwidth



Date: 13.MAR.2025 10:57:18

99 % Occupied Bandwidth




Date: 13.MAR.2025 10:58:47

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	63.000	165.000	0.5	Complies

CH155 6 dB Bandwidth



Date: 13.MAR.2025 11:29:21

99 % Occupied Bandwidth



Date: 13.MAR.2025 11:31:24

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.36	0.12	16.48	23.91	0.2460	Complies
40	5200	16.03	0.12	16.15	23.91	0.2460	Complies
48	5240	16.04	0.12	16.16	23.91	0.2460	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.24	0.12	16.36	23.91	0.2460	Complies
40	5200	16.15	0.12	16.27	23.91	0.2460	Complies
48	5240	16.08	0.12	16.20	23.91	0.2460	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.43	23.91	0.2460	Complies
40	5200	19.22	23.91	0.2460	Complies
48	5240	19.19	23.91	0.2460	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.71	0.28	15.99	23.91	0.2460	Complies
40	5200	15.63	0.28	15.91	23.91	0.2460	Complies
48	5240	16.15	0.28	16.43	23.91	0.2460	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.68	0.28	15.96	23.91	0.2460	Complies
40	5200	15.57	0.28	15.85	23.91	0.2460	Complies
48	5240	16.22	0.28	16.50	23.91	0.2460	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.98	23.91	0.2460	Complies
40	5200	18.89	23.91	0.2460	Complies
48	5240	19.47	23.91	0.2460	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.33	0.52	14.85	23.91	0.2460	Complies
46	5230	17.16	0.52	17.68	23.91	0.2460	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.35	0.52	14.87	23.91	0.2460	Complies
46	5230	17.35	0.52	17.87	23.91	0.2460	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.87	23.91	0.2460	Complies
46	5230	20.78	23.91	0.2460	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.42	0.95	12.37	23.91	0.2460	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.35	0.95	12.30	23.91	0.2460	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.34	23.91	0.2460	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.13	0.12	16.25	23.91	0.2460	Complies
60	5300	16.22	0.12	16.34	23.91	0.2460	Complies
64	5320	16.16	0.12	16.28	23.91	0.2460	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.20	0.12	16.32	23.91	0.2460	Complies
60	5300	16.25	0.12	16.37	23.91	0.2460	Complies
64	5320	16.19	0.12	16.31	23.91	0.2460	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.30	23.91	0.2460	Complies
60	5300	19.37	23.91	0.2460	Complies
64	5320	19.31	23.91	0.2460	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.30	0.28	16.58	23.91	0.2460	Complies
60	5300	16.53	0.28	16.81	23.91	0.2460	Complies
64	5320	16.46	0.28	16.74	23.91	0.2460	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.14	0.28	16.42	23.91	0.2460	Complies
60	5300	16.44	0.28	16.72	23.91	0.2460	Complies
64	5320	16.36	0.28	16.64	23.91	0.2460	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.51	23.91	0.2460	Complies
60	5300	19.77	23.91	0.2460	Complies
64	5320	19.70	23.91	0.2460	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.06	0.52	18.58	23.91	0.2460	Complies
62	5310	15.10	0.52	15.62	23.91	0.2460	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.01	0.52	18.53	23.91	0.2460	Complies
62	5310	15.03	0.52	15.55	23.91	0.2460	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.56	23.91	0.2460	Complies
62	5310	18.59	23.91	0.2460	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.56	0.95	14.51	23.91	0.2460	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.46	0.95	14.41	23.91	0.2460	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.47	23.91	0.2460	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.47	0.12	15.59	23.91	0.2460	Complies
116	5580	15.69	0.12	15.81	23.91	0.2460	Complies
140	5700	15.93	0.12	16.05	23.91	0.2460	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.51	0.12	15.63	23.91	0.2460	Complies
116	5580	15.86	0.12	15.98	23.91	0.2460	Complies
140	5700	16.03	0.12	16.15	23.91	0.2460	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.62	23.91	0.2460	Complies
116	5580	18.91	23.91	0.2460	Complies
140	5700	19.11	23.91	0.2460	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.12	0.28	16.40	23.91	0.2460	Complies
116	5580	16.01	0.28	16.29	23.91	0.2460	Complies
140	5700	15.25	0.28	15.53	23.91	0.2460	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.98	0.28	16.26	23.91	0.2460	Complies
116	5580	16.17	0.28	16.45	23.91	0.2460	Complies
140	5700	15.43	0.28	15.71	23.91	0.2460	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.34	23.91	0.2460	Complies
116	5580	19.38	23.91	0.2460	Complies
140	5700	18.63	23.91	0.2460	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.10	0.52	14.62	23.91	0.2460	Complies
110	5550	19.79	0.52	20.31	23.91	0.2460	Complies
134	5670	19.97	0.52	20.49	23.91	0.2460	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.17	0.52	14.69	23.91	0.2460	Complies
110	5550	20.33	0.52	20.85	23.91	0.2460	Complies
134	5670	20.19	0.52	20.71	23.91	0.2460	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.66	23.91	0.2460	Complies
110	5550	23.60	23.91	0.2460	Complies
134	5670	23.61	23.91	0.2460	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.35	0.95	12.30	23.91	0.2460	Complies
122	5610	18.54	0.95	19.49	23.91	0.2460	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.23	0.95	12.18	23.91	0.2460	Complies
122	5610	18.43	0.95	19.38	23.91	0.2460	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.25	23.91	0.2460	Complies
122	5610	22.44	23.91	0.2460	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.33	0.12	23.45	29.93	0.9840	Complies
157	5785	22.12	0.12	22.24	29.93	0.9840	Complies
165	5825	22.46	0.12	22.58	29.93	0.9840	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.70	0.12	22.82	29.93	0.9840	Complies
157	5785	21.87	0.12	21.99	29.93	0.9840	Complies
165	5825	21.43	0.12	21.55	29.93	0.9840	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.16	29.93	0.9840	Complies
157	5785	25.13	29.93	0.9840	Complies
165	5825	25.11	29.93	0.9840	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.21	0.28	23.49	29.93	0.9840	Complies
157	5785	21.99	0.28	22.27	29.93	0.9840	Complies
165	5825	22.33	0.28	22.61	29.93	0.9840	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.62	0.28	22.90	29.93	0.9840	Complies
157	5785	21.76	0.28	22.04	29.93	0.9840	Complies
165	5825	21.30	0.28	21.58	29.93	0.9840	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.21	29.93	0.9840	Complies
157	5785	25.16	29.93	0.9840	Complies
165	5825	25.13	29.93	0.9840	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.39	0.52	21.91	29.93	0.9840	Complies
159	5795	20.54	0.52	21.06	29.93	0.9840	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.13	0.52	21.65	29.93	0.9840	Complies
159	5795	20.63	0.52	21.15	29.93	0.9840	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.79	29.93	0.9840	Complies
159	5795	24.11	29.93	0.9840	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.45	0.95	16.40	29.93	0.9840	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.38	0.95	16.33	29.93	0.9840	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.37	29.93	0.9840	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.75	0.12	4.87	7.92	Complies
40	5200	4.56	0.12	4.68	7.92	Complies
48	5240	4.50	0.12	4.62	7.92	Complies



Date: 12.MAR.2025 02:47:05




Date: 12.MAR.2025 02:49:22




Date: 12.MAR.2025 02:51:33

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.72	0.12	4.84	7.92	Complies
40	5200	4.47	0.12	4.59	7.92	Complies
48	5240	4.34	0.12	4.46	7.92	Complies



Date: 12.MAR.2025 02:47:39



Date: 12.MAR.2025 02:48:47




Date: 12.MAR.2025 02:52:18

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.87	7.92	Complies
40	5200	7.65	7.92	Complies
48	5240	7.55	7.92	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.24	0.28	3.52	7.92	Complies
40	5200	3.42	0.28	3.70	7.92	Complies
48	5240	4.39	0.28	4.67	7.92	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.06	0.28	3.34	7.92	Complies
40	5200	3.43	0.28	3.71	7.92	Complies
48	5240	4.48	0.28	4.76	7.92	Complies





Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.44	7.92	Complies
40	5200	6.71	7.92	Complies
48	5240	7.72	7.92	Complies



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.27	0.52	4.79	7.92	Complies
46	5230	4.35	0.52	4.87	7.92	Complies



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.09	0.52	4.61	7.92	Complies
46	5230	4.17	0.52	4.69	7.92	Complies




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.71	7.92	Complies
46	5230	7.79	7.92	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.73	0.95	2.68	7.92	Complies



Date: 12.MAR.2025 07:01:16

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.50	0.95	2.45	7.92	Complies




Date: 12.MAR.2025 07:02:16

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.57	7.92	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.43	0.12	4.55	7.92	Complies
60	5300	4.48	0.12	4.60	7.92	Complies
64	5320	4.67	0.12	4.79	7.92	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.47	0.12	4.59	7.92	Complies
60	5300	4.41	0.12	4.53	7.92	Complies
64	5320	4.46	0.12	4.58	7.92	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.58	7.92	Complies
60	5300	7.58	7.92	Complies
64	5320	7.70	7.92	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.38	0.28	4.66	7.92	Complies
60	5300	4.40	0.28	4.68	7.92	Complies
64	5320	4.56	0.28	4.84	7.92	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.52	0.28	4.80	7.92	Complies
60	5300	4.30	0.28	4.58	7.92	Complies
64	5320	4.29	0.28	4.57	7.92	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.74	7.92	Complies
60	5300	7.64	7.92	Complies
64	5320	7.71	7.92	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.02	0.52	4.54	7.92	Complies
62	5310	3.99	0.52	4.51	7.92	Complies

CH54



Date: 12.MAR.2025 06:16:59

CH62




Date: 12.MAR.2025 06:22:08

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.93	0.52	4.45	7.92	Complies
62	5310	3.84	0.52	4.36	7.92	Complies

CH54



Date: 12.MAR.2025 06:15:06

CH62




Date: 12.MAR.2025 06:23:11

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	7.50	7.92	Complies
62	5310	7.44	7.92	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.87	0.95	2.82	7.92	Complies



Date: 12.MAR.2025 07:26:17

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.60	0.95	2.55	7.92	Complies




Date: 12.MAR.2025 07:24:24

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.69	7.92	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.47	0.12	4.59	7.92	Complies
116	5580	4.63	0.12	4.75	7.92	Complies
140	5700	4.37	0.12	4.49	7.92	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.36	0.12	4.48	7.92	Complies
116	5580	4.47	0.12	4.59	7.92	Complies
140	5700	4.12	0.12	4.24	7.92	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.55	7.92	Complies
116	5580	7.68	7.92	Complies
140	5700	7.38	7.92	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.53	0.28	4.81	7.92	Complies
116	5580	4.37	0.28	4.65	7.92	Complies
140	5700	4.24	0.28	4.52	7.92	Complies



Date: 12.MAR.2025 04:31:44




Date: 12.MAR.2025 04:47:53




Date: 12.MAR.2025 05:12:20

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.47	0.28	4.75	7.92	Complies
116	5580	4.03	0.28	4.31	7.92	Complies
140	5700	3.84	0.28	4.12	7.92	Complies



Date: 12.MAR.2025 04:33:15



Date: 12.MAR.2025 04:49:02




Date: 12.MAR.2025 05:11:47

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.79	7.92	Complies
116	5580	7.49	7.92	Complies
140	5700	7.33	7.92	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.17	0.52	4.69	7.92	Complies
110	5550	4.35	0.52	4.87	7.92	Complies
134	5670	4.32	0.52	4.84	7.92	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.76	0.52	4.28	7.92	Complies
110	5550	3.98	0.52	4.50	7.92	Complies
134	5670	4.21	0.52	4.73	7.92	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.50	7.92	Complies
110	5550	7.70	7.92	Complies
134	5670	7.79	7.92	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.15	0.95	3.10	7.92	Complies
122	5610	2.49	0.95	3.44	7.92	Complies

CH106



Date: 12.MAR.2025 07:31:45

CH122




Date: 12.MAR.2025 07:36:01

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.90	0.95	2.85	7.92	Complies
122	5610	2.04	0.95	2.99	7.92	Complies

CH106



Date: 12.MAR.2025 07:32:46

CH122




Date: 12.MAR.2025 07:35:03

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.98	7.92	Complies
122	5610	6.23	7.92	Complies


Test Mode UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.45	0.12	9.57	26.92	Complies
157	5785	8.53	0.12	8.65	26.92	Complies
165	5825	8.13	0.12	8.25	26.92	Complies



Test Mode UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.46	0.12	9.58	26.92	Complies
157	5785	7.86	0.12	7.98	26.92	Complies
165	5825	7.69	0.12	7.81	26.92	Complies




Test Mode UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.59	26.92	Complies
157	5785	11.34	26.92	Complies
165	5825	11.05	26.92	Complies


Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.63	0.28	7.91	26.92	Complies
157	5785	7.79	0.28	8.07	26.92	Complies
165	5825	7.62	0.28	7.90	26.92	Complies



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.24	0.28	8.52	26.92	Complies
157	5785	7.68	0.28	7.96	26.92	Complies
165	5825	7.10	0.28	7.38	26.92	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.23	26.92	Complies
157	5785	11.02	26.92	Complies
165	5825	10.65	26.92	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.52	0.52	6.04	26.92	Complies
159	5795	4.39	0.52	4.91	26.92	Complies




Date: 12.MAR.2025 06:51:18




Date: 12.MAR.2025 06:54:45

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.80	0.52	5.32	26.92	Complies
159	5795	4.42	0.52	4.94	26.92	Complies



Date: 12.MAR.2025 06:51:54




Date: 12.MAR.2025 06:52:49

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.70	26.92	Complies
159	5795	7.93	26.92	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.25	0.95	3.20	26.92	Complies



Date: 12.MAR.2025 07:42:41

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.26	0.95	2.21	26.92	Complies



Date: 12.MAR.2025 07:44:50

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.74	26.92	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9816
120	5179.9812
102	5179.9812
Maximum Deviation (MHz)	0.0188
Maximum Deviation (ppm)	3.6293

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9796
10	5179.9796
20	5179.9800
30	5179.9804
40	5179.9804
Maximum Deviation (MHz)	0.0204
Maximum Deviation (ppm)	3.9382

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9820
120	5259.9824
102	5259.9808
Maximum Deviation (MHz)	0.0192
Maximum Deviation (ppm)	3.6502

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9796
10	5259.9796
20	5259.9796
30	5259.9800
40	5259.9804
Maximum Deviation (MHz)	0.0204
Maximum Deviation (ppm)	3.8783

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5499.9796
120	5499.9796
102	5499.9796
Maximum Deviation (MHz)	0.0204
Maximum Deviation (ppm)	3.7091

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9808
10	5499.9808
20	5499.9812
30	5499.9812
40	5499.9812
Maximum Deviation (MHz)	0.0196
Maximum Deviation (ppm)	3.5636

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9800
120	5744.9800
102	5744.9800
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.4813

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9780
10	5744.9780
20	5744.9792
30	5744.9800
40	5744.9800
Maximum Deviation (MHz)	0.0220
Maximum Deviation (ppm)	3.8294

End of Test Report