


Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.450	16.600
116	5580	20.300	16.600
140	5700	20.289	16.700

CH100




Date: 5.APR.2025 01:09:54

CH116
26 dB Bandwidth




Date: 5.APR.2025 01:10:38

CH140




Date: 5.APR.2025 01:16:25


99 % Occupied Bandwidth



Date: 5.APR.2025 01:09:20



Date: 5.APR.2025 01:10:05




Date: 5.APR.2025 01:15:51

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.690	17.700
116	5580	20.599	17.700
140	5700	20.600	17.800

CH100




Date: 5.APR.2025 02:18:34

CH116
26 dB Bandwidth




Date: 14.APR.2025 13:49:44

CH140




Date: 14.APR.2025 13:48:59


99 % Occupied Bandwidth



Date: 5.APR.2025 02:18:00



Date: 14.APR.2025 13:49:10




Date: 14.APR.2025 13:48:24

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.990	36.800
110	5550	40.708	36.400
134	5670	40.590	36.600

CH102




Date: 5.APR.2025 13:32:00

CH110
26 dB Bandwidth




Date: 5.APR.2025 13:32:58

CH134




Date: 5.APR.2025 13:51:47


99 % Occupied Bandwidth



Date: 5.APR.2025 13:31:22



Date: 5.APR.2025 13:32:22




Date: 5.APR.2025 13:51:09

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.800	76.000
122	5610	118.390	76.400

CH106




Date: 5.APR.2025 14:48:59

CH122
26 dB Bandwidth




Date: 5.APR.2025 15:00:22

99 % Occupied Bandwidth



Date: 5.APR.2025 14:48:15




Date: 5.APR.2025 14:59:30

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.099	26.600	0.5	Complies
157	5785	15.786	35.040	0.5	Complies
165	5825	16.450	35.160	0.5	Complies

CH149




Date: 5.APR.2025 01:49:43

CH157
6 dB Bandwidth




Date: 5.APR.2025 01:50:41

CH165




Date: 5.APR.2025 01:54:16


99 % Occupied Bandwidth



Date: 5.APR.2025 01:49:02



Date: 5.APR.2025 01:52:53




Date: 5.APR.2025 01:53:31


Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	34.100	51.200	0.5	Complies
159	5795	32.390	71.000	0.5	Complies



CH151



CH159 6 dB Bandwidth




99 % Occupied Bandwidth



Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.400	76.400	0.5	Complies

CH155 6 dB Bandwidth



Date: 5.APR.2025 14:58:48

99 % Occupied Bandwidth



Date: 5.APR.2025 14:58:01

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.85	0.14	12.99	21.95	0.1567	Complies
40	5200	12.64	0.14	12.78	21.95	0.1567	Complies
48	5240	11.87	0.14	12.01	21.95	0.1567	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.73	0.14	12.87	21.95	0.1567	Complies
40	5200	12.33	0.14	12.47	21.95	0.1567	Complies
48	5240	11.89	0.14	12.03	21.95	0.1567	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.94	21.95	0.1567	Complies
40	5200	15.64	21.95	0.1567	Complies
48	5240	15.03	21.95	0.1567	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.82	0.28	13.10	21.95	0.1567	Complies
40	5200	12.66	0.28	12.94	21.95	0.1567	Complies
48	5240	12.61	0.28	12.89	21.95	0.1567	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.73	0.28	13.01	21.95	0.1567	Complies
40	5200	12.74	0.28	13.02	21.95	0.1567	Complies
48	5240	12.65	0.28	12.93	21.95	0.1567	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.06	21.95	0.1567	Complies
40	5200	15.99	21.95	0.1567	Complies
48	5240	15.92	21.95	0.1567	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.64	0.52	15.16	21.95	0.1567	Complies
46	5230	15.77	0.52	16.29	21.95	0.1567	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.57	0.52	15.09	21.95	0.1567	Complies
46	5230	15.63	0.52	16.15	21.95	0.1567	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.13	21.95	0.1567	Complies
46	5230	19.23	21.95	0.1567	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.98	0.92	14.90	21.95	0.1567	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	13.79	0.92	14.71	21.95	0.1567	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.82	21.95	0.1567	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.34	0.14	12.48	21.95	0.1567	Complies
60	5300	12.20	0.14	12.34	21.95	0.1567	Complies
64	5320	12.06	0.14	12.20	21.95	0.1567	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.16	0.14	12.30	21.95	0.1567	Complies
60	5300	11.92	0.14	12.06	21.95	0.1567	Complies
64	5320	12.16	0.14	12.30	21.95	0.1567	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.40	21.95	0.1567	Complies
60	5300	15.21	21.95	0.1567	Complies
64	5320	15.26	21.95	0.1567	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.60	0.28	12.88	21.95	0.1567	Complies
60	5300	13.43	0.28	13.71	21.95	0.1567	Complies
64	5320	13.33	0.28	13.61	21.95	0.1567	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.75	0.28	13.03	21.95	0.1567	Complies
60	5300	13.46	0.28	13.74	21.95	0.1567	Complies
64	5320	13.26	0.28	13.54	21.95	0.1567	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.96	21.95	0.1567	Complies
60	5300	16.73	21.95	0.1567	Complies
64	5320	16.58	21.95	0.1567	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.48	0.52	16.00	21.95	0.1567	Complies
62	5310	15.32	0.52	15.84	21.95	0.1567	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.13	0.52	15.65	21.95	0.1567	Complies
62	5310	15.30	0.52	15.82	21.95	0.1567	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.84	21.95	0.1567	Complies
62	5310	18.84	21.95	0.1567	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.53	0.92	15.45	21.95	0.1567	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.39	0.92	15.31	21.95	0.1567	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.39	21.95	0.1567	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.20	0.14	13.34	21.95	0.1567	Complies
116	5580	12.01	0.14	12.15	21.95	0.1567	Complies
140	5700	12.50	0.14	12.64	21.95	0.1567	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.84	0.14	13.98	21.95	0.1567	Complies
116	5580	11.89	0.14	12.03	21.95	0.1567	Complies
140	5700	12.52	0.14	12.66	21.95	0.1567	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.68	21.95	0.1567	Complies
116	5580	15.10	21.95	0.1567	Complies
140	5700	15.66	21.95	0.1567	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.89	0.28	13.17	21.95	0.1567	Complies
116	5580	13.14	0.28	13.42	21.95	0.1567	Complies
140	5700	12.80	0.28	13.08	21.95	0.1567	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.79	0.28	13.07	21.95	0.1567	Complies
116	5580	13.23	0.28	13.51	21.95	0.1567	Complies
140	5700	12.73	0.28	13.01	21.95	0.1567	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.13	21.95	0.1567	Complies
116	5580	16.47	21.95	0.1567	Complies
140	5700	16.05	21.95	0.1567	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.84	0.52	16.36	21.95	0.1567	Complies
110	5550	15.45	0.52	15.97	21.95	0.1567	Complies
134	5670	15.45	0.52	15.97	21.95	0.1567	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.76	0.52	16.28	21.95	0.1567	Complies
110	5550	15.55	0.52	16.07	21.95	0.1567	Complies
134	5670	15.51	0.52	16.03	21.95	0.1567	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.33	21.95	0.1567	Complies
110	5550	19.03	21.95	0.1567	Complies
134	5670	19.01	21.95	0.1567	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.13	0.92	14.05	21.95	0.1567	Complies
122	5610	17.80	0.92	18.72	21.95	0.1567	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.15	0.92	14.07	21.95	0.1567	Complies
122	5610	17.84	0.92	18.76	21.95	0.1567	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.07	21.95	0.1567	Complies
122	5610	21.75	21.95	0.1567	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.52	0.14	20.66	27.97	0.6266	Complies
157	5785	19.84	0.14	19.98	27.97	0.6266	Complies
165	5825	20.64	0.14	20.78	27.97	0.6266	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.63	0.14	20.77	27.97	0.6266	Complies
157	5785	21.48	0.14	21.62	27.97	0.6266	Complies
165	5825	21.32	0.14	21.46	27.97	0.6266	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.72	27.97	0.6266	Complies
157	5785	23.88	27.97	0.6266	Complies
165	5825	24.14	27.97	0.6266	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.19	0.28	21.47	27.97	0.6266	Complies
157	5785	20.38	0.28	20.66	27.97	0.6266	Complies
165	5825	20.06	0.28	20.34	27.97	0.6266	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.17	0.28	22.45	27.97	0.6266	Complies
157	5785	21.21	0.28	21.49	27.97	0.6266	Complies
165	5825	21.31	0.28	21.59	27.97	0.6266	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.99	27.97	0.6266	Complies
157	5785	24.10	27.97	0.6266	Complies
165	5825	24.02	27.97	0.6266	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.78	0.52	20.30	27.97	0.6266	Complies
159	5795	19.75	0.52	20.27	27.97	0.6266	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.07	0.52	21.59	27.97	0.6266	Complies
159	5795	20.88	0.52	21.40	27.97	0.6266	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.00	27.97	0.6266	Complies
159	5795	23.88	27.97	0.6266	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.05	0.92	17.97	27.97	0.6266	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.89	0.92	17.81	27.97	0.6266	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.90	27.97	0.6266	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.58	0.14	2.72	5.96	Complies
40	5200	2.49	0.14	2.63	5.96	Complies
48	5240	2.40	0.14	2.54	5.96	Complies



Date: 4.APR.2025 19:14:12




Date: 4.APR.2025 19:19:03




Date: 4.APR.2025 19:48:22

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.70	0.14	2.84	5.96	Complies
40	5200	2.38	0.14	2.52	5.96	Complies
48	5240	2.43	0.14	2.57	5.96	Complies



Date: 4.APR.2025 19:15:23



Date: 4.APR.2025 19:20:53




Date: 4.APR.2025 19:49:15

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.79	5.96	Complies
40	5200	5.58	5.96	Complies
48	5240	5.56	5.96	Complies


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.42	0.28	2.70	5.96	Complies
40	5200	2.29	0.28	2.57	5.96	Complies
48	5240	2.11	0.28	2.39	5.96	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.47	0.28	2.75	5.96	Complies
40	5200	2.22	0.28	2.50	5.96	Complies
48	5240	2.22	0.28	2.50	5.96	Complies




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.73	5.96	Complies
40	5200	5.54	5.96	Complies
48	5240	5.45	5.96	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.84	0.52	2.36	5.96	Complies
46	5230	2.33	0.52	2.85	5.96	Complies




Date: 4.APR.2025 23:36:47




Date: 4.APR.2025 23:39:34

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.96	0.52	2.48	5.96	Complies
46	5230	2.47	0.52	2.99	5.96	Complies



Date: 4.APR.2025 23:37:29




Date: 4.APR.2025 23:38:52

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.43	5.96	Complies
46	5230	5.93	5.96	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.75	0.92	2.67	5.96	Complies



Date: 5.APR.2025 00:46:53

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.46	0.92	2.38	5.96	Complies




Date: 5.APR.2025 00:47:44

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.54	5.96	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.49	0.14	2.63	5.96	Complies
60	5300	2.51	0.14	2.65	5.96	Complies
64	5320	2.36	0.14	2.50	5.96	Complies



Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.46	0.14	2.60	5.96	Complies
60	5300	2.47	0.14	2.61	5.96	Complies
64	5320	2.32	0.14	2.46	5.96	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.62	5.96	Complies
60	5300	5.64	5.96	Complies
64	5320	5.49	5.96	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.16	0.28	2.44	5.96	Complies
60	5300	2.57	0.28	2.85	5.96	Complies
64	5320	2.59	0.28	2.87	5.96	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.33	0.28	2.61	5.96	Complies
60	5300	2.12	0.28	2.40	5.96	Complies
64	5320	2.48	0.28	2.76	5.96	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.53	5.96	Complies
60	5300	5.64	5.96	Complies
64	5320	5.82	5.96	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.10	0.52	2.62	5.96	Complies
62	5310	2.43	0.52	2.95	5.96	Complies




Date: 4.APR.2025 23:43:54




Date: 4.APR.2025 23:46:27

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.12	0.52	2.64	5.96	Complies
62	5310	2.24	0.52	2.76	5.96	Complies



Date: 4.APR.2025 23:44:32




Date: 4.APR.2025 23:47:21

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.64	5.96	Complies
62	5310	5.86	5.96	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.77	0.92	2.69	5.96	Complies



Date: 5.APR.2025 00:49:40

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.74	0.92	2.66	5.96	Complies




Date: 5.APR.2025 00:49:48

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.69	5.96	Complies


Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.39	0.14	2.53	5.96	Complies
116	5580	2.35	0.14	2.49	5.96	Complies
140	5700	2.47	0.14	2.61	5.96	Complies



Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.16	0.14	3.30	5.96	Complies
116	5580	2.40	0.14	2.54	5.96	Complies
140	5700	2.76	0.14	2.90	5.96	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.94	5.96	Complies
116	5580	5.52	5.96	Complies
140	5700	5.77	5.96	Complies


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.01	0.28	3.29	5.96	Complies
116	5580	2.55	0.28	2.83	5.96	Complies
140	5700	2.03	0.28	2.31	5.96	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.26	0.28	2.54	5.96	Complies
116	5580	2.46	0.28	2.74	5.96	Complies
140	5700	2.32	0.28	2.60	5.96	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.94	5.96	Complies
116	5580	5.79	5.96	Complies
140	5700	5.46	5.96	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.11	0.52	2.63	5.96	Complies
110	5550	2.29	0.52	2.81	5.96	Complies
134	5670	1.89	0.52	2.41	5.96	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	2.13	0.52	2.65	5.96	Complies
110	5550	2.25	0.52	2.77	5.96	Complies
134	5670	2.20	0.52	2.72	5.96	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.65	5.96	Complies
110	5550	5.80	5.96	Complies
134	5670	5.58	5.96	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.82	0.92	2.74	5.96	Complies
122	5610	2.04	0.92	2.96	5.96	Complies

CH106



Date: 5.APR.2025 00:50:40

CH122




Date: 5.APR.2025 00:53:18

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.72	0.92	2.64	5.96	Complies
122	5610	1.88	0.92	2.80	5.96	Complies

CH106



Date: 5.APR.2025 00:51:21

CH122




Date: 5.APR.2025 00:52:26

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.70	5.96	Complies
122	5610	5.89	5.96	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.35	0.14	9.49	24.96	Complies
157	5785	8.55	0.14	8.69	24.96	Complies
165	5825	8.04	0.14	8.18	24.96	Complies



Date: 4.APR.2025 20:40:20




Date: 4.APR.2025 20:41:07




Date: 4.APR.2025 20:43:14

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.04	0.14	9.18	24.96	Complies
157	5785	8.80	0.14	8.94	24.96	Complies
165	5825	8.40	0.14	8.54	24.96	Complies



Date: 4.APR.2025 20:37:56



Date: 4.APR.2025 20:41:55




Date: 4.APR.2025 20:42:32

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.35	24.96	Complies
157	5785	11.82	24.96	Complies
165	5825	11.37	24.96	Complies


Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.73	0.28	9.01	24.96	Complies
157	5785	7.87	0.28	8.15	24.96	Complies
165	5825	8.53	0.28	8.81	24.96	Complies



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.25	0.28	9.53	24.96	Complies
157	5785	8.51	0.28	8.79	24.96	Complies
165	5825	8.56	0.28	8.84	24.96	Complies




Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.28	24.96	Complies
157	5785	11.49	24.96	Complies
165	5825	11.83	24.96	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	6.17	0.52	6.69	24.96	Complies
159	5795	5.17	0.52	5.69	24.96	Complies




Date: 5.APR.2025 00:41:44




Date: 5.APR.2025 00:45:13

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.65	0.52	6.17	24.96	Complies
159	5795	4.90	0.52	5.42	24.96	Complies



Date: 5.APR.2025 00:43:23




Date: 5.APR.2025 00:44:09

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.45	24.96	Complies
159	5795	8.57	24.96	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.19	0.92	3.11	24.96	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.44	0.92	4.36	24.96	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.79	24.96	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
132	5180.0000
120	5179.9800
108	5179.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.8238

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9748
10	5179.9951
20	5180.0000
30	5180.0000
40	5179.9799
Maximum Deviation (MHz)	0.0252
Maximum Deviation (ppm)	4.8649

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
132	5259.9599
120	5259.9950
108	5260.0000
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.6260

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9950
10	5260.0150
20	5259.9950
30	5260.0200
40	5259.9799
Maximum Deviation (MHz)	0.0201
Maximum Deviation (ppm)	3.8260

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
132	5499.9600
120	5499.9750
108	5499.9800
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	7.2773

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9950
10	5500.0000
20	5500.0150
30	5499.9950
40	5500.0000
Maximum Deviation (MHz)	0.0150
Maximum Deviation (ppm)	2.7295

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
132	5745.0750
120	5745.0600
108	5745.0350
Maximum Deviation (MHz)	0.0750
Maximum Deviation (ppm)	13.0570

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5745.0348
10	5745.0350
20	5745.0348
30	5745.0550
40	5745.0400
Maximum Deviation (MHz)	0.0550
Maximum Deviation (ppm)	9.5735

End of Test Report