


0.233250	40.33	---	62.33	22.00	L1	OFF	19.6
0.242250	---	25.95	52.02	26.07	L1	OFF	19.6
0.242250	39.38	---	62.02	22.64	L1	OFF	19.6
0.251250	---	25.61	51.72	26.11	L1	OFF	19.6
0.251250	37.88	---	61.72	23.84	L1	OFF	19.6
0.264750	---	26.36	51.28	24.92	L1	OFF	19.6
0.264750	38.42	---	61.28	22.86	L1	OFF	19.6
0.278250	---	24.94	50.87	25.93	L1	OFF	19.6
0.278250	37.10	---	60.87	23.77	L1	OFF	19.6
0.289500	---	26.25	50.54	24.29	L1	OFF	19.6
0.289500	36.64	---	60.54	23.90	L1	OFF	19.6
0.305250	---	25.29	50.10	24.81	L1	OFF	19.6
0.305250	36.62	---	60.10	23.48	L1	OFF	19.6
0.321000	---	26.21	49.68	23.47	L1	OFF	19.6
0.321000	35.64	---	59.68	24.04	L1	OFF	19.6
0.334500	---	25.16	49.34	24.18	L1	OFF	19.6
0.334500	33.57	---	59.34	25.77	L1	OFF	19.6
0.354750	---	26.34	48.85	22.51	L1	OFF	19.6
0.354750	35.03	---	58.85	23.82	L1	OFF	19.6
0.377250	---	24.59	48.34	23.75	L1	OFF	19.6
0.377250	33.04	---	58.34	25.30	L1	OFF	19.6
0.404250	---	24.06	47.77	23.71	L1	OFF	19.6
0.404250	31.51	---	57.77	26.26	L1	OFF	19.6
0.424500	---	24.93	47.36	22.43	L1	OFF	19.7
0.424500	32.72	---	57.36	24.64	L1	OFF	19.7
0.453750	---	24.85	46.81	21.96	L1	OFF	19.7
0.453750	32.75	---	56.81	24.06	L1	OFF	19.7
0.469500	---	24.18	46.52	22.34	L1	OFF	19.7
0.469500	31.83	---	56.52	24.69	L1	OFF	19.7
0.494250	---	24.44	46.10	21.66	L1	OFF	19.7
0.494250	31.14	---	56.10	24.96	L1	OFF	19.7
0.514500	---	24.73	46.00	21.27	L1	OFF	19.8
0.514500	31.30	---	56.00	24.70	L1	OFF	19.8
0.530250	---	23.81	46.00	22.19	L1	OFF	19.8
0.530250	28.47	---	56.00	27.53	L1	OFF	19.8
0.631500	---	23.29	46.00	22.71	L1	OFF	19.9
0.631500	27.00	---	56.00	29.00	L1	OFF	19.9
0.660750	---	24.30	46.00	21.70	L1	OFF	19.9
0.660750	33.81	---	56.00	22.19	L1	OFF	19.9
0.676500	---	29.75	46.00	16.25	L1	OFF	19.9
0.676500	41.26	---	56.00	14.74	L1	OFF	19.9
0.721500	---	25.85	46.00	20.15	L1	OFF	19.9
0.721500	33.38	---	56.00	22.62	L1	OFF	19.9
25.161000	---	26.35	50.00	23.65	L1	OFF	20.6
25.161000	28.19	---	60.00	31.81	L1	OFF	20.6

EUT Information

Report NO : 100638
 Test Mode : Mode 1
 Test Voltage : 120Vac/60Hz
 Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.152250	---	32.13	55.88	23.75	N	OFF	19.6
0.152250	49.21	---	65.88	16.67	N	OFF	19.6
0.161250	---	36.07	55.40	19.33	N	OFF	19.6
0.161250	50.39	---	65.40	15.01	N	OFF	19.6
0.168000	---	33.37	55.06	21.69	N	OFF	19.6
0.168000	48.91	---	65.06	16.15	N	OFF	19.6
0.177000	---	28.18	54.63	26.45	N	OFF	19.6
0.177000	44.52	---	64.63	20.11	N	OFF	19.6
0.188250	---	29.62	54.11	24.49	N	OFF	19.6
0.188250	44.75	---	64.11	19.36	N	OFF	19.6
0.197250	---	31.12	53.73	22.61	N	OFF	19.6
0.197250	45.67	---	63.73	18.06	N	OFF	19.6
0.204000	---	28.68	53.45	24.77	N	OFF	19.6
0.204000	44.49	---	63.45	18.96	N	OFF	19.6
0.215250	---	26.90	53.00	26.10	N	OFF	19.6
0.215250	40.97	---	63.00	22.03	N	OFF	19.6
0.228750	---	28.82	52.50	23.68	N	OFF	19.6
0.228750	43.19	---	62.50	19.31	N	OFF	19.6
0.240000	---	26.73	52.10	25.37	N	OFF	19.6
0.240000	40.34	---	62.10	21.76	N	OFF	19.6
0.253500	---	26.21	51.64	25.43	N	OFF	19.6

0.253500	39.65	---	61.64	21.99	N	OFF	19.6
0.262500	---	27.29	51.35	24.06	N	OFF	19.6
0.262500	40.59	---	61.35	20.76	N	OFF	19.6
0.273750	---	25.74	51.00	25.26	N	OFF	19.6
0.273750	38.68	---	61.00	22.32	N	OFF	19.6
0.282750	---	25.62	50.74	25.12	N	OFF	19.6
0.282750	37.55	---	60.74	23.19	N	OFF	19.6
0.298500	---	26.51	50.28	23.77	N	OFF	19.6
0.298500	36.26	---	60.28	24.02	N	OFF	19.6
0.314250	---	25.65	49.86	24.21	N	OFF	19.6
0.314250	36.85	---	59.86	23.01	N	OFF	19.6
0.332250	---	26.37	49.40	23.03	N	OFF	19.6
0.332250	35.38	---	59.40	24.02	N	OFF	19.6
0.350250	---	26.36	48.96	22.60	N	OFF	19.6
0.350250	35.65	---	58.96	23.31	N	OFF	19.6
0.363750	---	26.05	48.64	22.59	N	OFF	19.6
0.363750	34.18	---	58.64	24.46	N	OFF	19.6
0.375000	---	25.88	48.39	22.51	N	OFF	19.6
0.375000	35.12	---	58.39	23.27	N	OFF	19.6
0.393000	---	26.52	48.00	21.48	N	OFF	19.6
0.393000	35.08	---	58.00	22.92	N	OFF	19.6
0.408750	---	25.34	47.67	22.33	N	OFF	19.6
0.408750	32.95	---	57.67	24.72	N	OFF	19.6
0.429000	---	24.57	47.27	22.70	N	OFF	19.7
0.429000	32.04	---	57.27	25.23	N	OFF	19.7
0.453750	---	25.64	46.81	21.17	N	OFF	19.7
0.453750	34.18	---	56.81	22.63	N	OFF	19.7
0.467250	---	24.40	46.56	22.16	N	OFF	19.7
0.467250	32.32	---	56.56	24.24	N	OFF	19.7
0.492000	---	26.15	46.13	19.98	N	OFF	19.7
0.492000	34.87	---	56.13	21.26	N	OFF	19.7
0.516750	---	26.52	46.00	19.48	N	OFF	19.8
0.516750	34.17	---	56.00	21.83	N	OFF	19.8
0.543750	---	25.02	46.00	20.98	N	OFF	19.8
0.543750	31.69	---	56.00	24.31	N	OFF	19.8
0.584250	---	26.89	46.00	19.11	N	OFF	19.8
0.584250	32.53	---	56.00	23.47	N	OFF	19.8
0.636000	---	23.68	46.00	22.32	N	OFF	19.9
0.636000	28.60	---	56.00	27.40	N	OFF	19.9
0.676500	---	33.54	46.00	12.46	N	OFF	19.9
0.676500	43.94	---	56.00	12.06	N	OFF	19.9
0.687750	---	33.62	46.00	12.38	N	OFF	19.9
0.687750	44.85	---	56.00	11.15	N	OFF	19.9
0.728250	---	24.74	46.00	21.26	N	OFF	20.0
0.728250	30.80	---	56.00	25.20	N	OFF	20.0
0.777750	---	25.45	46.00	20.55	N	OFF	20.0
0.777750	30.41	---	56.00	25.59	N	OFF	20.0
29.370750	---	29.58	50.00	20.42	N	OFF	20.8
29.370750	32.61	---	60.00	27.39	N	OFF	20.8



Appendix C. Radiated Spurious Emission

Test Engineer :	Jesse Wang, Stan Hsieh and Ken Wu	Temperature :	17.9~24.6°C
		Relative Humidity :	53.1~69%

<CDD Mode>

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2384.97	56.64	-17.36	74	42.09	31.87	18.09	35.41	400	323	P	H
		2383.395	49.82	-4.18	54	35.28	31.87	18.08	35.41	400	323	A	H
	*	2412	114.8	-	-	100.06	32	18.16	35.42	383	132	P	H
	*	2412	111.75	-	-	97.01	32	18.16	35.42	383	132	A	H
													H
													H
		2383.08	56.01	-17.99	74	41.47	31.87	18.08	35.41	200	45	P	V
		2383.5	50.62	-3.38	54	36.08	31.87	18.08	35.41	200	45	A	V
	*	2412	113.84	-	-	99.1	32	18.16	35.42	258	40	P	V
	*	2412	110.7	-	-	95.96	32	18.16	35.42	258	40	A	V
													V
													V
802.11b CH 06 2437MHz		2385.18	52.73	-21.27	74	38.18	31.87	18.09	35.41	347	91	P	H
		2386.44	45.01	-8.99	54	30.42	31.9	18.1	35.41	347	91	A	H
	*	2437	112.62	-	-	97.67	32.2	18.18	35.43	347	91	P	H
	*	2437	109.48	-	-	94.53	32.2	18.18	35.43	347	91	A	H
		2485.16	54.36	-19.64	74	39.11	32.47	18.23	35.45	347	91	P	H
		2497.9	45.46	-8.54	54	30.07	32.6	18.25	35.46	347	91	P	H
		2385.04	54.12	-19.88	74	39.57	31.87	18.09	35.41	253	40	P	V
		2387.7	44.93	-9.07	54	30.34	31.9	18.1	35.41	253	40	A	V
	*	2437	113.48	-	-	98.53	32.2	18.18	35.43	253	40	P	V
	*	2437	110.33	-	-	95.38	32.2	18.18	35.43	253	40	A	V
		2483.5	54.41	-19.59	74	39.16	32.47	18.23	35.45	253	40	P	V
		2496.57	45.51	-8.49	54	30.12	32.6	18.25	35.46	253	40	A	V



802.11b CH 11 2462MHz	*	2462	111.56	-	-	96.45	32.33	18.22	35.44	299	99	P	H
	*	2462	108.44	-	-	93.33	32.33	18.22	35.44	299	99	A	H
		2490.08	57.4	-16.6	74	42.01	32.6	18.24	35.45	100	303	P	H
		2490.44	50.48	-3.52	54	35.09	32.6	18.24	35.45	100	303	A	H
													H
													H
	*	2462	113.98	-	-	98.87	32.33	18.22	35.44	189	43	P	V
	*	2462	110.84	-	-	95.73	32.33	18.22	35.44	189	43	A	V
		2490.52	56.84	-17.16	74	41.45	32.6	18.24	35.45	100	42	P	V
		2490.32	49.86	-4.14	54	34.47	32.6	18.24	35.45	100	42	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 02 2417MHz		2388.435	55.5	-18.5	74	40.91	31.9	18.1	35.41	400	343	P	H
		2388.54	49.36	-4.64	54	34.77	31.9	18.1	35.41	400	343	A	H
	*	2417	113.99	-	-	99.26	32	18.16	35.43	345	132	P	H
	*	2417	110.87	-	-	96.14	32	18.16	35.43	345	132	A	H
													H
													H
		2388.015	57.15	-16.85	74	42.56	31.9	18.1	35.41	229	30	P	V
		2388.645	50.55	-3.45	54	35.95	31.9	18.11	35.41	229	30	A	V
	*	2417	114.02	-	-	99.29	32	18.16	35.43	261	40	P	V
	*	2417	110.88	-	-	96.15	32	18.16	35.43	261	40	A	V
													V
													V
802.11b CH 10 2457MHz	*	2457	112.02	-	-	96.92	32.33	18.21	35.44	300	120	P	H
	*	2457	108.87	-	-	93.77	32.33	18.21	35.44	300	120	A	H
		2484.36	57.54	-16.46	74	42.29	32.47	18.23	35.45	100	300	P	H
		2485.44	50.67	-3.33	54	35.42	32.47	18.23	35.45	100	300	A	H
													H
													H
	*	2457	113.62	-	-	98.52	32.33	18.21	35.44	187	43	P	V
	*	2457	110.47	-	-	95.37	32.33	18.21	35.44	187	43	A	V
		2486.08	56.31	-17.69	74	41.06	32.47	18.23	35.45	102	46	P	V
		2485.44	49.68	-4.32	54	34.43	32.47	18.23	35.45	102	46	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant. 3+4		(MHz)	(dBμV/m)	Limit (dB)	Line (dBμV/m)	Level (dBμV)	Factor (dB/m)	Loss (dB)	Factor (dB)	Pos (cm)	Pos (deg)	Avg. (P/A)	(H/V)
802.11b CH 01 2412MHz		4824	42.24	-31.76	74	53.47	34.05	12.69	57.97	-	-	P	H
		14490	46.41	-27.59	74	43.12	39.3	22.08	58.09	-	-	P	H
		15885	49.25	-24.75	74	41.9	40.8	23.48	56.93	-	-	P	H
		15885	38.51	-15.49	54	31.16	40.8	23.48	56.93	-	-	A	H
		17895	51.56	-22.44	74	40.42	41.9	25.28	56.04	-	-	P	H
		17895	41.77	-12.23	54	30.63	41.9	25.28	56.04	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
		4824	42.31	-31.69	74	53.54	34.05	12.69	57.97	-	-	P	V
		14490	47.71	-26.29	74	44.42	39.3	22.08	58.09	-	-	P	V
		16140	48.45	-25.55	74	40.36	41.15	23.72	56.78	-	-	P	V
		16140	38.62	-15.38	54	30.53	41.15	23.72	56.78	-	-	A	V
		17700	51.44	-22.56	74	40.7	41.8	25.1	56.16	-	-	P	V
		17700	41.72	-12.28	54	30.98	41.8	25.1	56.16	-	-	A	V
													V
												V	
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	41.84	-32.16	74	52.99	34.1	12.66	57.91	-	-	P	H
		7311	40.3	-33.7	74	47.75	35.6	14.86	57.91	-	-	P	H
		14490	47.21	-26.79	74	43.92	39.3	22.08	58.09	-	-	P	H
		16170	48.49	-25.51	74	40.41	41.1	23.75	56.77	-	-	P	H
		16170	38.43	-15.57	54	30.35	41.1	23.75	56.77	-	-	A	H
		17730	51.67	-22.33	74	40.85	41.83	25.13	56.14	-	-	P	H
		17730	41.45	-12.55	54	30.63	41.83	25.13	56.14	-	-	A	H
													H
													H
													H
													H
													H
		4874	41.03	-32.97	74	52.18	34.1	12.66	57.91	-	-	P	V
		7311	41.4	-32.6	74	48.85	35.6	14.86	57.91	-	-	P	V
		14490	47.03	-26.97	74	43.74	39.3	22.08	58.09	-	-	P	V
		16125	48.81	-25.19	74	40.68	41.2	23.71	56.78	-	-	P	V
		16125	38.55	-15.45	54	30.42	41.2	23.71	56.78	-	-	A	V
		17790	51.21	-22.79	74	40.24	41.9	25.18	56.11	-	-	P	V
		17790	41.55	-12.45	54	30.58	41.9	25.18	56.11	-	-	A	V
													V
												V	
												V	
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	42.29	-31.71	74	53.33	34.17	12.64	57.85	-	-	P	H
		7386	39.76	-34.24	74	47.23	35.6	14.91	57.98	-	-	P	H
		14499	47.14	-26.86	74	43.84	39.3	22.09	58.09	-	-	P	H
		16020	48.65	-25.35	74	40.75	41.1	23.62	56.82	-	-	P	H
		16020	38.46	-15.54	54	30.56	41.1	23.62	56.82	-	-	A	H
		17760	51.38	-22.62	74	40.47	41.87	25.16	56.12	-	-	P	H
		17760	41.26	-12.74	54	30.35	41.87	25.16	56.12	-	-	A	H
													H
													H
													H
													H
													H
		4924	43.26	-30.74	74	54.3	34.17	12.64	57.85	-	-	P	V
		7386	40.4	-33.6	74	47.87	35.6	14.91	57.98	-	-	P	V
		14499	47.03	-26.97	74	43.73	39.3	22.09	58.09	-	-	P	V
		16125	48.72	-25.28	74	40.59	41.2	23.71	56.78	-	-	P	V
		16125	38.7	-15.3	54	30.57	41.2	23.71	56.78	-	-	A	V
		17985	51.44	-22.56	74	40.17	41.9	25.36	55.99	-	-	P	V
		17985	41.9	-12.1	54	30.63	41.9	25.36	55.99	-	-	A	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2389.275	61.36	-12.64	74	46.76	31.9	18.11	35.41	100	303	P	H
		2390	52.43	-1.57	54	37.84	31.9	18.11	35.42	100	303	A	H
	*	2412	116.3	-	-	101.56	32	18.16	35.42	100	303	P	H
	*	2412	109.24	-	-	94.5	32	18.16	35.42	100	303	A	H
													H
													H
		2388.54	59.34	-14.66	74	44.75	31.9	18.1	35.41	375	17	P	V
		2389.065	49.96	-4.04	54	35.36	31.9	18.11	35.41	375	17	A	V
	*	2412	114.47	-	-	99.73	32	18.16	35.42	375	17	P	V
	*	2412	106.99	-	-	92.25	32	18.16	35.42	375	17	A	V
													V
													V
802.11g CH 06 2437MHz		2389.38	60.32	-13.68	74	45.72	31.9	18.11	35.41	326	313	P	H
		2389.94	49.12	-4.88	54	34.53	31.9	18.11	35.42	326	313	A	H
	*	2437	122.65	-	-	107.7	32.2	18.18	35.43	326	313	P	H
	*	2437	115.15	-	-	100.2	32.2	18.18	35.43	326	313	A	H
		2484.88	63.1	-10.9	74	47.85	32.47	18.23	35.45	326	313	P	H
		2484.53	50.93	-3.07	54	35.68	32.47	18.23	35.45	326	313	A	H
		2389.38	58.92	-15.08	74	44.32	31.9	18.11	35.41	100	288	P	V
		2389.94	49.36	-4.64	54	34.77	31.9	18.11	35.42	100	288	A	V
	*	2437	118.58	-	-	103.63	32.2	18.18	35.43	100	288	P	V
	*	2437	110.78	-	-	95.83	32.2	18.18	35.43	100	288	A	V
		2485.3	61.05	-12.95	74	45.8	32.47	18.23	35.45	100	288	P	V
		2484.67	49.21	-4.79	54	33.96	32.47	18.23	35.45	100	288	A	V



802.11g CH 11 2462MHz	*	2462	115.23	-	-	100.12	32.33	18.22	35.44	167	318	P	H
	*	2462	108.78	-	-	93.67	32.33	18.22	35.44	167	318	A	H
		2484.08	64.39	-9.61	74	49.14	32.47	18.23	35.45	143	306	P	H
		2483.52	52.7	-1.3	54	37.45	32.47	18.23	35.45	143	306	A	H
													H
													H
	*	2462	113.36	-	-	98.25	32.33	18.22	35.44	100	313	P	V
	*	2462	105.3	-	-	90.19	32.33	18.22	35.44	100	313	A	V
		2483.76	60.9	-13.1	74	45.65	32.47	18.23	35.45	100	313	P	V
		2483.68	49.17	-4.83	54	33.92	32.47	18.23	35.45	100	313	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 02 2417MHz		2389.275	63.43	-10.57	74	48.83	31.9	18.11	35.41	109	306	P	H
		2389.8	52.23	-1.77	54	37.64	31.9	18.11	35.42	109	306	A	H
	*	2417	117.45	-	-	102.72	32	18.16	35.43	112	310	P	H
	*	2417	110.11	-	-	95.38	32	18.16	35.43	112	310	A	H
													H
													H
		2389.485	56.5	-17.5	74	41.9	31.9	18.11	35.41	113	275	P	V
		2389.695	46.39	-7.61	54	31.79	31.9	18.11	35.41	113	275	A	V
	*	2417	112.91	-	-	98.18	32	18.16	35.43	113	275	P	V
	*	2417	105.15	-	-	90.42	32	18.16	35.43	113	275	A	V
													V
													V
802.11g CH 10 2457MHz	*	2457	118.73	-	-	103.63	32.33	18.21	35.44	114	322	P	H
	*	2457	111.32	-	-	96.22	32.33	18.21	35.44	114	322	A	H
		2484.2	64.71	-9.29	74	49.46	32.47	18.23	35.45	114	318	P	H
		2484.04	51.82	-2.18	54	36.57	32.47	18.23	35.45	114	318	A	H
													H
													H
	*	2457	115.57	-	-	100.47	32.33	18.21	35.44	100	312	P	V
	*	2457	107.78	-	-	92.68	32.33	18.21	35.44	100	312	A	V
		2485.56	60.52	-13.48	74	45.27	32.47	18.23	35.45	100	312	P	V
		2484.6	48.41	-5.59	54	33.16	32.47	18.23	35.45	100	312	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant. 3+4		(MHz)	(dBμV/m)	Limit (dB)	Line (dBμV/m)	Level (dBμV)	Factor (dB/m)	Loss (dB)	Factor (dB)	Pos (cm)	Pos (deg)	Avg. (P/A)	(H/V)
802.11g CH 01 2412MHz		4824	43.15	-30.85	74	54.38	34.05	12.69	57.97	-	-	P	H
		14490	46.64	-27.36	74	43.35	39.3	22.08	58.09	-	-	P	H
		15855	48.18	-25.82	74	40.92	40.76	23.45	56.95	-	-	P	H
		15855	37.71	-16.29	54	30.45	40.76	23.45	56.95	-	-	A	H
		17880	51.26	-22.74	74	40.15	41.9	25.26	56.05	-	-	P	H
		17880	41.33	-12.67	54	30.22	41.9	25.26	56.05	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
		4824	42.77	-31.23	74	54	34.05	12.69	57.97	-	-	P	V
		14490	47.78	-26.22	74	44.49	39.3	22.08	58.09	-	-	P	V
		15840	48.39	-25.61	74	41.18	40.74	23.44	56.97	-	-	P	V
		15840	37.74	-16.26	54	30.53	40.74	23.44	56.97	-	-	A	V
		17835	51.29	-22.71	74	40.25	41.9	25.22	56.08	-	-	P	V
		17835	41.2	-12.8	54	30.16	41.9	25.22	56.08	-	-	A	V
													V
												V	
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	44.47	-29.53	74	55.62	34.1	12.66	57.91	-	-	P	H
		7311	58.39	-15.61	74	65.84	35.6	14.86	57.91	100	337	P	H
		7311	48.22	-5.78	54	55.67	35.6	14.86	57.91	100	337	A	H
		14490	46.64	-27.36	74	43.35	39.3	22.08	58.09	-	-	P	H
		15795	48.35	-25.65	74	41.28	40.68	23.4	57.01	-	-	P	H
		15795	37.77	-16.23	54	30.7	40.68	23.4	57.01	-	-	A	H
		17850	51.34	-22.66	74	40.27	41.9	25.24	56.07	-	-	P	H
		17850	41.27	-12.73	54	30.2	41.9	25.24	56.07	-	-	A	H
													H
													H
													H
													H
		4874	44.81	-29.19	74	55.96	34.1	12.66	57.91	-	-	P	V
		7311	62.23	-11.77	74	69.68	35.6	14.86	57.91	215	269	P	V
		7311	51.66	-2.34	54	59.11	35.6	14.86	57.91	215	269	A	V
		14499	46.79	-27.21	74	43.49	39.3	22.09	58.09	-	-	P	V
		15705	48.72	-25.28	74	41.9	40.6	23.3	57.08	-	-	P	V
		15705	37.38	-16.62	54	30.56	40.6	23.3	57.08	-	-	A	V
		17880	51.95	-22.05	74	40.84	41.9	25.26	56.05	-	-	P	V
		17880	41.54	-12.46	54	30.43	41.9	25.26	56.05	-	-	A	V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz		4924	42.41	-31.59	74	53.45	34.17	12.64	57.85	-	-	P	H
		7386	40.08	-33.92	74	47.55	35.6	14.91	57.98	-	-	P	H
		14490	46.67	-27.33	74	43.47	39.3	20.62	58.09	-	-	P	H
		16140	48.11	-25.89	74	40.02	41.15	23.72	56.78	-	-	P	H
		16140	38.32	-15.68	54	30.23	41.15	23.72	56.78	-	-	A	H
		17865	51.21	-22.79	74	40.12	41.9	25.25	56.06	-	-	P	H
		17865	41.39	-12.61	54	30.3	41.9	25.25	56.06	-	-	A	H
													H
													H
													H
													H
													H
		4924	42.14	-31.86	74	53.18	34.17	12.64	57.85	-	-	P	V
		7386	39.5	-34.5	74	46.97	35.6	14.91	57.98	-	-	P	V
		14490	46.87	-27.13	74	43.58	39.3	22.08	58.09	-	-	P	V
		15810	48.48	-25.52	74	41.36	40.7	23.41	56.99	-	-	P	V
		15810	37.48	-16.52	54	30.36	40.7	23.41	56.99	-	-	A	V
		17820	51.35	-22.65	74	40.33	41.9	25.21	56.09	-	-	P	V
		17820	41.27	-12.73	54	30.25	41.9	25.21	56.09	-	-	A	V
													V
												V	
												V	
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 2412MHz		2388.33	62.51	-11.49	74	47.92	31.9	18.1	35.41	152	303	P	H
		2390	52.36	-1.64	54	37.77	31.9	18.11	35.42	152	303	A	H
	*	2412	116.05	-	-	101.31	32	18.16	35.42	100	306	P	H
	*	2412	108.34	-	-	93.6	32	18.16	35.42	100	306	A	H
													H
													H
		2389.905	59.85	-14.15	74	45.26	31.9	18.11	35.42	259	13	P	V
		2390	51.36	-2.64	54	36.77	31.9	18.11	35.42	259	13	A	V
	*	2412	116.05	-	-	101.31	32	18.16	35.42	259	13	P	V
	*	2412	107.46	-	-	92.72	32	18.16	35.42	259	13	A	V
													V
													V
802.11ax HE20 Full CH 06 2437MHz		2387.7	58.22	-15.78	74	43.63	31.9	18.1	35.41	169	325	P	H
		2389.94	48.28	-5.72	54	33.69	31.9	18.11	35.42	169	325	A	H
	*	2437	120.32	-	-	105.37	32.2	18.18	35.43	169	325	P	H
	*	2437	112.26	-	-	97.31	32.2	18.18	35.43	169	325	A	H
		2483.62	62.64	-11.36	74	47.39	32.47	18.23	35.45	169	325	P	H
		2483.53	50.1	-3.9	54	34.85	32.47	18.23	35.45	169	325	A	H
		2388.82	54.38	-19.62	74	39.78	31.9	18.11	35.41	357	16	P	V
		2389.66	45.36	-8.64	54	30.76	31.9	18.11	35.41	357	16	A	V
	*	2437	117.84	-	-	102.89	32.2	18.18	35.43	357	16	P	V
	*	2437	109.69	-	-	94.74	32.2	18.18	35.43	357	16	A	V
		2483.62	56.79	-17.21	74	41.54	32.47	18.23	35.45	357	16	P	V
		2483.62	46.2	-7.8	54	30.95	32.47	18.23	35.45	357	16	A	V



802.11ax HE20 Full CH 11 2462MHz	*	2462	115.54	-	-	100.43	32.33	18.22	35.44	109	308	P	H
	*	2462	106.08	-	-	90.97	32.33	18.22	35.44	109	308	A	H
		2485.84	63.72	-10.28	74	48.47	32.47	18.23	35.45	109	308	P	H
		2483.56	52.62	-1.38	54	37.37	32.47	18.23	35.45	109	308	A	H
													H
													H
	*	2462	109.25	-	-	94.14	32.33	18.22	35.44	106	54	P	V
	*	2462	100.34	-	-	85.23	32.33	18.22	35.44	106	54	A	V
		2484.2	61.47	-12.53	74	46.22	32.47	18.23	35.45	106	54	P	V
		2483.6	50.47	-3.53	54	35.22	32.47	18.23	35.45	106	54	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 02 2417MHz		2389.94	58.85	-15.15	74	44.26	31.9	18.11	35.42	115	317	P	H
		2389.94	50.91	-3.09	54	36.32	31.9	18.11	35.42	115	317	A	H
	*	2417	118.56	-	-	103.83	32	18.16	35.43	115	317	P	H
	*	2417	109.65	-	-	94.92	32	18.16	35.43	115	317	A	H
													H
													H
		2389.24	60.32	-13.68	74	45.72	31.9	18.11	35.41	230	14	P	V
		2389.94	50.82	-3.18	54	36.23	31.9	18.11	35.42	230	14	A	V
	*	2417	114.47	-	-	99.74	32	18.16	35.43	230	14	P	V
	*	2417	105.54	-	-	90.81	32	18.16	35.43	230	14	A	V
													V
													V
802.11ax HE20 Full CH 10 2457MHz	*	2457	118.88	-	-	103.78	32.33	18.21	35.44	112	306	P	H
	*	2457	110.5	-	-	95.4	32.33	18.21	35.44	112	306	A	H
		2483.62	65.45	-8.55	74	50.2	32.47	18.23	35.45	112	306	P	H
		2483.5	52.26	-1.74	54	37.01	32.47	18.23	35.45	112	306	A	H
													H
													H
	*	2457	112.52	-	-	97.42	32.33	18.21	35.44	103	55	P	V
	*	2457	103.83	-	-	88.73	32.33	18.21	35.44	103	55	A	V
		2483.68	64.47	-9.53	74	49.22	32.47	18.23	35.45	103	55	P	V
		2483.5	51.35	-2.65	54	36.1	32.47	18.23	35.45	103	55	A	V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

[illegible]

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4				(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Full CH 06 2437MHz		4874	46.69	-27.31	74	57.84	34.1	12.66	57.91	-	-	P	H
		7311	60.8	-13.2	74	68.25	35.6	14.86	57.91	100	333	P	H
		7311	47.61	-6.39	54	55.06	35.6	14.86	57.91	100	333	A	H
		14490	47.08	-26.92	74	43.88	39.3	20.62	58.09	-	-	P	H
		16110	49.09	-24.91	74	40.93	41.25	23.7	56.79	-	-	P	H
		16110	38.9	-15.1	54	30.74	41.25	23.7	56.79	-	-	A	H
		17805	51.87	-22.13	74	40.87	41.9	25.2	56.1	-	-	P	H
		17805	41.65	-12.35	54	30.65	41.9	25.2	56.1	-	-	A	H
													H
													H
													H
													H
		4874	44.73	-29.27	74	55.88	34.1	12.66	57.91	-	-	P	V
		7311	63.74	-10.26	74	71.19	35.6	14.86	57.91	221	272	P	V
		7311	50	-4	54	57.45	35.6	14.86	57.91	221	272	A	V
		14475	47.68	-26.32	74	44.42	39.28	22.07	58.09	-	-	P	V
		16140	49.17	-24.83	74	41.08	41.15	23.72	56.78	-	-	P	V
		16140	38.65	-15.35	54	30.56	41.15	23.72	56.78	-	-	A	V
		17775	51.24	-22.76	74	40.3	41.88	25.17	56.11	-	-	P	V
		17775	41.84	-12.16	54	30.9	41.88	25.17	56.11	-	-	A	V
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 11 2462MHz		4924	41.49	-32.51	74	52.53	34.17	12.64	57.85	-	-	P	H
		7386	40.25	-33.75	74	47.72	35.6	14.91	57.98	-	-	P	H
		14490	47.05	-26.95	74	43.76	39.3	22.08	58.09	-	-	P	H
		15825	48.56	-25.44	74	41.39	40.72	23.43	56.98	-	-	P	H
		15825	37.4	-16.6	54	30.23	40.72	23.43	56.98	-	-	A	H
		17910	51.72	-22.28	74	40.56	41.9	25.29	56.03	-	-	P	H
		17910	41.53	-12.47	54	30.37	41.9	25.29	56.03	-	-	A	H
													H
													H
													H
													H
													H
		4924	42.4	-31.6	74	53.44	34.17	12.64	57.85	-	-	P	V
		7386	40.35	-33.65	74	47.82	35.6	14.91	57.98	-	-	P	V
		14490	48.38	-25.62	74	45.09	39.3	22.08	58.09	-	-	P	V
		14490	37.97	-16.03	54	34.68	39.3	22.08	58.09	-	-	A	V
		15825	48.91	-25.09	74	41.74	40.72	23.43	56.98	-	-	P	V
		15825	37.48	-16.52	54	30.31	40.72	23.43	56.98	-	-	A	V
		17730	52.12	-21.88	74	41.3	41.83	25.13	56.14	-	-	P	V
		17730	41.84	-12.16	54	31.02	41.83	25.13	56.14	-	-	A	V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial RU (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial M CH 01 2412MHz		2388.225	67.23	-6.77	74	52.64	31.9	8.07	35.41	302	307	P	H
		2390	52.5	-1.5	54	37.91	31.9	8.08	35.42	302	307	A	H
	*	2412	112.99	-	-	98.25	32	8.14	35.42	148	327	P	H
	*	2412	103.97	-	-	89.23	32	8.14	35.42	148	327	A	H
													H
													H
		2390	64.42	-9.58	74	49.83	31.9	8.08	35.42	300	30	P	V
		2390	49.82	-4.18	54	35.23	31.9	8.08	35.42	300	30	A	V
	*	2412	109.29	-	-	94.55	32	8.14	35.42	264	32	P	V
	*	2412	101.08	-	-	86.34	32	8.14	35.42	264	32	A	V
													V
													V
802.11ax HE20 Partial BE CH 01 2412MHz		2386.23	70.32	-3.68	74	55.73	31.9	8.07	35.41	153	330	P	H
		2389.17	52.72	-1.28	54	38.12	31.9	8.08	35.41	153	330	A	H
	*	2412	116.01	-	-	101.27	32	8.14	35.42	100	330	P	H
	*	2412	109.78	-	-	95.04	32	8.14	35.42	100	330	A	H
													H
													H
		2387.7	70.52	-3.48	74	55.93	31.9	8.07	35.41	171	40	P	V
		2388.75	49.52	-4.48	54	34.92	31.9	8.08	35.41	171	40	A	V
	*	2412	116.37	-	-	101.59	32	8.14	35.42	260	35	P	V
	*	2412	108.35	-	-	93.57	32	8.14	35.42	260	35	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial M CH 02 2417MHz		2389.38	67.41	-6.59	74	52.81	31.9	8.08	35.41	299	313	P	H
		2390	52.25	-1.75	54	37.66	31.9	8.08	35.42	299	313	A	H
	*	2417	114.19	-	-	99.46	32	8.14	35.43	100	308	P	H
	*	2417	106.64	-	-	91.91	32	8.14	35.43	100	308	A	H
													H
													H
		2389.8	63.94	-10.06	74	49.35	31.9	8.08	35.42	383	0	P	V
		2390	49.82	-4.18	54	35.23	31.9	8.08	35.42	383	0	A	V
	*	2417	112.08	-	-	97.35	32	8.14	35.43	373	0	P	V
	*	2417	104.98	-	-	90.25	32	8.14	35.43	373	0	A	V
													V
													V
802.11ax HE20 Partial BE CH 02 2417MHz		2389.17	69.62	-4.38	74	55.02	31.9	8.08	35.41	297	306	P	H
		2389.905	52.25	-1.75	54	37.66	31.9	8.08	35.42	297	306	A	H
	*	2417	118.46	-	-	103.73	32	8.14	35.43	100	306	P	H
	*	2417	110.45	-	-	95.72	32	8.14	35.43	100	306	A	H
													H
													H
		2381.82	59.78	-14.22	74	45.24	31.87	8.05	35.41	254	36	P	V
		2388.225	48.12	-5.88	54	33.53	31.9	8.07	35.41	254	36	A	V
	*	2417	116.89	-	-	102.16	32	8.14	35.43	254	36	P	V
	*	2417	109.98	-	-	95.25	32	8.14	35.43	254	36	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial M CH 06 2437MHz		2389.8	65.68	-8.32	74	51.09	31.9	8.08	35.42	400	302	P	H
		2389.66	51.77	-2.23	54	37.17	31.9	8.08	35.41	400	302	A	H
	*	2437	117.05	-	-	102.1	32.2	8.17	35.43	100	330	P	H
	*	2437	110.08	-	-	95.13	32.2	8.17	35.43	100	330	A	H
		2484.34	68.75	-5.25	74	53.5	32.47	8.24	35.45	400	302	P	H
		2484.16	52.67	-1.33	54	37.42	32.47	8.24	35.45	400	302	A	H
		2388.82	57.04	-16.96	74	42.44	31.9	8.08	35.41	354	209	P	V
		2389.94	45.14	-8.86	54	30.55	31.9	8.08	35.42	354	209	A	V
	*	2437	115.43	-	-	100.48	32.2	8.17	35.43	100	286	P	V
	*	2437	107.68	-	-	92.73	32.2	8.17	35.43	100	286	A	V
		2484.52	65.91	-8.09	74	50.66	32.47	8.24	35.45	354	209	P	V
		2483.98	51.39	-2.61	54	36.14	32.47	8.24	35.45	354	209	A	V
802.11ax HE20 Partial BE CH 06 2437MHz		2387.56	57.46	-16.54	74	42.87	31.9	8.07	35.41	326	316	P	H
		2389.24	44.55	-9.45	54	29.95	31.9	8.08	35.41	326	316	A	H
	*	2437	120.53	-	-	105.58	32.2	8.17	35.43	326	316	P	H
	*	2437	113.26	-	-	98.31	32.2	8.17	35.43	326	316	A	H
		2484.79	61.55	-12.45	74	46.3	32.47	8.24	35.45	326	316	P	H
		2485.06	46.06	-7.94	54	30.81	32.47	8.24	35.45	326	316	A	H
		2384.62	58	-16	74	43.45	31.87	8.06	35.41	100	288	P	V
		2389.52	44.62	-9.38	54	30.02	31.9	8.08	35.41	100	288	A	V
	*	2437	118.63	-	-	103.68	32.2	8.17	35.43	100	288	P	V
	*	2437	110.53	-	-	95.58	32.2	8.17	35.43	100	288	A	V
		2484.7	55.43	-18.57	74	40.18	32.47	8.24	35.45	100	288	P	V
		2485.06	45.55	-8.45	54	30.3	32.47	8.24	35.45	100	288	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial M CH 10 2457MHz	*	2457	112.73	-	-	97.63	32.33	8.2	35.44	113	307	P	H
	*	2457	105.57	-	-	90.47	32.33	8.2	35.44	113	307	A	H
		2483.8	65.36	-8.64	74	50.11	32.47	8.24	35.45	113	307	P	H
		2483.52	50.6	-3.4	54	35.35	32.47	8.24	35.45	113	307	A	H
													H
													H
	*	2457	109.23	-	-	94.13	32.33	8.2	35.44	100	306	P	V
	*	2457	101.85	-	-	86.75	32.33	8.2	35.44	100	306	A	V
		2483.64	61.93	-12.07	74	46.68	32.47	8.24	35.45	100	306	P	V
		2483.56	47.14	-6.86	54	31.89	32.47	8.24	35.45	100	306	A	V
													V
													V
802.11ax HE20 Partial BE CH 10 2457MHz	*	2457	119.85	-	-	104.75	32.33	8.2	35.44	113	307	P	H
	*	2457	112.13	-	-	97.03	32.33	8.2	35.44	113	307	A	H
		2485.8	68.48	-5.52	74	53.23	32.47	8.24	35.45	400	315	P	H
		2485.32	52.16	-1.84	54	36.91	32.47	8.24	35.45	400	315	A	H
												P	H
												A	H
	*	2457	117.89	-	-	102.79	32.33	8.2	35.44	280	0	P	V
	*	2457	109.35	-	-	94.25	32.33	8.2	35.44	280	0	A	V
		2486.44	68.01	-5.99	74	52.76	32.47	8.24	35.45	359	199	P	V
		2485.52	50.44	-3.56	54	35.19	32.47	8.24	35.45	359	199	A	V
												P	V
												A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial M CH 11 2462MHz	*	2462	113.46	-	-	98.35	32.33	8.21	35.44	329	327	P	H
	*	2462	104.18	-	-	89.07	32.33	8.21	35.44	329	327	A	H
		2486.16	67.09	-6.91	74	51.84	32.47	8.24	35.45	360	327	P	H
		2484.04	52.57	-1.43	54	37.32	32.47	8.24	35.45	360	327	A	H
													H
													H
	*	2462	108.93	-	-	93.82	32.33	8.21	35.44	100	9	P	V
	*	2462	100.99	-	-	85.88	32.33	8.21	35.44	100	9	A	V
		2483.72	62.15	-11.85	74	46.9	32.47	8.24	35.45	100	9	P	V
		2483.64	49.85	-4.15	54	34.6	32.47	8.24	35.45	100	9	A	V
													V
													V
802.11ax HE20 Partial BE CH 11 2462MHz	*	2462	118.18	-	-	103.07	32.33	8.21	35.44	169	331	P	H
	*	2462	109.31	-	-	94.2	32.33	8.21	35.44	169	331	A	H
		2484.24	68.17	-5.83	74	52.92	32.47	8.24	35.45	359	312	P	H
		2484.28	51.98	-2.02	54	36.73	32.47	8.24	35.45	359	312	A	H
													H
													H
	*	2462	114.7	-	-	99.59	32.33	8.21	35.44	100	6	P	V
	*	2462	106.8	-	-	91.69	32.33	8.21	35.44	100	6	A	V
		2484.52	64.95	-9.05	74	49.7	32.47	8.24	35.45	100	6	P	V
		2483.52	48.31	-5.69	54	33.06	32.47	8.24	35.45	100	6	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial RU (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant. 3+4		(MHz)	(dBμV/m)	Limit (dB)	Line (dBμV/m)	Level (dBμV)	Factor (dB/m)	Loss (dB)	Factor (dB)	Pos (cm)	Pos (deg)	Avg. (P/A)	(H/V)
802.11ax HE20 Partial M CH 01 2412MHz		4824	41.39	-32.61	74	52.62	34.05	11.66	57.97	-	-	P	H
		14475	47.29	-26.71	74	44.03	39.28	20.61	58.09	-	-	P	H
		16065	48.86	-25.14	74	40.81	41.2	22	56.81	-	-	P	H
		16065	38.68	-15.32	54	30.63	41.2	22	56.81	-	-	A	H
		17745	52.77	-21.23	74	41.91	41.85	23.48	56.13	-	-	P	H
		17745	41.67	-12.33	54	30.81	41.85	23.48	56.13	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
		4824	41.35	-32.65	74	52.58	34.05	11.66	57.97	-	-	P	V
		14490	47.11	-26.89	74	43.91	39.3	20.62	58.09	-	-	P	V
		16035	48.99	-25.01	74	41.08	41.1	21.97	56.82	-	-	P	V
		16035	38.67	-15.33	54	30.76	41.1	21.97	56.82	-	-	A	V
		17835	51.99	-22.01	74	40.95	41.9	23.56	56.08	-	-	P	V
		17835	41.6	-12.4	54	30.56	41.9	23.56	56.08	-	-	A	V
													V
													V
													V
													V
													V
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamplifier Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial BE CH 01 2412MHz		4824	41.58	-32.42	74	52.81	34.05	11.66	57.97	-	-	P	H
		14475	48.3	-25.7	74	45.04	39.28	20.61	58.09	-	-	P	H
		15915	48.52	-25.48	74	41.08	40.83	21.87	56.9	-	-	P	H
		15915	38	-16	54	30.56	40.83	21.87	56.9	-	-	A	H
		17895	51.58	-22.42	74	40.44	41.9	23.62	56.04	-	-	P	H
		17895	41.66	-12.34	54	30.52	41.9	23.62	56.04	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE20 Partial M CH 06 2437MHz		4874	43.81	-30.19	74	54.96	34.1	11.65	57.91	-	-	P	H	
		7311	58.75	-15.25	74	66.2	35.6	13.9	57.91	100	325	P	H	
		7311	46.85	-7.15	54	54.3	35.6	13.9	57.91	100	325	A	H	
		14499	47.23	-26.77	74	43.93	39.3	20.63	58.09	-	-	P	H	
		15735	48.95	-25.05	74	42.05	40.63	21.71	57.06	-	-	P	H	
		15735	38.41	-15.59	54	31.51	40.63	21.71	57.06	-	-	A	H	
		17775	51.65	-22.35	74	40.71	41.88	23.51	56.11	-	-	P	H	
		17775	41.3	-12.7	54	30.36	41.88	23.51	56.11	-	-	A	H	
														H
														H
														H
														H
		4874	45.57	-28.43	74	56.72	34.1	11.65	57.91	-	-	P	V	
		7311	61.48	-12.52	74	68.93	35.6	13.9	57.91	100	245	P	V	
		7311	49.93	-4.07	54	57.38	35.6	13.9	57.91	100	245	A	V	
		14499	47.33	-26.67	74	44.03	39.3	20.63	58.09	-	-	P	V	
		16140	48.5	-25.5	74	40.41	41.15	22.06	56.78	-	-	P	V	
		16140	38.44	-15.56	54	30.35	41.15	22.06	56.78	-	-	A	V	
		17700	52.11	-21.89	74	41.37	41.8	23.44	56.16	-	-	P	V	
		17700	41.48	-12.52	54	30.74	41.8	23.44	56.16	-	-	A	V	
													V	
													V	
													V	
													V	
Remark	1. No other spurious found.													
	2. All results are PASS against Peak and Average limit line.													
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.													
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.													

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial BE CH 06 2437MHz		4874	41.19	-32.81	74	52.34	34.1	11.65	57.91	-	-	P	H
		7311	59.01	-14.99	74	66.46	35.6	13.9	57.91	200	293	P	H
		7311	44.01	-9.99	54	51.46	35.6	13.9	57.91	200	293	A	H
		14475	47.83	-26.17	74	44.57	39.28	20.61	58.09	-	-	P	H
		15675	49.62	-24.38	74	42.98	40.47	21.66	57.11	-	-	P	H
		15675	37.65	-16.35	54	31.01	40.47	21.66	57.11	-	-	A	H
		17745	51.29	-22.71	74	40.43	41.85	23.48	56.13	-	-	P	H
		17745	41.31	-12.69	54	30.45	41.85	23.48	56.13	-	-	A	H
													H
													H
													H
													H
		4874	42.51	-31.49	74	53.66	34.1	11.65	57.91	-	-	P	V
		7311	63.11	-10.89	74	70.56	35.6	13.9	57.91	224	258	P	V
		7311	45.61	-8.39	54	53.06	35.6	13.9	57.91	224	258	A	V
		14490	47.22	-26.78	74	43.93	39.3	20.62	58.09	-	-	P	V
		16125	49.35	-24.65	74	41.22	41.2	22.05	56.78	-	-	P	V
		16125	38.71	-15.29	54	30.58	41.2	22.05	56.78	-	-	A	V
		17790	52.07	-21.93	74	41.1	41.9	23.52	56.11	-	-	P	V
		17790	41.67	-12.33	54	30.7	41.9	23.52	56.11	-	-	A	V
												V	
												V	
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial M CH 11 2462MHz		4924	41.43	-32.57	74	52.47	34.17	11.64	57.85	-	-	P	H
		7386	40.02	-33.98	74	47.49	35.6	14.01	57.98	-	-	P	H
		14490	46.91	-27.09	74	43.62	39.3	20.62	58.09	-	-	P	H
		15720	49.17	-24.83	74	42.31	40.62	21.69	57.07	-	-	P	H
		15720	38.56	-15.44	54	31.7	40.62	21.69	57.07	-	-	A	H
		17940	51.87	-22.13	74	40.67	41.9	23.66	56.02	-	-	P	H
		17940	41.29	-12.71	54	30.09	41.9	23.66	56.02	-	-	A	H
													H
													H
													H
													H
													H
		4924	40.91	-33.09	74	51.95	34.17	11.64	57.85	-	-	P	V
		7386	40.37	-33.63	74	47.84	35.6	14.01	57.98	-	-	P	V
		14499	48.21	-25.79	74	45	39.3	20.63	58.09	-	-	P	V
		14499	37.25	-16.75	54	34.04	39.3	20.63	58.09	-	-	A	V
		15825	49.07	-24.93	74	41.9	40.72	21.79	56.98	-	-	P	V
		15825	38.26	-15.74	54	31.09	40.72	21.79	56.98	-	-	A	V
		17940	51.86	-22.14	74	40.66	41.9	23.66	56.02	-	-	P	V
		17940	41.23	-12.77	54	30.03	41.9	23.66	56.02	-	-	A	V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial BE CH 11 2462MHz		4924	41.5	-32.5	74	52.54	34.17	11.64	57.85	-	-	P	H
		7386	39.68	-34.32	74	47.15	35.6	14.01	57.98	-	-	P	H
		14490	47.92	-26.08	74	44.63	39.3	20.62	58.09	-	-	P	H
		16170	48.67	-25.33	74	40.59	41.1	22.09	56.77	-	-	P	H
		16170	38.41	-15.59	54	30.33	41.1	22.09	56.77	-	-	A	H
		17820	51.94	-22.06	74	40.92	41.9	23.55	56.09	-	-	P	H
		17820	40.98	-13.02	54	29.96	41.9	23.55	56.09	-	-	A	H
													H
													H
													H
													H
													H
		4924	41.5	-32.5	74	52.54	34.17	11.64	57.85	-	-	P	V
		7386	39.62	-34.38	74	47.09	35.6	14.01	57.98	-	-	P	V
		14490	48.6	-25.4	74	45.4	39.3	20.62	58.09	-	-	P	V
		14490	37.09	-16.91	54	33.89	39.3	20.62	58.09	-	-	A	V
		16035	48.63	-25.37	74	40.72	41.1	21.97	56.82	-	-	P	V
		16035	38.21	-15.79	54	30.3	41.1	21.97	56.82	-	-	A	V
		17760	51.91	-22.09	74	41	41.87	23.5	56.12	-	-	P	V
		17760	41.1	-12.9	54	30.19	41.87	23.5	56.12	-	-	A	V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 2422MHz		2386.86	62.51	-11.49	74	47.92	31.9	18.1	35.41	344	305	P	H
		2386.44	52.72	-1.28	54	38.13	31.9	18.1	35.41	344	305	A	H
	*	2422	112.92	-	-	98.08	32.1	18.17	35.43	146	305	P	H
	*	2422	104.75	-	-	89.91	32.1	18.17	35.43	146	305	A	H
		2499.73	56.48	-17.52	74	41.09	32.6	18.25	35.46	344	305	P	H
		2485.96	45.89	-8.11	54	30.64	32.47	18.23	35.45	344	305	A	H
		2389.52	61.64	-12.36	74	47.04	31.9	18.11	35.41	231	43	P	V
		2389.94	52.59	-1.41	54	38	31.9	18.11	35.42	231	43	A	V
	*	2422	109.54	-	-	94.7	32.1	18.17	35.43	231	43	P	V
	*	2422	101.06	-	-	86.22	32.1	18.17	35.43	231	43	A	V
		2492.89	55.4	-18.6	74	40.02	32.6	18.24	35.46	231	43	P	V
		2494.96	45.27	-8.73	54	29.89	32.6	18.24	35.46	231	43	A	V
802.11ax HE40 Full CH 06 2437MHz		2389.66	58.8	-15.2	74	44.2	31.9	18.11	35.41	168	324	P	H
		2389.94	48.33	-5.67	54	33.74	31.9	18.11	35.42	168	324	A	H
	*	2437	113.16	-	-	98.21	32.2	18.18	35.43	168	327	P	H
	*	2437	105.3	-	-	90.35	32.2	18.18	35.43	168	327	A	H
		2483.8	60.97	-13.03	74	45.72	32.47	18.23	35.45	168	324	P	H
		2483.53	51.63	-2.37	54	36.38	32.47	18.23	35.45	168	324	A	H
		2389.24	54.08	-19.92	74	39.48	31.9	18.11	35.41	357	19	P	V
		2387.7	44.58	-9.42	54	29.99	31.9	18.1	35.41	357	19	A	V
	*	2437	110.24	-	-	95.29	32.2	18.18	35.43	357	19	P	V
	*	2437	102.78	-	-	87.83	32.2	18.18	35.43	357	19	A	V
		2489.38	55.86	-18.14	74	40.47	32.6	18.24	35.45	357	19	P	V
		2487.22	45.87	-8.13	54	30.62	32.47	18.23	35.45	357	19	A	V



802.11ax HE40 Full CH 09 2452MHz		2386.86	54.28	-19.72	74	39.69	31.9	18.1	35.41	400	310	P	H
		2389.8	44.42	-9.58	54	29.83	31.9	18.11	35.42	400	310	A	H
	*	2452	109.41	-	-	94.43	32.2	18.22	35.44	122	307	P	H
	*	2452	101.89	-	-	86.91	32.2	18.22	35.44	122	307	A	H
		2486.86	63.69	-10.31	74	48.44	32.47	18.23	35.45	400	310	P	H
		2485.96	52.15	-1.85	54	36.9	32.47	18.23	35.45	400	310	A	H
		2388.4	54.13	-19.87	74	39.54	31.9	18.1	35.41	100	57	P	V
		2385.04	44.34	-9.66	54	29.79	31.87	18.09	35.41	100	57	A	V
	*	2452	107.69	-	-	92.71	32.2	18.22	35.44	100	312	P	V
	*	2452	98.66	-	-	83.68	32.2	18.22	35.44	100	312	A	V
		2485.87	59.27	-14.73	74	44.02	32.47	18.23	35.45	100	57	P	V
		2485.69	49.08	-4.92	54	33.83	32.47	18.23	35.45	100	57	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 04 2427MHz		2388.82	64.33	-9.67	74	49.73	31.9	18.11	35.41	109	309	P	H
		2388.82	52.49	-1.51	54	37.89	31.9	18.11	35.41	109	309	A	H
	*	2427	113.49	-	-	98.64	32.1	18.18	35.43	109	309	P	H
	*	2427	104.69	-	-	89.84	32.1	18.18	35.43	109	309	A	H
		2488.93	56.12	-17.88	74	40.74	32.6	18.23	35.45	109	309	P	H
		2490.82	46.42	-7.58	54	31.03	32.6	18.24	35.45	109	309	A	H
		2388.54	60.58	-13.42	74	45.99	31.9	18.1	35.41	298	18	P	V
		2388.12	50.27	-3.73	54	35.68	31.9	18.1	35.41	298	18	A	V
	*	2427	108.49	-	-	93.64	32.1	18.18	35.43	298	18	P	V
	*	2427	100.65	-	-	85.8	32.1	18.18	35.43	298	18	A	V
		2490.91	54.9	-19.1	74	39.51	32.6	18.24	35.45	298	18	P	V
		2484.52	45.24	-8.76	54	29.99	32.47	18.23	35.45	298	18	A	V
802.11ax HE40 Full CH 08 2447MHz		2369.64	55.1	-18.9	74	40.62	31.87	18.02	35.41	358	305	P	H
		2386.44	44.57	-9.43	54	29.98	31.9	18.1	35.41	358	305	A	H
	*	2447	111.58	-	-	96.62	32.2	18.2	35.44	121	305	P	H
	*	2447	103.96	-	-	89	32.2	18.2	35.44	121	305	A	H
		2483.53	61.89	-12.11	74	46.64	32.47	18.23	35.45	358	305	P	H
		2483.53	52.71	-1.29	54	37.46	32.47	18.23	35.45	358	305	A	H
		2360.96	54.08	-19.92	74	39.66	31.83	17.99	35.4	106	56	P	V
		2388.4	44.44	-9.56	54	29.85	31.9	18.1	35.41	106	56	A	V
	*	2447	109.46	-	-	94.5	32.2	18.2	35.44	399	334	P	V
	*	2447	100.71	-	-	85.75	32.2	18.2	35.44	399	334	A	V
		2484.34	61.01	-12.99	74	45.76	32.47	18.23	35.45	106	56	P	V
		2483.53	50.98	-3.02	54	35.73	32.47	18.23	35.45	106	56	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE40 Full (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4				(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE40 Full CH 03 2422MHz		4844	42.2	-31.8	74	53.35	34.1	12.69	57.94	-	-	P	H
		7266	41.16	-32.84	74	48.53	35.67	14.82	57.86	-	-	P	H
		14490	47.87	-26.13	74	44.67	39.3	20.62	58.09	-	-	P	H
		16140	49.4	-24.6	74	41.31	41.15	23.72	56.78	-	-	P	H
		16140	38.67	-15.33	54	30.58	41.15	23.72	56.78	-	-	A	H
		17805	51.62	-22.38	74	40.62	41.9	25.2	56.1	-	-	P	H
		17805	41.69	-12.31	54	30.69	41.9	25.2	56.1	-	-	A	H
													H
													H
													H
													H
													H
													H
		4844	41.83	-32.17	74	52.98	34.1	12.69	57.94	-	-	P	V
		7266	42.46	-31.54	74	49.83	35.67	14.82	57.86	-	-	P	V
		14499	47.32	-26.68	74	44.11	39.3	20.63	58.09	-	-	P	V
		16185	48.28	-25.72	74	40.23	41.05	23.76	56.76	-	-	P	V
		16185	39.01	-14.99	54	30.96	41.05	23.76	56.76	-	-	A	V
		17805	51.52	-22.48	74	40.52	41.9	25.2	56.1	-	-	P	V
		17805	41.69	-12.31	54	30.69	41.9	25.2	56.1	-	-	A	V
												V	
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4				(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
I802.11ax HE40 Full CH 06 2437MHz		4874	43.18	-30.82	74	54.33	34.1	12.66	57.91	-	-	P	H
		7311	41.47	-32.53	74	48.92	35.6	14.86	57.91	-	-	P	H
		14475	46.97	-27.03	74	43.8	39.28	20.61	58.09	-	-	P	H
		15690	48.36	-25.64	74	41.64	40.53	23.29	57.1	-	-	P	H
		15690	38.38	-15.62	54	31.66	40.53	23.29	57.1	-	-	A	H
		17835	51.42	-22.58	74	40.38	41.9	25.22	56.08	-	-	P	H
		17835	41.57	-12.43	54	30.53	41.9	25.22	56.08	-	-	A	H
													H
													H
													H
													H
													H
													H
		4874	42.37	-31.63	74	53.52	34.1	12.66	57.91	-	-	P	V
		7311	44.1	-29.9	74	51.55	35.6	14.86	57.91	-	-	P	V
		14475	47.12	-26.88	74	43.86	39.28	22.07	58.09	-	-	P	V
		16110	48.38	-25.62	74	40.22	41.25	23.7	56.79	-	-	P	V
		16110	39	-15	54	30.84	41.25	23.7	56.79	-	-	A	V
		17910	51.81	-22.19	74	40.65	41.9	25.29	56.03	-	-	P	V
		17910	41.56	-12.44	54	30.4	41.9	25.29	56.03	-	-	A	V
												V	
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4				(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE40 Full CH 09 2452MHz		4904	41.68	-32.32	74	52.77	34.13	12.65	57.87	-	-	P	H
		7356	40.76	-33.24	74	48.23	35.6	14.88	57.95	-	-	P	H
		14475	47.22	-26.78	74	43.96	39.28	22.07	58.09	-	-	P	H
		16140	49.09	-24.91	74	41	41.15	23.72	56.78	-	-	P	H
		16140	38.67	-15.33	54	30.58	41.15	23.72	56.78	-	-	A	H
		17910	52.16	-21.84	74	41	41.9	25.29	56.03	-	-	P	H
		17910	41.54	-12.46	54	30.38	41.9	25.29	56.03	-	-	A	H
													H
													H
													H
													H
													H
													H
		4904	42.02	-31.98	74	53.11	34.13	12.65	57.87	-	-	P	V
		7356	40.41	-33.59	74	47.88	35.6	14.88	57.95	-	-	P	V
		14475	47.3	-26.7	74	44.04	39.28	22.07	58.09	-	-	P	V
		16155	49.07	-24.93	74	40.95	41.15	23.74	56.77	-	-	P	V
		16155	38.62	-15.38	54	30.5	41.15	23.74	56.77	-	-	A	V
		17880	51.76	-22.24	74	40.65	41.9	25.26	56.05	-	-	P	V
		17880	41.61	-12.39	54	30.5	41.9	25.26	56.05	-	-	A	V
												V	
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE40 Partial RU (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial M CH 03 2422MHz		2379.16	68.41	-5.59	74	53.88	31.87	8.04	35.41	396	332	P	H
		2382.94	51.48	-2.52	54	36.94	31.87	8.05	35.41	396	332	A	H
	*	2422	111.52	-	-	96.68	32.1	8.15	35.43	100	320	P	H
	*	2422	103.49	-	-	88.65	32.1	8.15	35.43	100	320	A	H
		2493.63	56.96	-17.04	74	41.58	32.6	8.25	35.46	396	332	P	H
		2490.06	46.74	-7.26	54	31.35	32.6	8.25	35.45	396	332	A	H
		2389.24	62.09	-11.91	74	47.49	31.9	8.08	35.41	100	287	P	V
		2380.28	48.34	-5.66	54	33.81	31.87	8.04	35.41	100	287	A	V
	*	2422	109.66	-	-	94.82	32.1	8.15	35.43	100	287	P	V
	*	2422	101.52	-	-	86.68	32.1	8.15	35.43	100	287	A	V
		2493.42	55.51	-18.49	74	40.13	32.6	8.25	35.46	100	287	P	V
		2497.27	45.98	-8.02	54	30.59	32.6	8.26	35.46	100	287	A	V
802.11ax HE40 Partial BE CH 03 2422MHz		2385.32	72.39	-1.61	74	57.84	31.87	8.06	35.41	176	325	P	H
		2388.54	51.86	-2.14	54	37.27	31.9	8.07	35.41	176	325	A	H
	*	2422	112.25	-	-	97.41	32.1	8.15	35.43	176	325	P	H
	*	2422	104.43	-	-	89.59	32.1	8.15	35.43	176	325	A	H
		2493.61	55.18	-18.82	74	39.8	32.6	8.25	35.46	176	325	P	H
		2484.34	45.15	-8.85	54	29.9	32.47	8.24	35.45	176	325	A	H
		2389.1	69.44	-4.56	74	54.84	31.9	8.08	35.41	100	287	P	V
		2388.68	48.84	-5.16	54	34.24	31.9	8.08	35.41	100	287	A	V
	*	2422	110.88	-	-	96.04	32.1	8.15	35.43	100	287	P	V
	*	2422	102.28	-	-	87.44	32.1	8.15	35.43	100	287	A	V
		2484.7	54.99	-19.01	74	39.74	32.47	8.24	35.45	100	287	P	V
		2498.83	45.2	-8.8	54	29.81	32.6	8.26	35.46	100	287	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial M CH 04 2427MHz		2377.76	65.64	-8.36	74	51.1	31.87	8.03	35.41	148	318	P	H
		2388.12	52.29	-1.71	54	37.67	31.9	8.07	35.41	148	318	A	H
	*	2427	110.79	-	-	95.91	32.1	8.16	35.43	148	318	P	H
	*	2427	103.36	-	-	88.48	32.1	8.16	35.43	148	318	A	H
		2495.77	56.32	-17.68	74	40.93	32.6	8.25	35.46	148	318	P	H
		2495.59	45.39	-8.61	54	30	32.6	8.25	35.46	148	318	A	H
		2384.48	63.84	-10.16	74	49.26	31.87	8.06	35.41	101	297	P	V
		2382.66	47.83	-6.17	54	33.26	31.87	8.05	35.41	101	297	A	V
	*	2427	108.03	-	-	93.15	32.1	8.16	35.43	101	297	P	V
	*	2427	99.63	-	-	84.75	32.1	8.16	35.43	101	297	A	V
		2497.21	55.56	-18.44	74	40.16	32.6	8.26	35.46	101	297	P	V
		2499.91	45.18	-8.82	54	29.78	32.6	8.26	35.46	101	297	A	V
802.11ax HE40 Partial BE CH 04 2427MHz		2384.76	67.37	-6.63	74	52.79	31.87	8.06	35.41	149	319	P	H
		2389.8	51.66	-2.34	54	37.04	31.9	8.08	35.42	149	319	A	H
	*	2427	112.02	-	-	97.14	32.1	8.16	35.43	149	319	P	H
	*	2427	103.95	-	-	89.07	32.1	8.16	35.43	149	319	A	H
		2484.61	58.7	-15.3	74	43.43	32.47	8.24	35.45	149	319	P	H
		2485.06	44.6	-9.4	54	29.33	32.47	8.24	35.45	149	319	A	H
		2388.96	66.55	-7.45	74	51.92	31.9	8.08	35.41	103	271	P	V
		2388.4	45.75	-8.25	54	31.13	31.9	8.07	35.41	103	271	A	V
	*	2427	108.65	-	-	93.77	32.1	8.16	35.43	103	271	P	V
	*	2427	100.7	-	-	85.82	32.1	8.16	35.43	103	271	A	V
		2485.06	56.62	-17.38	74	41.35	32.47	8.24	35.45	103	271	P	V
		2494.96	44.03	-9.97	54	28.64	32.6	8.25	35.46	103	271	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial M CH 06 2437MHz		2385.46	55.14	-18.86	74	40.59	31.87	8.06	35.41	195	333	P	H
		2389.8	45.34	-8.66	54	30.75	31.9	8.08	35.42	195	333	A	H
	*	2437	109.97	-	-	95.02	32.2	8.17	35.43	195	333	P	H
	*	2437	100.99	-	-	86.04	32.2	8.17	35.43	195	333	A	H
		2484.25	63.69	-10.31	74	48.44	32.47	8.24	35.45	195	333	P	H
		2483.5	52.25	-1.75	54	37	32.47	8.24	35.45	195	333	A	H
		2387.42	53.92	-20.08	74	39.33	31.9	8.07	35.41	100	287	P	V
		2389.94	44.88	-9.12	54	30.29	31.9	8.08	35.42	100	287	A	V
	*	2437	107.52	-	-	92.57	32.2	8.17	35.43	100	287	P	V
	*	2437	99.52	-	-	84.57	32.2	8.17	35.43	100	287	A	V
		2483.55	60.87	-13.13	74	45.62	32.47	8.24	35.45	100	287	P	V
		2483.55	49.09	-4.91	54	33.84	32.47	8.24	35.45	100	287	A	V
802.11ax HE40 Partial BE CH 06 242MHz		2387.28	68.85	-5.15	74	54.26	31.9	8.07	35.41	289	330	P	H
		2385.74	48.36	-5.64	54	33.78	31.9	8.06	35.41	289	330	A	H
	*	2437	116.42	-	-	101.47	32.2	8.17	35.43	289	330	P	H
	*	2437	108.47	-	-	93.52	32.2	8.17	35.43	289	330	A	H
		2485.6	72.71	-1.29	74	57.46	32.47	8.24	35.45	289	330	P	H
		2484.25	52.87	-1.13	54	37.62	32.47	8.24	35.45	289	330	A	H
		2388.12	64.26	-9.74	74	49.67	31.9	8.07	35.41	100	290	P	V
		2389.8	48.77	-5.23	54	34.18	31.9	8.08	35.42	100	290	A	V
	*	2437	114.41	-	-	99.46	32.2	8.17	35.43	100	290	P	V
	*	2437	105.83	-	-	90.88	32.2	8.17	35.43	100	290	A	V
		2490.64	67.22	-6.78	74	51.83	32.6	8.25	35.45	100	290	P	V
		2484.52	50.56	-3.44	54	35.31	32.47	8.24	35.45	100	290	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial M CH 08 2447MHz		2320.78	53.5	-20.5	74	39.3	31.77	7.81	35.39	116	316	P	H
		2386.16	44.02	-9.98	54	29.4	31.9	8.07	35.41	116	316	A	H
	*	2447	109.08	-	-	94.1	32.2	8.19	35.44	116	316	P	H
	*	2447	101.3	-	-	86.32	32.2	8.19	35.44	116	316	A	H
		2493.35	63.66	-10.34	74	48.27	32.6	8.25	35.46	116	316	P	H
		2491.95	52.34	-1.66	54	36.95	32.6	8.25	35.46	116	316	A	H
		2388.68	52.93	-21.07	74	38.3	31.9	8.08	35.41	100	299	P	V
		2389.66	43.36	-10.64	54	28.73	31.9	8.08	35.41	100	299	A	V
	*	2447	106.09	-	-	91.11	32.2	8.19	35.44	100	299	P	V
	*	2447	98.43	-	-	83.45	32.2	8.19	35.44	100	299	A	V
		2490.69	58.78	-15.22	74	43.38	32.6	8.25	35.45	100	299	P	V
		2493.07	48.47	-5.53	54	33.08	32.6	8.25	35.46	100	299	A	V
802.11ax HE40 Partial BE CH 08 2447MHz		2388.96	53.88	-20.12	74	39.25	31.9	8.08	35.41	327	316	P	H
		2388.12	43.47	-10.53	54	28.85	31.9	8.07	35.41	327	316	A	H
	*	2447	112.45	-	-	97.47	32.2	8.19	35.44	327	316	P	H
	*	2447	103.77	-	-	88.79	32.2	8.19	35.44	327	316	A	H
		2486.41	69.28	-4.72	74	54.01	32.47	8.24	35.45	327	316	P	H
		2484.79	49.98	-4.02	54	34.71	32.47	8.24	35.45	327	316	A	H
		2387.7	52.92	-21.08	74	38.3	31.9	8.07	35.41	100	299	P	V
		2389.66	43.31	-10.69	54	28.68	31.9	8.08	35.41	100	299	A	V
	*	2447	108.58	-	-	93.6	32.2	8.19	35.44	100	299	P	V
	*	2447	100.7	-	-	85.72	32.2	8.19	35.44	100	299	A	V
		2484.52	68.6	-5.4	74	53.33	32.47	8.24	35.45	100	299	P	V
		2484.61	47	-7	54	31.73	32.47	8.24	35.45	100	299	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial M CH 09 2452MHz		2381.4	54.62	-19.38	74	40.08	31.87	8.05	35.41	219	333	P	H
		2378.46	44.5	-9.5	54	29.98	31.87	8.03	35.41	219	333	A	H
	*	2452	108.64	-	-	93.68	32.2	8.19	35.44	219	333	P	H
	*	2452	100	-	-	85.04	32.2	8.19	35.44	219	333	A	H
		2497.69	63.79	-10.21	74	48.4	32.6	8.26	35.46	219	333	P	H
		2496.71	52.63	-1.37	54	37.24	32.6	8.26	35.46	219	333	A	H
		2389.38	53.93	-20.07	74	39.33	31.9	8.08	35.41	100	285	P	V
		2386.3	44.55	-9.45	54	29.96	31.9	8.07	35.41	100	285	A	V
	*	2452	107.12	-	-	92.16	32.2	8.19	35.44	100	285	P	V
	*	2452	99.6	-	-	84.64	32.2	8.19	35.44	100	285	A	V
		2496.43	60.85	-13.15	74	45.46	32.6	8.26	35.46	100	285	P	V
		2497.69	50.06	-3.94	54	34.67	32.6	8.26	35.46	100	285	A	V
802.11ax HE40 Partial BE CH 09 2452MHz		2331	56.81	-17.19	74	42.57	31.77	7.85	35.39	357	316	P	H
		2386.58	44.54	-9.46	54	29.95	31.9	8.07	35.41	357	316	A	H
	*	2452	111.37	-	-	96.41	32.2	8.19	35.44	357	316	P	H
	*	2452	102.26	-	-	87.3	32.2	8.19	35.44	357	316	A	H
		2490.64	70.5	-3.5	74	55.11	32.6	8.25	35.45	357	316	P	H
		2489.47	52.55	-1.45	54	37.16	32.6	8.25	35.45	357	316	A	H
		2321.34	54.78	-19.22	74	40.58	31.77	7.81	35.39	400	353	P	V
		2364.74	44.1	-9.9	54	29.68	31.83	7.98	35.41	400	353	A	V
	*	2452	109.98	-	-	95.02	32.2	8.19	35.44	400	353	P	V
	*	2452	101.62	-	-	86.66	32.2	8.19	35.44	400	353	A	V
		2488.93	66.66	-7.34	74	51.28	32.6	8.24	35.45	400	353	P	V
		2488.3	46.25	-7.75	54	30.87	32.6	8.24	35.45	400	353	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE40 Partial RU (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4				(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE40 Partial M CH 03 2422MHz		4844	41.26	-32.74	74	52.41	34.1	11.66	57.94	-	-	P	H
		7266	40.31	-33.69	74	47.68	35.67	13.83	57.86	-	-	P	H
		14490	47.02	-26.98	74	43.73	39.3	20.62	58.09	-	-	P	H
		16095	49.43	-24.57	74	41.24	41.3	22.02	56.79	-	-	P	H
		16095	38.57	-15.43	54	30.38	41.3	22.02	56.79	-	-	A	H
		17790	51.28	-22.72	74	40.31	41.9	23.52	56.11	-	-	P	H
		17790	41.55	-12.45	54	30.58	41.9	23.52	56.11	-	-	A	H
													H
													H
													H
													H
													H
		4844	41.2	-32.8	74	52.35	34.1	11.66	57.94	-	-	P	V
		7266	40.72	-33.28	74	48.09	35.67	13.83	57.86	-	-	P	V
		14475	46.69	-27.31	74	43.43	39.28	20.61	58.09	-	-	P	V
		16110	48.78	-25.22	74	40.62	41.25	22.04	56.79	-	-	P	V
		16110	38.97	-15.03	54	30.81	41.25	22.04	56.79	-	-	A	V
		17895	51.62	-22.38	74	40.48	41.9	23.62	56.04	-	-	P	V
		17895	41.59	-12.41	54	30.45	41.9	23.62	56.04	-	-	A	V
													V
												V	
												V	
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial BE CH 03 2422MHz		4844	41.37	-32.63	74	52.52	34.1	11.66	57.94	-	-	P	H
		7266	40.93	-33.07	74	48.3	35.67	13.83	57.86	-	-	P	H
		14490	47.29	-26.71	74	44.09	39.3	20.62	58.09	-	-	P	H
		16035	48.9	-25.1	74	40.99	41.1	21.97	56.82	-	-	P	H
		16035	38.26	-15.74	54	30.35	41.1	21.97	56.82	-	-	A	H
		17895	52.13	-21.87	74	40.99	41.9	23.62	56.04	-	-	P	H
		17895	40.96	-13.04	54	29.82	41.9	23.62	56.04	-	-	A	H
													H
													H
													H
													H
													H
													H
		4844	41.22	-32.78	74	52.37	34.1	11.66	57.94	-	-	P	V
		7266	42.37	-31.63	74	49.74	35.67	13.83	57.86	-	-	P	V
		14490	47.3	-26.7	74	44.1	39.3	20.62	58.09	-	-	P	V
		15690	48.75	-25.25	74	42.03	40.53	21.67	57.1	-	-	P	V
		15690	38.37	-15.63	54	31.65	40.53	21.67	57.1	-	-	A	V
		17835	51.99	-22.01	74	40.95	41.9	23.56	56.08	-	-	P	V
		17835	41.02	-12.98	54	29.98	41.9	23.56	56.08	-	-	A	V
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4				(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE40 Partial M CH 06 2437MHz		4874	41.29	-32.71	74	52.44	34.1	11.65	57.91	-	-	P	H
		7311	40.6	-33.4	74	48.05	35.6	13.9	57.91	-	-	P	H
		14490	48.13	-25.87	74	44.84	39.3	20.62	58.09	-	-	P	H
		14490	37.37	-16.63	54	34.08	39.3	20.62	58.09	-	-	A	H
		15870	48.98	-25.02	74	41.67	40.78	21.83	56.94	-	-	P	H
		15870	38.18	-15.82	54	30.87	40.78	21.83	56.94	-	-	A	H
		17910	51.76	-22.24	74	40.6	41.9	23.63	56.03	-	-	P	H
		17910	41.15	-12.85	54	29.99	41.9	23.63	56.03	-	-	A	H
													H
													H
													H
													H
		4874	42.19	-31.81	74	53.34	34.1	11.65	57.91	-	-	P	V
		7311	41.01	-32.99	74	48.46	35.6	13.9	57.91	-	-	P	V
		14490	47.55	-26.45	74	44.26	39.3	20.62	58.09	-	-	P	V
		16170	48.68	-25.32	74	40.6	41.1	22.09	56.77	-	-	P	V
		16170	38.88	-15.12	54	30.8	41.1	22.09	56.77	-	-	A	V
		17700	52.73	-21.27	74	41.99	41.8	23.44	56.16	-	-	P	V
		17700	41.54	-12.46	54	30.8	41.8	23.44	56.16	-	-	A	V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial BE CH 06 2437MHz		4874	40.71	-33.29	74	51.86	34.1	11.65	57.91	-	-	P	H
		7311	44.94	-29.06	74	52.39	35.6	13.9	57.91	-	-	P	H
		14475	46.71	-27.29	74	43.45	39.28	20.61	58.09	-	-	P	H
		16140	49.38	-24.62	74	41.29	41.15	22.06	56.78	-	-	P	H
		16140	38.59	-15.41	54	30.5	41.15	22.06	56.78	-	-	A	H
		17775	51.41	-22.59	74	40.47	41.88	23.51	56.11	-	-	P	H
		17775	41.14	-12.86	54	30.2	41.88	23.51	56.11	-	-	A	H
													H
													H
													H
													H
													H
													H
		4874	41.15	-32.85	74	52.3	34.1	11.65	57.91	-	-	P	V
		7311	47.13	-26.87	74	54.58	35.6	13.9	57.91	-	-	P	V
		14490	47.33	-26.67	74	44.13	39.3	20.62	58.09	-	-	P	V
		16170	48.69	-25.31	74	40.61	41.1	22.09	56.77	-	-	P	V
		16170	38.39	-15.61	54	30.31	41.1	22.09	56.77	-	-	A	V
		17835	51.56	-22.44	74	40.52	41.9	23.56	56.08	-	-	P	V
		17835	41.04	-12.96	54	30	41.9	23.56	56.08	-	-	A	V
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial M CH 09 2452MHz		4904	40.95	-33.05	74	52.04	34.13	11.64	57.87	-	-	P	H
		7356	40.63	-33.37	74	48.1	35.6	13.96	57.95	-	-	P	H
		14475	47.52	-26.48	74	44.26	39.28	20.61	58.09	-	-	P	H
		15690	49.57	-24.43	74	42.85	40.53	21.67	57.1	-	-	P	H
		15690	38.67	-15.33	54	31.95	40.53	21.67	57.1	-	-	A	H
		17775	51.65	-22.35	74	40.71	41.88	23.51	56.11	-	-	P	H
		17775	41.55	-12.45	54	30.61	41.88	23.51	56.11	-	-	A	H
													H
													H
													H
													H
													H
													H
		4904	39.99	-34.01	74	51.08	34.13	11.64	57.87	-	-	P	V
		7356	39.54	-34.46	74	47.01	35.6	13.96	57.95	-	-	P	V
		14490	46.68	-27.32	74	43.39	39.3	20.62	58.09	-	-	P	V
		16155	48.93	-25.07	74	40.81	41.15	22.08	56.77	-	-	P	V
		16155	39.04	-14.96	54	30.92	41.15	22.08	56.77	-	-	A	V
		17850	51.72	-22.28	74	40.65	41.9	23.58	56.07	-	-	P	V
		17850	41.43	-12.57	54	30.36	41.9	23.58	56.07	-	-	A	V
													V
													V
													V
													V
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial BE CH 09 2452MHz		4904	40.26	-33.74	74	51.35	34.13	11.64	57.87	-	-	P	H
		7356	39.51	-34.49	74	46.98	35.6	13.96	57.95	-	-	P	H
		14475	47.59	-26.41	74	44.33	39.28	20.61	58.09	-	-	P	H
		16155	49.96	-24.04	74	41.84	41.15	22.08	56.77	-	-	P	H
		16155	38.54	-15.46	54	30.42	41.15	22.08	56.77	-	-	A	H
		17790	51.95	-22.05	74	40.98	41.9	23.52	56.11	-	-	P	H
		17790	41.05	-12.95	54	30.08	41.9	23.52	56.11	-	-	A	H
													H
													H
													H
													H
													H
													H
		4904	41.21	-32.79	74	52.3	34.13	11.64	57.87	-	-	P	V
		7356	39.95	-34.05	74	47.42	35.6	13.96	57.95	-	-	P	V
		14490	46.88	-27.12	74	43.59	39.3	20.62	58.09	-	-	P	V
		15855	48.57	-25.43	74	41.31	40.76	21.81	56.95	-	-	P	V
		15855	37.85	-16.15	54	30.59	40.76	21.81	56.95	-	-	A	V
		17835	51.7	-22.3	74	40.66	41.9	23.56	56.08	-	-	P	V
		17835	41.02	-12.98	54	29.98	41.9	23.56	56.08	-	-	A	V
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

Emission above 18GHz

2.4GHz WIFI 802.11ax HE40 (SHF)

[illegible]

Emission below 1GHz

2.4GHz WIFI 802.11ax HE40 (LF)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11ax HE40 LF		49.44	26.24	-13.76	40	40.4	14.58	1.27	30.01	-	-	P	H
		101.82	31.38	-12.12	43.5	43.5	16.15	1.72	29.99	-	-	P	H
		194.97	32.54	-10.96	43.5	45.3	14.88	2.33	29.97	-	-	P	H
		336.4	28.47	-17.53	46	35.63	19.88	2.94	29.98	-	-	P	H
		500.2	30.46	-15.54	46	32.94	23.82	3.55	29.85	-	-	P	H
		943.3	32.79	-13.21	46	26.85	29.84	4.84	28.74	-	-	P	H
													H
													H
													H
													H
													H
													H
		30	33.93	-6.07	40	38.49	24.57	0.9	30.03	-	-	P	V
		51.06	30.83	-9.17	40	45.74	13.81	1.29	30.01	-	-	P	V
		57.81	29.47	-10.53	40	46.18	11.94	1.36	30.01	-	-	P	V
		475	29.53	-16.47	46	32.44	23.5	3.47	29.88	-	-	P	V
		500.2	33.74	-12.26	46	36.22	23.82	3.55	29.85	-	-	P	V
		954.5	32.95	-13.05	46	26.23	30.52	4.89	28.69	-	-	P	V
													V
													V
													V
													V
													V
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



<TXBF Mode>

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Full CH 01 2412MHz		2389.59	61.09	-12.91	74	46.46	31.9	18.14	35.41	100	308	P	H
		2389.065	52.87	-1.13	54	38.24	31.9	18.14	35.41	100	308	A	H
	*	2412	114.82	-	-	100.04	32	18.2	35.42	100	308	P	H
	*	2412	107.02	-	-	92.24	32	18.2	35.42	100	308	P	H
													H
													H
		2388.015	58.03	-15.97	74	43.41	31.9	18.13	35.41	324	0	P	V
		2390	50.02	-3.98	54	35.4	31.9	18.14	35.42	324	0	A	V
	*	2412	112.91	-	-	98.13	32	18.2	35.42	324	0	P	V
	*	2412	104.4	-	-	89.62	32	18.2	35.42	324	0	A	V
													V
													V
802.11ax HE20 Full CH 06 2437MHz		2386.02	54.88	-19.12	74	40.3	31.9	18.09	35.41	123	311	P	H
		2389.66	44.62	-9.38	54	30.02	31.9	18.11	35.41	123	311	A	H
	*	2437	116.34	-	-	101.39	32.2	18.18	35.43	123	311	P	H
	*	2437	108.62	-	-	93.67	32.2	18.18	35.43	123	311	A	H
		2490.76	55.2	-18.8	74	39.81	32.6	18.24	35.45	123	311	P	H
		2483.55	45.71	-8.29	54	30.46	32.47	18.23	35.45	123	311	A	H
		2322.6	54.1	-19.9	74	39.9	31.77	17.82	35.39	356	0	P	V
		2374.26	43.83	-10.17	54	29.33	31.87	18.04	35.41	356	0	A	V
	*	2437	116	-	-	101.05	32.2	18.18	35.43	356	0	P	V
	*	2437	107.69	-	-	92.74	32.2	18.18	35.43	356	0	A	V
		2492.37	54.62	-19.38	74	39.24	32.6	18.24	35.46	356	0	P	V
		2496.29	44.95	-9.05	54	29.57	32.6	18.24	35.46	356	0	A	V



802.11ax HE20 Full CH 11 2462MHz	*	2462	116.33	-	-	101.29	32.25	18.23	35.44	114	305	P	H
	*	2462	108.07	-	-	93.03	32.25	18.23	35.44	114	305	A	H
		2483.6	62.36	-11.64	74	47.23	32.33	18.25	35.45	114	305	P	H
		2483.76	52.2	-1.8	54	37.06	32.34	18.25	35.45	114	305	A	H
													H
													H
	*	2462	113.43	-	-	98.39	32.25	18.23	35.44	400	0	P	V
	*	2462	104.62	-	-	89.58	32.25	18.23	35.44	400	0	A	V
		2483.8	58.82	-15.18	74	43.68	32.34	18.25	35.45	400	0	P	V
		2483.68	48.89	-5.11	54	33.76	32.33	18.25	35.45	400	0	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 10 2457MHz	*	2457	118.02	-	-	102.92	32.33	18.21	35.44	116	303	P	H
	*	2457	109.41	-	-	94.31	32.33	18.21	35.44	116	303	A	H
		2483.6	61.31	-12.69	74	46.06	32.47	18.23	35.45	358	303	P	H
		2483.52	51.88	-2.12	54	36.63	32.47	18.23	35.45	358	303	A	H
													H
													H
	*	2457	115.62	-	-	100.52	32.33	18.21	35.44	400	0	P	V
	*	2457	107.57	-	-	92.47	32.33	18.21	35.44	400	0	A	V
		2483.52	57.1	-16.9	74	41.85	32.47	18.23	35.45	400	0	P	V
		2483.6	47.54	-6.46	54	32.29	32.47	18.23	35.45	400	0	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

[illegible]

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 06 2437MHz		4874	42.72	-31.28	74	53.57	34.2	12.86	57.91	-	-	P	H
		7311	42.37	-31.63	74	49.26	36.1	14.92	57.91	-	-	P	H
		14475	47.94	-26.06	74	44.43	39.62	21.98	58.09	-	-	P	H
		16140	50.05	-23.95	74	40.93	42.3	23.6	56.78	-	-	P	H
		16140	40.58	-13.42	54	31.46	42.3	23.6	56.78	-	-	A	H
		17760	51.42	-22.58	74	40.98	41.88	24.68	56.12	-	-	P	H
		17760	42.1	-11.9	54	31.66	41.88	24.68	56.12	-	-	A	H
													H
													H
													H
													H
													H
													H
		4874	42.65	-31.35	74	53.5	34.2	12.86	57.91	-	-	P	V
		7311	41.67	-32.33	74	48.56	36.1	14.92	57.91	-	-	P	V
		14490	47.48	-26.52	74	43.91	39.67	21.99	58.09	-	-	P	V
		16035	50.68	-23.32	74	41.87	42.1	23.53	56.82	-	-	P	V
		16035	40.42	-13.58	54	31.61	42.1	23.53	56.82	-	-	A	V
		17760	51.88	-22.12	74	41.44	41.88	24.68	56.12	-	-	P	V
		17760	42.14	-11.86	54	31.7	41.88	24.68	56.12	-	-	A	V
												V	
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. 4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



802.11ax HE20 Full CH 11 2462MHz		4924	42.46	-31.54	74	53.22	34.25	12.84	57.85	-	-	P	H
		7386	40.88	-33.12	74	47.71	36.24	14.91	57.98	-	-	P	H
		14490	47.8	-26.2	74	44.23	39.67	21.99	58.09	-	-	P	H
		16155	50.73	-23.27	74	41.58	42.3	23.62	56.77	-	-	P	H
		16155	40.98	-13.02	54	31.83	42.3	23.62	56.77	-	-	A	H
		17700	52.05	-21.95	74	41.57	42	24.64	56.16	-	-	P	H
		17700	41.81	-12.19	54	31.33	42	24.64	56.16	-	-	A	H
													H
													H
													H
													H
													H
		4924	43.37	-30.63	74	54.13	34.25	12.84	57.85	-	-	P	V
		7386	41.5	-32.5	74	48.33	36.24	14.91	57.98	-	-	P	V
		14505	47.97	-26.03	74	44.34	39.71	22.01	58.09	-	-	P	V
		15915	50.36	-23.64	74	41.84	42	23.42	56.9	-	-	P	V
		15915	40.42	-13.58	54	31.9	42	23.42	56.9	-	-	A	V
		17880	52.33	-21.67	74	41.74	41.88	24.76	56.05	-	-	P	V
		17880	42.17	-11.83	54	31.58	41.88	24.76	56.05	-	-	A	V
													V
													V
													V
													V
													V
													V
Remark	1.	No other spurious found.											
	2.	All results are PASS against Peak and Average limit line.											
	3.	The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.											
	4.	The emission level close to 18GHz is checked that the average emission level is noise floor only.											



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 2422MHz		2386.16	61.41	-12.59	74	46.67	32.02	18.13	35.41	100	304	P	H
		2389.24	52.86	-1.14	54	38.09	32.04	18.14	35.41	100	304	A	H
	*	2422	110.93	-	-	96.02	32.14	18.2	35.43	100	304	P	H
	*	2422	103.04	-	-	88.13	32.14	18.2	35.43	100	304	A	H
		2489.78	55.84	-18.16	74	40.68	32.36	18.25	35.45	100	304	P	H
		2487.4	46.72	-7.28	54	31.58	32.35	18.24	35.45	100	304	A	H
		2389.52	59.2	-14.8	74	44.43	32.04	18.14	35.41	378	0	P	V
		2386.02	49.94	-4.06	54	35.21	32.02	18.12	35.41	378	0	A	V
	*	2422	108.64	-	-	93.73	32.14	18.2	35.43	378	0	P	V
	*	2422	101.39	-	-	86.48	32.14	18.2	35.43	378	0	A	V
		2495.87	55.3	-18.7	74	40.13	32.38	18.25	35.46	378	0	P	V
		2483.97	45.79	-8.21	54	30.65	32.34	18.25	35.45	378	0	A	V
802.11ax HE40 Full CH 06 2437MHz		2387.7	57.41	-16.59	74	42.66	32.03	18.13	35.41	122	303	P	H
		2389.66	48.38	-5.62	54	33.61	32.04	18.14	35.41	122	303	A	H
	*	2437	112.89	-	-	97.94	32.17	18.21	35.43	122	303	P	H
	*	2437	105.35	-	-	90.4	32.17	18.21	35.43	122	303	A	H
		2484.25	60.61	-13.39	74	45.47	32.34	18.25	35.45	122	303	P	H
		2483.5	50.07	-3.93	54	34.94	32.33	18.25	35.45	122	303	A	H
		2384.06	54.82	-19.18	74	40.11	32	18.12	35.41	358	345	P	V
		2389.52	45.44	-8.56	54	30.67	32.04	18.14	35.41	358	345	A	V
	*	2437	111.2	-	-	96.25	32.17	18.21	35.43	358	345	P	V
	*	2437	103.84	-	-	88.89	32.17	18.21	35.43	358	345	A	V
		2486.42	55.44	-18.56	74	40.29	32.35	18.25	35.45	358	345	P	V
		2483.76	46.29	-7.71	54	31.15	32.34	18.25	35.45	358	345	A	V



802.11ax HE40 Full CH 09 2452MHz		2335.62	54.5	-19.5	74	40.2	31.8	17.89	35.39	114	306	P	H
		2388.54	44.98	-9.02	54	30.23	32.03	18.13	35.41	114	306	A	H
	*	2452	109.27	-	-	94.28	32.21	18.22	35.44	114	306	P	H
	*	2452	101.91	-	-	86.92	32.21	18.22	35.44	114	306	A	H
		2485.72	60.84	-13.16	74	45.7	32.34	18.25	35.45	114	306	P	H
		2485.02	51.3	-2.7	54	36.16	32.34	18.25	35.45	114	306	A	H
		2379.16	54.76	-19.24	74	40.1	31.97	18.1	35.41	356	14	P	V
		2388.4	44.87	-9.13	54	30.12	32.03	18.13	35.41	356	14	A	V
	*	2452	106.29	-	-	91.3	32.21	18.22	35.44	356	14	P	V
	*	2452	99.16	-	-	84.17	32.21	18.22	35.44	356	14	A	V
		2495.8	56.26	-17.74	74	41.09	32.38	18.25	35.46	356	14	P	V
		2483.62	47.49	-6.51	54	32.36	32.33	18.25	35.45	356	14	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 08 2447MHz		2387.56	54.95	-19.05	74	40.2	32.03	18.13	35.41	116	301	P	H
		2389.8	45.4	-8.6	54	30.64	32.04	18.14	35.42	116	301	A	H
	*	2447	110.19	-	-	95.22	32.19	18.22	35.44	116	301	P	H
	*	2447	103.18	-	-	88.21	32.19	18.22	35.44	116	301	A	H
		2483.62	61.82	-12.18	74	46.69	32.33	18.25	35.45	116	301	P	H
		2483.5	51.37	-2.63	54	36.24	32.33	18.25	35.45	116	301	A	H
		2346.12	54.79	-19.21	74	40.45	31.8	17.94	35.4	356	348	P	V
		2387.84	45.01	-8.99	54	30.26	32.03	18.13	35.41	356	348	A	V
	*	2447	108.73	-	-	93.76	32.19	18.22	35.44	356	348	P	V
	*	2447	101.76	-	-	86.79	32.19	18.22	35.44	356	348	A	V
		2484.46	57.62	-16.38	74	42.48	32.34	18.25	35.45	356	348	P	V
		2483.5	47.52	-6.48	54	32.39	32.33	18.25	35.45	356	348	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 2422MHz		4844	43.02	-30.98	74	53.87	34.2	12.89	57.94	-	-	P	H
		7266	41.53	-32.47	74	48.37	36.1	14.92	57.86	-	-	P	H
		14499	48.3	-25.7	74	44.69	39.7	22	58.09	-	-	P	H
		14499	38.2	-15.8	54	34.59	39.7	22	58.09	-	-	A	H
		15885	50.12	-23.88	74	41.7	41.96	23.39	56.93	-	-	P	H
		15885	39.43	-14.57	54	31.01	41.96	23.39	56.93	-	-	A	H
		17790	52.2	-21.8	74	41.79	41.82	24.7	56.11	-	-	P	H
		17790	41.4	-12.6	54	30.99	41.82	24.7	56.11	-	-	A	H
													H
													H
													H
													H
		4844	42.59	-31.41	74	53.44	34.2	12.89	57.94	-	-	P	V
		7266	42.17	-31.83	74	49.01	36.1	14.92	57.86	-	-	P	V
		14475	48.21	-25.79	74	44.7	39.62	21.98	58.09	-	-	P	V
		14475	38.19	-15.81	54	34.68	39.62	21.98	58.09	-	-	A	V
		16170	50.21	-23.79	74	41.06	42.3	23.62	56.77	-	-	P	V
		16170	40.22	-13.78	54	31.07	42.3	23.62	56.77	-	-	A	V
		17700	51.79	-22.21	74	41.31	42	24.64	56.16	-	-	P	V
		17700	41.33	-12.67	54	30.85	42	24.64	56.16	-	-	A	V
													V
													V
													V
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



WIFI Ant. 3+4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
I802.11ax HE40 Full CH 06 2437MHz		4874	42.71	-31.29	74	53.56	34.2	12.86	57.91	-	-	P	H
		7311	42.95	-31.05	74	49.84	36.1	14.92	57.91	-	-	P	H
		14490	48.56	-25.44	74	44.99	39.67	21.99	58.09	-	-	P	H
		14490	38.36	-15.64	54	34.79	39.67	21.99	58.09	-	-	A	H
		16110	50.88	-23.12	74	41.78	42.3	23.59	56.79	-	-	P	H
		16110	40.38	-13.62	54	31.28	42.3	23.59	56.79	-	-	A	H
		17700	51.85	-22.15	74	41.37	42	24.64	56.16	-	-	P	H
		17700	41.89	-12.11	54	31.41	42	24.64	56.16	-	-	A	H
													H
													H
													H
													H
		4874	42.64	-31.36	74	53.49	34.2	12.86	57.91	-	-	P	V
		7311	42.06	-31.94	74	48.95	36.1	14.92	57.91	-	-	P	V
		14490	47.51	-26.49	74	43.94	39.67	21.99	58.09	-	-	P	V
		14490	38.24	-15.76	54	34.67	39.67	21.99	58.09	-	-	A	V
		16095	50.24	-23.76	74	41.18	42.28	23.57	56.79	-	-	P	V
		16095	40.17	-13.83	54	31.11	42.28	23.57	56.79	-	-	A	V
		17715	52.84	-21.16	74	42.37	41.97	24.65	56.15	-	-	P	V
		17715	41.83	-12.17	54	31.36	41.97	24.65	56.15	-	-	A	V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.		(MHz)	(dBμV/m)	Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4				(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE40 Full CH 09 2452MHz		4904	42.1	-31.9	74	52.91	34.21	12.85	57.87	-	-	P	H
		7356	42.88	-31.12	74	49.81	36.12	14.9	57.95	-	-	P	H
		14475	47.76	-26.24	74	44.25	39.62	21.98	58.09	-	-	P	H
		16170	50.01	-23.99	74	40.86	42.3	23.62	56.77	-	-	P	H
		16170	40.46	-13.54	54	31.31	42.3	23.62	56.77	-	-	A	H
		17715	52.66	-21.34	74	42.19	41.97	24.65	56.15	-	-	P	H
		17715	41.75	-12.25	54	31.28	41.97	24.65	56.15	-	-	A	H
													H
													H
													H
													H
													H
		4904	42.8	-31.2	74	53.61	34.21	12.85	57.87	-	-	P	V
		7356	43.14	-30.86	74	50.07	36.12	14.9	57.95	-	-	P	V
		14505	47.94	-26.06	74	44.31	39.71	22.01	58.09	-	-	P	V
		16155	50.66	-23.34	74	41.51	42.3	23.62	56.77	-	-	P	V
		16155	40.34	-13.66	54	31.19	42.3	23.62	56.77	-	-	A	V
		17880	52.01	-21.99	74	41.42	41.88	24.76	56.05	-	-	P	V
		17880	41.3	-12.7	54	30.71	41.88	24.76	56.05	-	-	A	V
													V
												V	
												V	
												V	
												V	
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												
	4. The emission level close to 18GHz is checked that the average emission level is noise floor only.												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is over limit line.
P/A	Peak or Average
H/V	Horizontal or Vertical

A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
3+4		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots

Test Engineer :	Jesse Wang, Stan Hsieh and Ken Wu	Temperature :	17.9~24.6°C
		Relative Humidity :	53.1~69.0%

Note symbol





-L	Low channel location
-R	High channel location







<CDD Mode>





2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
3+4	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3.000kHz SWTAuto	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH02 2417MHz	
3+4	Horizontal	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH02 2417MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH10 2457MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3.000kHz SWTAuto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH10 2457MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto



2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto




WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWTAuto	Left Blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000KHz VBW:1.000KHz SWTAuto	Left Blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH02 2417MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH02 2417MHz	
3+4	Vertical	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH10 2457MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_S4 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH10 2457MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto







2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)


WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
3+4	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE_74 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site Condition : 03CH07-HY : PEAK_74 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site Condition : 03CH07-HY : AVG_BE_S4 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site Condition : 03CH07-HY : AVG_S4 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH02 2417MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH02 2417MHz	
3+4	Vertical	Fundamental
Peak		
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH10 2457MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH10 2457MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto





2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Partial RU (Band Edge @ 3m)





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH01 2412MHz	
3+4	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site Condition : 03CH07-HY : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site Condition : 03CH07-HY : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto
Avg.		





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH01 2412MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH01 2412MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH01 2412MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH02 2417MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH02 2417MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH02 2417MHz	
3+4	Horizontal	Fundamental
Peak		
Avg.		





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH02 2417MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto


WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left Blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	Left Blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.300kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak		Left Blank
Avg.		Left Blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH10 2457MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH10 2457MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH10 2457MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH10 2457MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:5.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:5.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH11 2462MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial M CH11 2462MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH11 2462MHz	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial BE CH11 2462MHz	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:5.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:5.000kHz SWT:Auto

2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE_74 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site Condition : 03CH07-HY : PEAK_74 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site Condition : 03CH07-HY : AVG_BE_54 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site Condition : 03CH07-HY : AVG_54 3m HF ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - R	
3+4	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 2422MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWTAuto	Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWTAuto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Left blank




WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - L	
3+4	Vertical	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH09 2452MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWTAuto	Left blank








WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH04 2427MHz - L	
3+4	Horizontal	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH04 2427MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Left blank









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH04 2427MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH04 2427MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH08 2447MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH08 2447MHz - R	
3+4	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH08 2447MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH08 2447MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3.000kHz SWTAuto	Left blank



2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE40 Partial RU (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH03 2422MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site Condition : 03CH07-HY : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site Condition : 03CH07-HY : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site Condition : 03CH07-HY : AVG_BE_S4 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site Condition : 03CH07-HY : AVG_S4 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH03 2422MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto	Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH03 2422MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH03 2422MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH03 2422MHz - L	
3+4	Horizontal	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWTAuto	Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWTAuto









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH03 2422MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH03 2422MHz - L	
3+4	Vertical	Fundamental
Peak		
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH03 2422MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	Left blank






WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH04 2427MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH04 2427MHz - R	
3+4	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH04 2427MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH04 2427MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH04 2427MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:0.300kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH04 2427MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-HY Condition : : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH04 2427MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH04 2427MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000KHz VBW:3.000KHz SWTAuto	Left blank









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWTA:Auto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000KHz VBW:1.000KHz SWTA:Auto	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH06 2437MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH06 2437MHz - R	
3+4	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH06 2437MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH06 2437MHz - R	
3+4	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH08 2447MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH08 2447MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH08 2447MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH08 2447MHz - R	
3+4	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH08 2447MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH08 2447MHz - R	
3+4	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH08 2447MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH08 2447MHz - R	
3+4	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH09 2452MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 HORIZONTAL RBW:1000.000kHz VBW:1.000kHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH09 2452MHz - R	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	Left blank









WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH09 2452MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial M CH09 2452MHz - R	
3+4	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH09 2452MHz - L	
3+4	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH09 2452MHz - R	
3+4	Horizontal	Fundamental
Peak		Left blank
Avg.		Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH09 2452MHz - L	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.300kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG_34 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:5.300kHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial BE CH09 2452MHz - R	
3+4	Vertical	Fundamental
Peak	 Site : 03CH07-RV Condition : PEAK_BE_74 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH07-RV Condition : AVG_BE_54 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank





2.4GHz 2400~2483.5MHz



WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





2.4GHz 2400~2483.5MHz



WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK_74 3m HP_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK_74 3m HP_ANT_00075962 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





2.4GHz 2400~2483.5MHz



WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH01 2412MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH06 2437MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH11 2462MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





2.4GHz 2400~2483.5MHz



WIFI 802.11ax HE20 Partial RU (Harmonic @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE20 Partial M CH01 2412MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE20 Partial BE CH01 2412MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE20 Partial M CH06 2437MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4V Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4V Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE20 Partial BE CH06 2437MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4V Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4V Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE20 Partial M CH11 2462MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4V Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4V Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE20 Partial BE CH11 2462MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4V Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4V Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





2.4GHz 2400~2483.5MHz



WIFI 802.11 ax HE40 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE40 Full CH03 2422MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK_74 3m HP_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK_74 3m HP_ANT_00075962 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE40 Full CH06 2437MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE40 Full CH09 2452MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4Y Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL





2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE40 Partial RU (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE40 Partial M CH03 2422MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE40 Partial BE CH03 2422MHz	
3+4	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-4V Condition : PEAK_74 3m HF_ANT_00075962 HORIZONTAL	 Site : 03CH07-4V Condition : PEAK_74 3m HF_ANT_00075962 VERTICAL