

Mini PC ThinGlobal

SpecificationsV1.3

P/N: TGMPC01

Power: DC 5V – 2A

Mini PC ThinGlobal Specifications

Summary

1	(Product features)	3
2	(picture).....	3
3	(Interface function description)	3
4	(Power on before ,need to connect the basic peripherals)	4
5	(Power ON).....	4
6	(Support external device).....	4

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Mini PC ThinGlobal Specifications

1 (Product features)

;

Is a mini PC host (minicomputer host), has a rich port function, the design of low power low voltage

(Voltage:5V – current:2A)and product miniaturization, has the design of anti-theft lock;

2 (picture)

2.1 (Product size: 119.89x80.55x22.6mm);

2.2 (Product picture);



2.3 (Product LABEL, located at the bottom)



3 (Interface function description)

3.1 HDMI x1;

3.2 VGA x1;

3.3 USB 2.0 x4;

3.4 RJ12(RS232) x1;

3.5 (RJ45) Gigabit network, Support PoEx1;

3.6 Audio(SPEAKER) x1;

3.7 Audio(MIC) x1;

3.8 Micro SD Card x1;

3.9 DC Input: 5V-2A;

3.10 WiFi 2.4G 150Mbps,IEEE (802.11b / 802.1g / 802.11n);

3.11 Bluetooth v2.1+EDR / BT v3.0+HS / BT v4.0;

Mini PC ThinGlobal Specifications

4 (Power on before ,need to connect the basic peripherals):

- 4.1 Connected to VGA or HDMI display);
- 4.2 (Connect 5V-2A DC power adapter);
- 4.3 (Connect USB keyboard and mouse);

5 (Power ON):

(Press the switch key 3~5 seconds ,boot enter the system (operating system for Windows 10));

Wait to enter the system, you can use the related functions(Operating system description, please refer to the Windows10 Microsoft manual);

6 (Support external device):

- 6.1 (VGA interface, support VGA display device);
- 6.2 (HDMI interface, support HDMI display device);
- 6.3 (USB interface, support 2 device)
- 6.4 RJ12 (RS232) function interface)
- 6.5 10/100/1000M Gigabit Ethernet;(RJ45 network interface, 10/100/1000M Gigabit Ethernet)
(Audio(SPEAKER),green, earphone or Multimedia Speaker System)
- 6.6 Audio(MIC)pink, Connected MIC;
- 6.7 (Micro SD Card, Max support 128GB);
(WiFi Wireless network, requires compatible IEEE (802.11b / 802.1g / 802.11n) wireless router or AP);