


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5582.0000	72.53	16.23	88.76	68.20	20.56	Peak	No Limit
2 *	5583.2000	64.12	16.23	80.35	54.00	26.35	AVG	No Limit
3	5725.0000	37.35	16.51	53.86	68.20	-14.34	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11217.2200	27.04	12.94	39.98	54.00	-14.02	AVG	
2	11228.4400	38.58	12.95	51.53	74.00	-22.47	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5574.0000	71.46	16.21	87.67	54.00	33.67	AVG	No Limit
2	5582.8000	78.72	16.23	94.95	68.20	26.75	Peak	No Limit
3	5725.0000	35.86	16.51	52.37	68.20	-15.83	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11219.6400	27.14	12.94	40.08	54.00	-13.92	AVG	
2	11224.0599	38.54	12.95	51.49	74.00	-22.51	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	37.44	16.49	53.93	109.40	-55.47	Peak	
2	5725.0000	36.76	16.51	53.27	122.20	-68.93	Peak	
3 *	5747.8000	68.46	16.56	85.02	122.20	-37.18	Peak	No Limit
4	5850.0000	36.79	16.76	53.55	122.20	-68.65	Peak	
5	5860.0000	36.94	16.78	53.72	109.40	-55.68	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11550.4600	26.89	13.19	40.08	54.00	-13.92	AVG	
2	11552.3200	38.51	13.19	51.70	74.00	-22.30	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	40.18	16.49	56.67	109.40	-52.73	Peak	
2	5725.0000	40.52	16.51	57.03	122.20	-65.17	Peak	
3 *	5801.8000	75.26	16.67	91.93	122.20	-30.27	Peak	No Limit
4	5850.0000	40.64	16.76	57.40	122.20	-64.80	Peak	
5	5860.0000	37.43	16.78	54.21	109.40	-55.19	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11553.3600	39.17	13.19	52.36	74.00	-21.64	Peak	
2 *	11556.4400	26.83	13.19	40.02	54.00	-13.98	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH


Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	22.09	17.10
40	5200	22.09	17.00
48	5240	23.15	17.20


CH36






CH40
26 dB Bandwidth



CH48




99 % Emission Bandwidth



Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	22.55	18.00
40	5200	22.30	18.10
48	5240	22.49	18.00

CH36




Date: 29.JAN.2021 11:54:24

CH40
26 dB Bandwidth




Date: 29.JAN.2021 11:55:17

CH48




Date: 29.JAN.2021 11:56:20


99 % Emission Bandwidth



Date: 29.JAN.2021 11:53:59



Date: 29.JAN.2021 11:54:53




Date: 29.JAN.2021 11:55:54


Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	60.80	37.80
46	5230	52.90	37.60



CH38



CH46
26 dB Bandwidth




99 % Emission Bandwidth



Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	24.29	17.30
60	5300	23.60	17.20
64	5320	26.19	17.40

CH52




Date: 29.JAN.2021 11:41:03

CH60
26 dB Bandwidth




Date: 29.JAN.2021 11:43:00

CH64




Date: 29.JAN.2021 11:43:56


99 % Emission Bandwidth



Date: 29.JAN.2021 11:40:40



Date: 29.JAN.2021 11:42:28




Date: 29.JAN.2021 11:43:33

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	22.59	18.20
60	5300	22.39	18.10
64	5320	22.91	18.00

CH52




Date: 29.JAN.2021 11:57:24

CH60
26 dB Bandwidth




Date: 29.JAN.2021 11:58:19

CH64




Date: 29.JAN.2021 11:59:36


99 % Emission Bandwidth



Date: 29.JAN.2021 11:56:59



Date: 29.JAN.2021 11:57:55




Date: 29.JAN.2021 11:59:10

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	46.40	37.40
62	5310	59.60	37.60

CH54




Date: 29.JAN.2021 16:56:41

CH62
26 dB Bandwidth




Date: 29.JAN.2021 16:57:48

99 % Emission Bandwidth



Date: 29.JAN.2021 16:55:58




Date: 29.JAN.2021 16:57:20

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	24.59	17.30
116	5580	23.70	17.10
140	5700	29.80	17.50

CH100




Date: 29.JAN.2021 11:45:14

CH116
26 dB Bandwidth




Date: 29.JAN.2021 11:46:13

CH140




Date: 29.JAN.2021 11:47:05


99 % Emission Bandwidth



Date: 29.JAN.2021 11:44:50



Date: 29.JAN.2021 11:45:46




Date: 29.JAN.2021 11:46:42

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	22.59	18.00
116	5580	24.09	18.20
140	5700	28.00	18.40

CH100




Date: 29.JAN.2021 12:00:51

CH116
26 dB Bandwidth




Date: 29.JAN.2021 16:46:12

CH140




Date: 29.JAN.2021 16:47:15


99 % Emission Bandwidth



Date: 29.JAN.2021 12:00:26




Date: 29.JAN.2021 16:45:47



Date: 29.JAN.2021 16:46:45


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	42.20	37.20
110	5550	45.99	3740
134	5670	42.79	37.40

CH110
26 dB Bandwidth



Date: 29.JAN.2021 17:01:26

99 % Emission Bandwidth




Date: 29.JAN.2021 17:00:59

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.45	18.00	500	Complies
157	5785	16.45	18.00	500	Complies
165	5825	16.45	17.70	500	Complies

CH149




Date: 29.JAN.2021 11:48:04

CH157
26 dB Bandwidth




Date: 29.JAN.2021 11:49:01

CH165




Date: 29.JAN.2021 11:50:00


99 % Emission Bandwidth



Date: 29.JAN.2021 11:47:36



Date: 29.JAN.2021 11:48:31




Date: 29.JAN.2021 11:49:32

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.40	18.20	500	Complies
157	5785	17.65	18.30	500	Complies
165	5825	17.65	18.30	500	Complies

CH149




Date: 29.JAN.2021 16:48:17

CH157
26 dB Bandwidth




Date: 29.JAN.2021 16:49:13

CH165




Date: 29.JAN.2021 16:50:57


99 % Emission Bandwidth



Date: 1.JAN.2003 03:05:15



Date: 29.JAN.2021 16:48:45




Date: 29.JAN.2021 16:50:30


Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.30	37.40	500	Complies
159	5795	36.50	37.60	500	Complies



CH151



CH159 26 dB Bandwidth




99 % Emission Bandwidth



Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	25.65	17.30
40	5200	28.99	17.40
48	5240	23.29	17.40

CH36




Date: 29.JAN.2021 17:07:52

CH40
26 dB Bandwidth




Date: 29.JAN.2021 17:08:52

CH48




Date: 29.JAN.2021 17:09:51


99 % Emission Bandwidth



Date: 29.JAN.2021 17:07:30



Date: 29.JAN.2021 17:08:25




Date: 29.JAN.2021 17:09:27

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	59.60	37.60
46	5230	46.00	37.60

CH38




Date: 29.JAN.2021 17:54:11

CH46
26 dB Bandwidth




Date: 29.JAN.2021 17:55:35

99 % Emission Bandwidth



Date: 29.JAN.2021 17:53:44




Date: 29.JAN.2021 17:55:06

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	112.20	76.80


CH42

26 dB Bandwidth



Date: 29.JAN.2021 18:43:10

99 % Emission Bandwidth




Date: 29.JAN.2021 18:41:00

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	24.30	17.20
60	5300	25.20	17.20
64	5320	24.79	17.30

CH52




Date: 29.JAN.2021 17:10:50

CH60
26 dB Bandwidth




Date: 29.JAN.2021 17:12:41

CH64




Date: 29.JAN.2021 17:13:47


99 % Emission Bandwidth



Date: 29.JAN.2021 17:10:24



Date: 29.JAN.2021 17:12:13




Date: 29.JAN.2021 17:13:12

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	119.20	76.80


CH58

26 dB Bandwidth



Date: 29.JAN.2021 18:44:21

99 % Emission Bandwidth




Date: 29.JAN.2021 18:43:44

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	21.89	17.10
116	5580	21.99	17.10
140	5700	21.90	17.20

CH100




Date: 29.JAN.2021 17:33:37

CH116
26 dB Bandwidth




Date: 29.JAN.2021 17:34:45

CH140




Date: 29.JAN.2021 17:35:57


99 % Emission Bandwidth



Date: 29.JAN.2021 17:35:27



Date: 29.JAN.2021 17:36:33




Date: 29.JAN.2021 17:37:43

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	42.10	37.40
110	5550	42.80	37.40
134	5670	42.19	37.20

CH102




Date: 29.JAN.2021 17:59:16

CH110
26 dB Bandwidth




Date: 29.JAN.2021 18:00:48

CH134




Date: 29.JAN.2021 18:02:01


99 % Emission Bandwidth



Date: 29.JAN.2021 17:58:49



Date: 29.JAN.2021 18:00:21




Date: 29.JAN.2021 18:01:36

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	83.59	76.00
122	5610	84.20	76.80

CH106





CH122

26 dB Bandwidth




99 % Emission Bandwidth




Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.45	17.10	500	Complies
157	5785	16.50	17.10	500	Complies
165	5825	16.45	17.20	500	Complies

CH165



Date: 29-JAN-2021 17:39:25

99 % Emission Bandwidth




Date: 29 JAN 2021 17:38:52

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	75.60	76.80	500	Complies


CH155

26 dB Bandwidth



Date: 29.JAN.2021 18:48:17

99 % Emission Bandwidth



Date: 29.JAN.2021 18:47:43

APPENDIX F - CONDUCTED OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.82	0.35	14.17	24.00	0.25	Complies
40	5200	13.69	0.35	14.04	24.00	0.25	Complies
48	5240	13.77	0.35	14.12	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.98	0.21	13.19	24.00	0.25	Complies
40	5200	12.75	0.21	12.96	24.00	0.25	Complies
48	5240	12.92	0.21	13.13	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.83	0.43	13.26	24.00	0.25	Complies
46	5230	12.88	0.43	13.31	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.85	0.35	14.20	24.00	0.25	Complies
60	5300	13.73	0.35	14.08	24.00	0.25	Complies
64	5320	13.81	0.35	14.16	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.88	0.21	13.09	24.00	0.25	Complies
60	5300	12.81	0.21	13.02	24.00	0.25	Complies
64	5320	12.93	0.21	13.14	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.84	0.43	13.27	24.00	0.25	Complies
62	5310	12.91	0.43	13.34	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.67	0.35	14.02	24.00	0.25	Complies
116	5580	13.81	0.35	14.16	24.00	0.25	Complies
140	5700	13.79	0.35	14.14	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.97	0.21	13.18	24.00	0.25	Complies
116	5580	12.85	0.21	13.06	24.00	0.25	Complies
140	5700	12.92	0.21	13.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.76	0.43	13.19	24.00	0.25	Complies
110	5550	12.69	0.43	13.12	24.00	0.25	Complies
134	5670	12.93	0.43	13.36	24.00	0.25	Complies