







ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.200	92.82			16.49	H	355	2.00
6	5,350.000	42.42	54.00	11.58	16.73	H	359.1	1.00
6	5,350.400	42.37	54.00	11.63	16.74	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.800	102.31			16.47	V	98.9	1.00
6	5,350.000	56.21	74.00	17.79	16.73	V	102.3	2.00
6	5,364.000	57.58	74.00	16.42	16.82	V	102.3	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	90.77			16.49	V	101.2	1.00
6	5,350.000	41.29	54.00	12.71	16.73	V	104.8	2.00
6	5,352.000	41.40	54.00	12.60	16.75	V	104.8	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.

**802.11n (20MHz)**

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.280	106.04			16.39	H	359	1.00
4	5,350.000	53.19	74.00	20.81	16.73	H	261.2	1.00
4	5,356.275	55.17	74.00	18.83	16.77	H	262.5	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.275	95.05			16.39	H	355	2.00
4	5,350.000	40.02	54.00	13.98	16.73	H	359.1	1.00
4	5,350.575	40.06	54.00	13.94	16.74	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.750	103.25			16.39	V	248.2	1.00
4	5,350.000	53.80	74.00	20.20	16.73	V	359.1	1.00
4	5,372.425	54.88	74.00	19.12	16.88	V	248.2	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	91.60			16.39	V	257.8	1.00
4	5,350.000	39.74	54.00	14.26	16.73	V	54.5	1.00
4	5,352.475	39.79	54.00	14.21	16.75	V	54.5	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.






ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.800	94.01			16.30	H	359.1	1.00
5	5,350.000	41.25	54.00	12.75	16.73	H	298.3	1.00
5	5,350.400	41.35	54.00	12.65	16.74	H	298.3	1.00



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.800	102.30			16.32	V	43.8	1.00
5	5,350.000	53.45	74.00	20.55	16.73	V	43.8	1.00
5	5,360.600	54.73	74.00	19.27	16.80	V	43.8	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.200	91.25			16.32	V	78.4	2.00
5	5,350.000	40.58	54.00	13.42	16.73	V	128.6	2.00
5	5,356.400	40.92	54.00	13.08	16.78	V	128.6	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.200	93.51			16.49	H	355.6	2.00
6	5,350.000	43.01	54.00	10.99	16.73	H	302	1.00
6	5,350.400	42.94	54.00	11.06	16.74	H	302	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,324.400	102.79			16.52	V	46.1	1.00
6	5,350.000	55.14	74.00	18.86	16.73	V	97.6	1.00
6	5,359.200	58.12	74.00	15.88	16.79	V	46.1	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,324.800	89.93			16.52	V	46.2	1.00
6	5,350.000	41.77	54.00	12.23	16.73	V	114.3	2.00
6	5,350.400	41.63	54.00	12.37	16.74	V	114.3	2.00



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.




802.11n (40MHz)

CHANNEL	TX Channel 54	DETECTOR	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz	FUNCTION	Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,259.430	102.29			16.39	H	355	2.00
3	5,350.000	54.19	74.00	19.81	16.73	H	30.7	2.00
3	5,455.600	56.48	74.00	17.52	18.32	H	81.5	2.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,267.500	89.01			16.37	H	354.9	2.00
3	5,350.000	40.86	54.00	13.14	16.73	H	359	1.00
3	5,447.533	41.15	54.00	12.85	18.13	H	359	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,271.533	97.52			16.36	V	77.9	1.00
3	5,350.000	53.66	74.00	20.34	16.73	V	52.2	1.00
3	5,422.600	55.47	74.00	18.53	17.54	V	332.8	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,272.633	85.85			16.36	V	77.9	1.00
3	5,350.000	40.15	54.00	13.85	16.73	V	52.2	1.00
3	5,448.633	40.64	54.00	13.36	18.16	V	77.9	1.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5270MHz: Fundamental frequency.



CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,299.500	101.96			16.30	H	52.8	1.00
4	5,350.000	59.08	74.00	14.92	16.73	H	1	1.00
4	5,360.000	59.00	74.00	15.00	16.80	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,305.500	88.40			16.36	H	52.9	1.00
4	5,350.000	42.65	54.00	11.35	16.73	H	359	1.00
4	5,351.500	42.65	54.00	11.35	16.74	H	359	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	98.48			16.37	V	78.6	1.00
4	5,350.000	57.66	74.00	16.34	16.73	V	103.6	2.00
4	5,351.500	57.66	74.00	16.34	16.74	V	103.6	2.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,312.500	86.12			16.42	V	103	1.00
4	5,350.000	40.92	54.00	13.08	16.73	V	103	1.00
4	5,351.000	40.90	54.00	13.10	16.74	V	79	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5310MHz: Fundamental frequency.

**802.11ac (20MHz)**

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.750	106.32			16.39	H	359.1	1.00
4	5,350.000	53.88	74.00	20.12	16.73	H	1	1.00
4	5,355.325	54.66	74.00	19.34	16.77	H	359.1	1.00





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	94.11			16.39	H	354.9	2.00
4	5,350.000	40.00	54.00	14.00	16.73	H	359	1.00
4	5,351.050	40.06	54.00	13.94	16.74	H	293.6	1.00





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,260.800	101.36			16.39	V	101.1	1.00
4	5,350.000	53.57	74.00	20.43	16.73	V	5	1.00
4	5,371.950	53.95	74.00	20.05	16.88	V	48.4	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.275	88.07			16.39	V	54.5	1.00
4	5,350.000	39.29	54.00	14.71	16.73	V	156.2	2.00
4	5,353.900	39.33	54.00	14.67	16.76	V	258.9	2.00



REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.800	92.83			16.30	H	354.9	2.00
5	5,350.000	41.20	54.00	12.80	16.73	H	359	1.00
5	5,353.400	41.30	54.00	12.70	16.76	H	318.7	1.00






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.800	103.76			16.32	V	101.1	1.00
5	5,350.000	54.79	74.00	19.21	16.73	V	101.1	1.00
5	5,350.400	56.27	74.00	17.73	16.74	V	48.5	1.00



**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,299.100	89.77			16.30	V	47.2	1.00
5	5,350.000	40.26	54.00	13.74	16.73	V	47.2	1.00
5	5,351.000	40.39	54.00	13.61	16.74	V	47.2	1.00

**REMARKS:**

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.

