

Test result

Project Number: Certification

Test Time: 2023-08-19_15.11.36

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: TX

Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8047.750	28.84	8.85	74.0	45.16	Peak	24.60	100	Horizontal	Pass
1**	8047.750	21.72	8.85	54.0	32.28	AV	24.60	100	Horizontal	Pass
2	10467.750	36.51	13.90	68.2	31.69	Peak	89.00	100	Horizontal	Pass
2**	10467.750	28.20	13.90	--	-28.20	AV	89.00	100	Horizontal	N/A
3	13113.250	41.22	17.99	68.2	26.98	Peak	0.00	100	Horizontal	Pass
3**	13113.250	31.39	17.99	--	-31.39	AV	0.00	100	Horizontal	N/A
4	14188.500	45.90	23.65	68.2	22.30	Peak	360.00	100	Horizontal	Pass
4**	14188.500	37.87	23.65	--	-37.87	AV	360.00	100	Horizontal	N/A
5	17461.000	49.54	26.17	68.2	18.66	Peak	250.50	100	Horizontal	Pass
5**	17461.000	41.25	26.17	--	-41.25	AV	250.50	100	Horizontal	N/A
6	17986.251	56.52	34.13	74.0	17.48	Peak	281.00	100	Horizontal	Pass
6**	17986.251	48.05	34.13	54.0	5.95	AV	281.00	100	Horizontal	Pass

WIFI5GB1-AC80-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-16_19:37:13

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 24.5

Hum.: 52%

Test Engineer: LYG


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.500	39.46	-15.27	74.0	34.54	Peak	204.00	100	Vertical	Pass
1**	1190.500	32.26	-15.27	54.0	21.74	AV	204.00	100	Vertical	Pass
2	1439.500	42.19	-14.42	74.0	31.81	Peak	312.40	100	Vertical	Pass
2**	1439.500	31.77	-14.42	54.0	22.23	AV	312.40	100	Vertical	Pass
3	2481.250	53.34	-9.82	68.2	14.86	Peak	153.80	100	Vertical	Pass
3**	2481.250	41.67	-9.82	--	-41.67	AV	153.80	100	Vertical	N/A
4	3719.500	52.27	0.96	74.0	21.73	Peak	0.00	100	Vertical	Pass
4**	3719.500	41.71	0.96	54.0	12.29	AV	0.00	100	Vertical	Pass
5	4247.000	52.94	1.23	74.0	21.06	Peak	222.40	100	Vertical	Pass
5**	4247.000	42.58	1.23	54.0	11.42	AV	222.40	100	Vertical	Pass
6	4765.500	54.80	2.65	74.0	19.20	Peak	90.70	100	Vertical	Pass
6**	4765.500	44.27	2.65	54.0	9.73	AV	90.70	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_15.13.26

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8047.750	28.79	8.85	74.0	45.21	Peak	141.10	100	Vertical	Pass
1**	8047.750	20.49	8.85	54.0	33.51	AV	141.10	100	Vertical	Pass
2	9926.000	34.78	13.92	68.2	33.42	Peak	141.10	100	Vertical	Pass
2**	9926.000	26.04	13.92	--	-26.04	AV	141.10	100	Vertical	N/A
3	11532.000	38.39	16.00	74.0	35.61	Peak	239.70	100	Vertical	Pass
3**	11532.000	28.73	16.00	54.0	25.27	AV	239.70	100	Vertical	Pass
4	14232.500	44.97	22.74	68.2	23.23	Peak	205.80	100	Vertical	Pass
4**	14232.500	36.42	22.74	--	-36.42	AV	205.80	100	Vertical	N/A
5	17488.501	49.96	26.68	68.2	18.24	Peak	205.80	100	Vertical	Pass
5**	17488.501	42.20	26.68	--	-42.20	AV	205.80	100	Vertical	N/A
6	17994.500	56.23	34.67	74.0	17.77	Peak	79.30	100	Vertical	Pass
6**	17994.500	48.31	34.67	54.0	5.69	AV	79.30	100	Vertical	Pass

WIFI5GB2-A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.52.54

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1208.500	39.99	-15.21	74.0	34.01	Peak	76.40	100	Horizontal	Pass
1**	1208.500	27.89	-15.21	54.0	26.11	AV	76.40	100	Horizontal	Pass
2	1344.000	39.75	-14.43	74.0	34.25	Peak	0.00	100	Horizontal	Pass
2**	1344.000	32.23	-14.43	54.0	21.77	AV	0.00	100	Horizontal	Pass
3	1550.250	39.54	-14.85	74.0	34.46	Peak	76.40	100	Horizontal	Pass
3**	1550.250	28.97	-14.85	54.0	25.03	AV	76.40	100	Horizontal	Pass
4	2348.500	43.52	-10.54	74.0	30.48	Peak	311.50	100	Horizontal	Pass
4**	2348.500	32.70	-10.54	54.0	21.30	AV	311.50	100	Horizontal	Pass
5	3998.000	55.56	4.95	74.0	18.44	Peak	347.50	100	Horizontal	Pass
5**	3998.000	45.50	4.95	54.0	8.50	AV	347.50	100	Horizontal	Pass
6	4922.500	57.33	5.96	74.0	16.67	Peak	0.00	100	Horizontal	Pass
6**	4922.500	46.91	5.96	54.0	7.09	AV	0.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_17.03.54

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7827.750	29.81	6.94	68.2	38.39	Peak	221.40	100	Horizontal	Pass
1**	7827.750	20.04	6.94	--	-20.04	AV	221.40	100	Horizontal	N/A
2	10957.250	37.07	15.20	74.0	36.93	Peak	109.80	100	Horizontal	Pass
2**	10957.250	26.90	15.20	54.0	27.10	AV	109.80	100	Horizontal	Pass
3	13140.750	41.31	18.07	68.2	26.89	Peak	174.20	100	Horizontal	Pass
3**	13140.750	32.62	18.07	--	-32.62	AV	174.20	100	Horizontal	N/A
4	14174.750	46.46	23.23	68.2	21.74	Peak	77.10	100	Horizontal	Pass
4**	14174.750	36.99	23.23	--	-36.99	AV	77.10	100	Horizontal	N/A
5	17469.250	49.85	26.37	68.2	18.35	Peak	328.60	100	Horizontal	Pass
5**	17469.250	42.26	26.37	--	-42.26	AV	328.60	100	Horizontal	N/A
6	17997.251	56.70	34.85	74.0	17.30	Peak	109.80	100	Horizontal	Pass
6**	17997.251	49.00	34.85	54.0	5.00	AV	109.80	100	Horizontal	Pass

WIFI5GB2-A-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_18.42.59

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.000	41.44	-15.27	74.0	32.56	Peak	311.00	100	Vertical	Pass
1**	1190.000	33.09	-15.27	54.0	20.91	AV	311.00	100	Vertical	Pass
2	1344.000	40.62	-14.43	74.0	33.38	Peak	279.00	100	Vertical	Pass
2**	1344.000	31.71	-14.43	54.0	22.29	AV	279.00	100	Vertical	Pass
3	1606.750	40.36	-14.82	74.0	33.64	Peak	93.10	100	Vertical	Pass
3**	1606.750	29.80	-14.82	54.0	24.20	AV	93.10	100	Vertical	Pass
4	2433.750	44.46	-9.82	68.2	23.74	Peak	188.80	100	Vertical	Pass
4**	2433.750	33.25	-9.82	--	-33.25	AV	188.80	100	Vertical	N/A
5	4059.500	55.86	4.41	74.0	18.14	Peak	211.90	100	Vertical	Pass
5**	4059.500	44.73	4.41	54.0	9.27	AV	211.90	100	Vertical	Pass
6	4780.000	57.93	6.42	74.0	16.07	Peak	0.00	100	Vertical	Pass
6**	4780.000	47.70	6.42	54.0	6.30	AV	0.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_17.01.57

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8622.500	30.54	8.75	68.2	37.66	Peak	170.50	100	Vertical	Pass
1**	8622.500	22.05	8.75	--	-22.05	AV	170.50	100	Vertical	N/A
2	10891.250	37.19	15.20	74.0	36.81	Peak	327.60	100	Vertical	Pass
2**	10891.250	29.17	15.20	54.0	24.83	AV	327.60	100	Vertical	Pass
3	13159.999	41.53	18.12	68.2	26.67	Peak	78.60	100	Vertical	Pass
3**	13159.999	33.44	18.12	--	-33.44	AV	78.60	100	Vertical	N/A
4	14749.500	45.95	22.81	68.2	22.25	Peak	327.60	100	Vertical	Pass
4**	14749.500	37.37	22.81	--	-37.37	AV	327.60	100	Vertical	N/A
5	17477.501	50.72	26.57	68.2	17.48	Peak	327.60	100	Vertical	Pass
5**	17477.501	41.48	26.57	--	-41.48	AV	327.60	100	Vertical	N/A
6	17988.999	56.17	34.31	74.0	17.83	Peak	78.60	100	Vertical	Pass
6**	17988.999	47.93	34.31	54.0	6.07	AV	78.60	100	Vertical	Pass

WIFI5GB2-A-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.55.07

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1240.250	39.61	-14.97	68.2	28.59	Peak	185.00	100	Horizontal	Pass
1**	1240.250	28.72	-14.97	--	-28.72	AV	185.00	100	Horizontal	N/A
2	1439.750	40.23	-14.42	74.0	33.77	Peak	57.40	100	Horizontal	Pass
2**	1439.750	29.76	-14.42	54.0	24.24	AV	57.40	100	Horizontal	Pass
3	2246.500	42.93	-10.21	74.0	31.07	Peak	27.20	100	Horizontal	Pass
3**	2246.500	33.65	-10.21	54.0	20.35	AV	27.20	100	Horizontal	Pass
4	2731.500	45.15	-8.25	74.0	28.85	Peak	57.40	100	Horizontal	Pass
4**	2731.500	34.01	-8.25	54.0	19.99	AV	57.40	100	Horizontal	Pass
5	3956.000	54.73	4.12	74.0	19.27	Peak	348.50	100	Horizontal	Pass
5**	3956.000	43.83	4.12	54.0	10.17	AV	348.50	100	Horizontal	Pass
6	4702.000	57.22	6.05	74.0	16.78	Peak	348.50	100	Horizontal	Pass
6**	4702.000	47.05	6.05	54.0	6.95	AV	348.50	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.58.34

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7970.750	31.01	7.86	68.2	37.19	Peak	195.80	100	Horizontal	Pass
1**	7970.750	20.76	7.86	--	-20.76	AV	195.80	100	Horizontal	N/A
2	9931.500	35.01	13.89	68.2	33.19	Peak	212.20	100	Horizontal	Pass
2**	9931.500	27.40	13.89	--	-27.40	AV	212.20	100	Horizontal	N/A
3	12225.000	38.89	15.91	74.0	35.11	Peak	81.60	100	Horizontal	Pass
3**	12225.000	29.77	15.91	54.0	24.23	AV	81.60	100	Horizontal	Pass
4	14532.250	45.73	21.55	68.2	22.47	Peak	195.80	100	Horizontal	Pass
4**	14532.250	37.02	21.55	--	-37.02	AV	195.80	100	Horizontal	N/A
5	17485.750	49.48	26.73	68.2	18.72	Peak	14.60	100	Horizontal	Pass
5**	17485.750	41.61	26.73	--	-41.61	AV	14.60	100	Horizontal	N/A
6	17994.500	56.61	34.67	74.0	17.39	Peak	14.60	100	Horizontal	Pass
6**	17994.500	48.83	34.67	54.0	5.17	AV	14.60	100	Horizontal	Pass

WIFI5GB2-A-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.02.34

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.000	41.90	-15.27	74.0	32.10	Peak	66.00	100	Vertical	Pass
1**	1190.000	31.63	-15.27	54.0	22.37	AV	66.00	100	Vertical	Pass
2	1498.250	40.67	-14.80	74.0	33.33	Peak	190.40	100	Vertical	Pass
2**	1498.250	29.52	-14.80	54.0	24.48	AV	190.40	100	Vertical	Pass
3	2322.750	43.97	-10.36	74.0	30.03	Peak	286.50	100	Vertical	Pass
3**	2322.750	33.96	-10.36	54.0	20.04	AV	286.50	100	Vertical	Pass
4	2851.250	46.74	-7.11	74.0	27.26	Peak	174.40	100	Vertical	Pass
4**	2851.250	34.94	-7.11	54.0	19.06	AV	174.40	100	Vertical	Pass
5	3925.500	56.10	3.76	74.0	17.90	Peak	68.70	100	Vertical	Pass
5**	3925.500	45.04	3.76	54.0	8.96	AV	68.70	100	Vertical	Pass
6	4861.500	58.04	6.44	74.0	15.96	Peak	162.40	100	Vertical	Pass
6**	4861.500	47.75	6.44	54.0	6.25	AV	162.40	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_17.00.07

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8430.000	29.31	7.79	74.0	44.69	Peak	160.80	100	Vertical	Pass
1**	8430.000	20.42	7.79	54.0	33.58	AV	160.80	100	Vertical	Pass
2	10467.750	35.93	13.90	68.2	32.27	Peak	127.30	100	Vertical	Pass
2**	10467.750	26.70	13.90	--	-26.70	AV	127.30	100	Vertical	N/A
3	11661.250	38.22	15.44	74.0	35.78	Peak	17.60	100	Vertical	Pass
3**	11661.250	29.76	15.44	54.0	24.24	AV	17.60	100	Vertical	Pass
4	14738.500	45.29	22.68	68.2	22.91	Peak	65.50	100	Vertical	Pass
4**	14738.500	36.78	22.68	--	-36.78	AV	65.50	100	Vertical	N/A
5	17472.000	50.43	26.44	68.2	17.77	Peak	226.70	100	Vertical	Pass
5**	17472.000	41.66	26.44	--	-41.66	AV	226.70	100	Vertical	N/A
6	17997.251	56.62	34.85	74.0	17.38	Peak	289.60	100	Vertical	Pass
6**	17997.251	48.85	34.85	54.0	5.15	AV	289.60	100	Vertical	Pass

WIFI5GB2-A-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.57.24

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1218.750	39.46	-15.16	74.0	34.54	Peak	6.40	100	Horizontal	Pass
1**	1218.750	28.10	-15.16	54.0	25.90	AV	6.40	100	Horizontal	Pass
2	1497.500	39.69	-14.79	74.0	34.31	Peak	233.90	100	Horizontal	Pass
2**	1497.500	31.00	-14.79	54.0	23.00	AV	233.90	100	Horizontal	Pass
3	2475.250	45.32	-9.83	68.2	22.88	Peak	325.70	100	Horizontal	Pass
3**	2475.250	33.89	-9.83	--	-33.89	AV	325.70	100	Horizontal	N/A
4	2824.250	45.68	-7.28	74.0	28.32	Peak	83.90	100	Horizontal	Pass
4**	2824.250	34.73	-7.28	54.0	19.27	AV	83.90	100	Horizontal	Pass
5	4154.500	55.51	3.92	74.0	18.49	Peak	321.00	100	Horizontal	Pass
5**	4154.500	45.09	3.92	54.0	8.91	AV	321.00	100	Horizontal	Pass
6	4866.000	57.94	6.65	74.0	16.06	Peak	43.80	100	Horizontal	Pass
6**	4866.000	47.39	6.65	54.0	6.61	AV	43.80	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.55.41

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8001.000	29.60	8.12	68.2	38.60	Peak	0.00	100	Horizontal	Pass
1**	8001.000	20.16	8.12	--	-20.16	AV	0.00	100	Horizontal	N/A
2	9411.750	33.59	11.71	74.0	40.41	Peak	157.80	100	Horizontal	Pass
2**	9411.750	25.86	11.71	54.0	28.14	AV	157.80	100	Horizontal	Pass
3	11155.250	38.62	15.02	74.0	35.38	Peak	313.40	100	Horizontal	Pass
3**	11155.250	29.26	15.02	54.0	24.74	AV	313.40	100	Horizontal	Pass
4	13897.000	44.13	19.50	68.2	24.07	Peak	189.80	100	Horizontal	Pass
4**	13897.000	35.01	19.50	--	-35.01	AV	189.80	100	Horizontal	N/A
5	14174.750	45.77	23.23	68.2	22.43	Peak	109.10	100	Horizontal	Pass
5**	14174.750	36.96	23.23	--	-36.96	AV	109.10	100	Horizontal	N/A
6	17986.251	56.16	34.13	74.0	17.84	Peak	345.00	100	Horizontal	Pass
6**	17986.251	48.73	34.13	54.0	5.27	AV	345.00	100	Horizontal	Pass

WIFI5GB2-A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.04.57

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1191.000	39.31	-15.27	74.0	34.69	Peak	357.40	100	Vertical	Pass
1**	1191.000	31.03	-15.27	54.0	22.97	AV	357.40	100	Vertical	Pass
2	1387.250	40.35	-14.30	74.0	33.65	Peak	329.00	100	Vertical	Pass
2**	1387.250	29.79	-14.30	54.0	24.21	AV	329.00	100	Vertical	Pass
3	2267.750	43.80	-9.87	74.0	30.20	Peak	345.40	100	Vertical	Pass
3**	2267.750	33.66	-9.87	54.0	20.34	AV	345.40	100	Vertical	Pass
4	3806.500	54.80	3.09	74.0	19.20	Peak	8.70	100	Vertical	Pass
4**	3806.500	44.18	3.09	54.0	9.82	AV	8.70	100	Vertical	Pass
5	4780.000	58.39	6.42	74.0	15.61	Peak	0.00	100	Vertical	Pass
5**	4780.000	47.68	6.42	54.0	6.32	AV	0.00	100	Vertical	Pass
6	5104.500	59.11	7.87	74.0	14.89	Peak	102.50	100	Vertical	Pass
6**	5104.500	49.27	7.87	54.0	4.73	AV	102.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.53.26

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8069.750	29.41	8.38	74.0	44.59	Peak	269.10	100	Vertical	Pass
1**	8069.750	20.20	8.38	54.0	33.80	AV	269.10	100	Vertical	Pass
2	10159.750	35.65	13.33	68.2	32.55	Peak	58.10	100	Vertical	Pass
2**	10159.750	27.20	13.33	--	-27.20	AV	58.10	100	Vertical	N/A
3	12450.500	39.57	16.88	74.0	34.43	Peak	360.00	100	Vertical	Pass
3**	12450.500	30.79	16.88	54.0	23.21	AV	360.00	100	Vertical	Pass
4	14166.500	45.49	22.96	68.2	22.71	Peak	188.70	100	Vertical	Pass
4**	14166.500	37.76	22.96	--	-37.76	AV	188.70	100	Vertical	N/A
5	17480.249	49.38	26.63	68.2	18.82	Peak	360.00	100	Vertical	Pass
5**	17480.249	41.54	26.63	--	-41.54	AV	360.00	100	Vertical	N/A
6	17977.999	56.39	33.60	74.0	17.61	Peak	343.90	100	Vertical	Pass
6**	17977.999	48.70	33.60	54.0	5.30	AV	343.90	100	Vertical	Pass

WIFI5GB2-N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_20.07.17

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1191.250	38.50	-15.27	74.0	35.50	Peak	154.40	100	Horizontal	Pass
1**	1191.250	29.03	-15.27	54.0	24.97	AV	154.40	100	Horizontal	Pass
2	1530.750	39.26	-14.81	74.0	34.74	Peak	52.70	100	Horizontal	Pass
2**	1530.750	29.09	-14.81	54.0	24.91	AV	52.70	100	Horizontal	Pass
3	2252.750	43.15	-10.04	74.0	30.85	Peak	88.10	100	Horizontal	Pass
3**	2252.750	33.14	-10.04	54.0	20.86	AV	88.10	100	Horizontal	Pass
4	2845.750	44.89	-7.11	74.0	29.11	Peak	88.10	100	Horizontal	Pass
4**	2845.750	35.16	-7.11	54.0	18.84	AV	88.10	100	Horizontal	Pass
5	4228.500	56.18	4.54	74.0	17.82	Peak	247.50	100	Horizontal	Pass
5**	4228.500	46.28	4.54	54.0	7.72	AV	247.50	100	Horizontal	Pass
6	4955.000	57.37	6.36	74.0	16.63	Peak	247.50	100	Horizontal	Pass
6**	4955.000	47.19	6.36	54.0	6.81	AV	247.50	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.51.22

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7979.000	28.79	7.93	68.2	39.41	Peak	180.10	100	Vertical	Pass
1**	7979.000	20.26	7.93	--	-20.26	AV	180.10	100	Vertical	N/A
2	9904.000	35.58	13.81	68.2	32.62	Peak	114.60	100	Vertical	Pass
2**	9904.000	27.25	13.81	--	-27.25	AV	114.60	100	Vertical	N/A
3	11257.000	38.48	16.14	74.0	35.52	Peak	360.00	100	Vertical	Pass
3**	11257.000	29.15	16.14	54.0	24.85	AV	360.00	100	Vertical	Pass
4	12406.500	40.67	16.80	74.0	33.33	Peak	81.50	100	Vertical	Pass
4**	12406.500	30.91	16.80	54.0	23.09	AV	81.50	100	Vertical	Pass
5	14471.750	45.67	22.07	74.0	28.33	Peak	0.00	100	Vertical	Pass
5**	14471.750	37.08	22.07	54.0	16.92	AV	0.00	100	Vertical	Pass
6	17980.750	56.00	33.77	74.0	18.00	Peak	114.60	100	Vertical	Pass
6**	17980.750	48.58	33.77	54.0	5.42	AV	114.60	100	Vertical	Pass

WIFI5GB2-N20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.16.19

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.000	40.55	-15.27	74.0	33.45	Peak	360.00	100	Vertical	Pass
1**	1190.000	31.91	-15.27	54.0	22.09	AV	360.00	100	Vertical	Pass
2	1441.500	41.59	-14.40	74.0	32.41	Peak	274.50	100	Vertical	Pass
2**	1441.500	29.41	-14.40	54.0	24.59	AV	274.50	100	Vertical	Pass
3	2255.000	44.63	-9.99	74.0	29.37	Peak	303.50	100	Vertical	Pass
3**	2255.000	34.08	-9.99	54.0	19.92	AV	303.50	100	Vertical	Pass
4	2781.750	45.26	-7.64	74.0	28.74	Peak	360.00	100	Vertical	Pass
4**	2781.750	35.41	-7.64	54.0	18.59	AV	360.00	100	Vertical	Pass
5	3915.000	55.08	3.71	74.0	18.92	Peak	306.10	100	Vertical	Pass
5**	3915.000	44.58	3.71	54.0	9.42	AV	306.10	100	Vertical	Pass
6	4747.500	57.57	6.21	74.0	16.43	Peak	270.40	100	Vertical	Pass
6**	4747.500	47.04	6.21	54.0	6.96	AV	270.40	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.49.39

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8028.500	29.44	8.59	74.0	44.56	Peak	54.40	100	Horizontal	Pass
1**	8028.500	20.84	8.59	54.0	33.16	AV	54.40	100	Horizontal	Pass
2	9824.250	33.74	12.58	68.2	34.46	Peak	150.40	100	Horizontal	Pass
2**	9824.250	25.59	12.58	--	-25.59	AV	150.40	100	Horizontal	N/A
3	12370.750	38.25	16.62	74.0	35.75	Peak	214.80	100	Horizontal	Pass
3**	12370.750	30.07	16.62	54.0	23.93	AV	214.80	100	Horizontal	Pass
4	14183.000	45.85	23.50	68.2	22.35	Peak	343.90	100	Horizontal	Pass
4**	14183.000	37.51	23.50	--	-37.51	AV	343.90	100	Horizontal	N/A
5	14796.250	46.24	22.52	68.2	21.96	Peak	182.10	100	Horizontal	Pass
5**	14796.250	36.87	22.52	--	-36.87	AV	182.10	100	Horizontal	N/A
6	17988.999	58.05	34.31	74.0	15.95	Peak	214.80	100	Horizontal	Pass
6**	17988.999	49.71	34.31	54.0	4.29	AV	214.80	100	Horizontal	Pass

WIFI5GB2-N20-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_20.09.55

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.500	38.61	-15.27	74.0	35.39	Peak	328.70	100	Horizontal	Pass
1**	1190.500	32.03	-15.27	54.0	21.97	AV	328.70	100	Horizontal	Pass
2	1339.750	39.39	-14.45	74.0	34.61	Peak	312.70	100	Horizontal	Pass
2**	1339.750	29.40	-14.45	54.0	24.60	AV	312.70	100	Horizontal	Pass
3	1553.750	39.13	-14.86	74.0	34.87	Peak	20.50	100	Horizontal	Pass
3**	1553.750	28.72	-14.86	54.0	25.28	AV	20.50	100	Horizontal	Pass
4	2231.250	43.19	-10.44	74.0	30.81	Peak	86.00	100	Horizontal	Pass
4**	2231.250	33.48	-10.44	54.0	20.52	AV	86.00	100	Horizontal	Pass
5	3677.000	54.92	1.97	74.0	19.08	Peak	94.80	100	Horizontal	Pass
5**	3677.000	43.83	1.97	54.0	10.17	AV	94.80	100	Horizontal	Pass
6	4655.500	57.09	5.42	74.0	16.91	Peak	203.50	100	Horizontal	Pass
6**	4655.500	46.65	5.42	54.0	7.35	AV	203.50	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.45.43

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7951.500	29.70	7.70	68.2	38.50	Peak	187.30	100	Vertical	Pass
1**	7951.500	21.58	7.70	--	-21.58	AV	187.30	100	Vertical	N/A
2	10476.000	36.58	13.98	68.2	31.62	Peak	0.00	100	Vertical	Pass
2**	10476.000	28.31	13.98	--	-28.31	AV	0.00	100	Vertical	N/A
3	13165.500	42.89	18.13	68.2	25.31	Peak	220.00	100	Vertical	Pass
3**	13165.500	34.69	18.13	--	-34.69	AV	220.00	100	Vertical	N/A
4	14741.250	45.68	22.72	68.2	22.52	Peak	12.00	100	Vertical	Pass
4**	14741.250	36.07	22.72	--	-36.07	AV	12.00	100	Vertical	N/A
5	17843.249	53.57	28.45	74.0	20.43	Peak	313.00	100	Vertical	Pass
5**	17843.249	44.80	28.45	54.0	9.20	AV	313.00	100	Vertical	Pass
6	17986.251	57.54	34.13	74.0	16.46	Peak	282.10	100	Vertical	Pass
6**	17986.251	48.31	34.13	54.0	5.69	AV	282.10	100	Vertical	Pass

WIFI5GB2-N20-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.18.50

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.250	41.28	-15.26	74.0	32.72	Peak	63.00	100	Vertical	Pass
1**	1201.250	29.09	-15.26	54.0	24.91	AV	63.00	100	Vertical	Pass
2	1439.750	40.78	-14.42	74.0	33.22	Peak	76.40	100	Vertical	Pass
2**	1439.750	30.64	-14.42	54.0	23.36	AV	76.40	100	Vertical	Pass
3	2243.250	44.12	-10.30	74.0	29.88	Peak	324.60	100	Vertical	Pass
3**	2243.250	33.12	-10.30	54.0	20.88	AV	324.60	100	Vertical	Pass
4	2752.250	45.73	-8.11	74.0	28.27	Peak	0.00	100	Vertical	Pass
4**	2752.250	35.01	-8.11	54.0	18.99	AV	0.00	100	Vertical	Pass
5	3812.500	55.41	2.78	74.0	18.59	Peak	0.00	100	Vertical	Pass
5**	3812.500	43.51	2.78	54.0	10.49	AV	0.00	100	Vertical	Pass
6	4687.500	57.35	6.09	74.0	16.65	Peak	206.00	100	Vertical	Pass
6**	4687.500	47.94	6.09	54.0	6.06	AV	206.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.47.39

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8047.750	28.88	8.85	74.0	45.12	Peak	191.30	100	Horizontal	Pass
1**	8047.750	21.61	8.85	54.0	32.39	AV	191.30	100	Horizontal	Pass
2	11188.250	38.14	15.32	74.0	35.86	Peak	222.50	100	Horizontal	Pass
2**	11188.250	29.94	15.32	54.0	24.06	AV	222.50	100	Horizontal	Pass
3	14191.250	44.68	23.59	68.2	23.52	Peak	15.70	100	Horizontal	Pass
3**	14191.250	36.96	23.59	--	-36.96	AV	15.70	100	Horizontal	N/A
4	14515.750	46.06	21.68	68.2	22.14	Peak	49.90	100	Horizontal	Pass
4**	14515.750	37.83	21.68	--	-37.83	AV	49.90	100	Horizontal	N/A
5	17491.249	50.38	26.63	68.2	17.82	Peak	222.50	100	Horizontal	Pass
5**	17491.249	40.53	26.63	--	-40.53	AV	222.50	100	Horizontal	N/A
6	17986.251	56.44	34.13	74.0	17.56	Peak	144.40	100	Horizontal	Pass
6**	17986.251	47.76	34.13	54.0	6.24	AV	144.40	100	Horizontal	Pass

WIFI5GB2-N20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_20.12.12

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1136.500	39.79	-15.76	74.0	34.21	Peak	49.20	100	Horizontal	Pass
1**	1136.500	27.71	-15.76	54.0	26.29	AV	49.20	100	Horizontal	Pass
2	1343.500	39.23	-14.43	74.0	34.77	Peak	49.20	100	Horizontal	Pass
2**	1343.500	30.90	-14.43	54.0	23.10	AV	49.20	100	Horizontal	Pass
3	1516.500	39.96	-14.80	74.0	34.04	Peak	132.20	100	Horizontal	Pass
3**	1516.500	29.49	-14.80	54.0	24.51	AV	132.20	100	Horizontal	Pass
4	2271.000	44.17	-9.89	74.0	29.83	Peak	180.90	100	Horizontal	Pass
4**	2271.000	33.06	-9.89	54.0	20.94	AV	180.90	100	Horizontal	Pass
5	4020.500	55.54	4.41	74.0	18.46	Peak	57.10	100	Horizontal	Pass
5**	4020.500	44.72	4.41	54.0	9.28	AV	57.10	100	Horizontal	Pass
6	4799.500	58.28	5.78	74.0	15.72	Peak	360.00	100	Horizontal	Pass
6**	4799.500	47.52	5.78	54.0	6.48	AV	360.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.43.46

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8039.500	29.39	8.77	74.0	44.61	Peak	32.40	100	Vertical	Pass
1**	8039.500	20.97	8.77	54.0	33.03	AV	32.40	100	Vertical	Pass
2	9972.750	35.64	13.58	68.2	32.56	Peak	0.00	100	Vertical	Pass
2**	9972.750	26.78	13.58	--	-26.78	AV	0.00	100	Vertical	N/A
3	12434.000	39.26	16.85	74.0	34.74	Peak	191.30	100	Vertical	Pass
3**	12434.000	31.35	16.85	54.0	22.65	AV	191.30	100	Vertical	Pass
4	14598.250	45.92	21.12	68.2	22.28	Peak	319.30	100	Vertical	Pass
4**	14598.250	36.81	21.12	--	-36.81	AV	319.30	100	Vertical	N/A
5	17488.501	49.79	26.68	68.2	18.41	Peak	360.00	100	Vertical	Pass
5**	17488.501	40.99	26.68	--	-40.99	AV	360.00	100	Vertical	N/A
6	17991.750	55.89	34.49	74.0	18.11	Peak	359.30	100	Vertical	Pass
6**	17991.750	49.04	34.49	54.0	4.96	AV	359.30	100	Vertical	Pass

WIFI5GB2-N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.23.12

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.750	40.78	-15.27	74.0	33.22	Peak	0.00	100	Vertical	Pass
1**	1190.750	32.28	-15.27	54.0	21.72	AV	0.00	100	Vertical	Pass
2	1439.750	40.50	-14.42	74.0	33.50	Peak	341.30	100	Vertical	Pass
2**	1439.750	29.87	-14.42	54.0	24.13	AV	341.30	100	Vertical	Pass
3	2344.500	43.52	-10.50	74.0	30.48	Peak	246.80	100	Vertical	Pass
3**	2344.500	33.34	-10.50	54.0	20.66	AV	246.80	100	Vertical	Pass
4	2833.250	44.79	-7.20	74.0	29.21	Peak	246.80	100	Vertical	Pass
4**	2833.250	35.07	-7.20	54.0	18.93	AV	246.80	100	Vertical	Pass
5	3982.500	54.63	3.80	74.0	19.37	Peak	122.70	100	Vertical	Pass
5**	3982.500	45.30	3.80	54.0	8.70	AV	122.70	100	Vertical	Pass
6	4864.000	57.56	6.56	74.0	16.44	Peak	321.80	100	Vertical	Pass
6**	4864.000	47.39	6.56	54.0	6.61	AV	321.80	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.41.47

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8078.000	28.98	8.20	74.0	45.02	Peak	2.80	100	Vertical	Pass
1**	8078.000	20.25	8.20	54.0	33.75	AV	2.80	100	Vertical	Pass
2	9909.500	34.95	13.89	68.2	33.25	Peak	201.40	100	Vertical	Pass
2**	9909.500	28.00	13.89	--	-28.00	AV	201.40	100	Vertical	N/A
3	11339.500	38.70	16.17	74.0	35.30	Peak	201.40	100	Vertical	Pass
3**	11339.500	29.51	16.17	54.0	24.49	AV	201.40	100	Vertical	Pass
4	14185.750	45.03	23.59	68.2	23.17	Peak	201.40	100	Vertical	Pass
4**	14185.750	36.81	23.59	--	-36.81	AV	201.40	100	Vertical	N/A
5	17474.750	51.13	26.50	68.2	17.07	Peak	136.30	100	Vertical	Pass
5**	17474.750	42.25	26.50	--	-42.25	AV	136.30	100	Vertical	N/A
6	17994.500	56.11	34.67	74.0	17.89	Peak	233.00	100	Vertical	Pass
6**	17994.500	48.63	34.67	54.0	5.37	AV	233.00	100	Vertical	Pass

WIFI5GB2-N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.47.42

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1203.500	39.09	-15.24	74.0	34.91	Peak	264.70	100	Horizontal	Pass
1**	1203.500	28.86	-15.24	54.0	25.14	AV	264.70	100	Horizontal	Pass
2	1437.500	40.58	-14.44	74.0	33.42	Peak	297.00	100	Horizontal	Pass
2**	1437.500	29.93	-14.44	54.0	24.07	AV	297.00	100	Horizontal	Pass
3	2239.500	43.26	-10.40	74.0	30.74	Peak	264.70	100	Horizontal	Pass
3**	2239.500	33.23	-10.40	54.0	20.77	AV	264.70	100	Horizontal	Pass
4	2839.750	44.84	-7.14	74.0	29.16	Peak	65.60	100	Horizontal	Pass
4**	2839.750	34.74	-7.14	54.0	19.26	AV	65.60	100	Horizontal	Pass
5	3898.000	54.62	4.64	74.0	19.38	Peak	276.30	100	Horizontal	Pass
5**	3898.000	44.71	4.64	54.0	9.29	AV	276.30	100	Horizontal	Pass
6	4869.000	57.67	6.77	74.0	16.33	Peak	360.00	100	Horizontal	Pass
6**	4869.000	48.13	6.77	54.0	5.87	AV	360.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.33.20

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7948.750	28.90	7.67	68.2	39.30	Peak	117.30	100	Horizontal	Pass
1**	7948.750	20.86	7.67	--	-20.86	AV	117.30	100	Horizontal	N/A
2	9524.500	33.64	12.22	68.2	34.56	Peak	150.00	100	Horizontal	Pass
2**	9524.500	25.28	12.22	--	-25.28	AV	150.00	100	Horizontal	N/A
3	11474.250	38.59	15.99	74.0	35.41	Peak	52.90	100	Horizontal	Pass
3**	11474.250	29.83	15.99	54.0	24.17	AV	52.90	100	Horizontal	Pass
4	13853.000	42.65	19.18	68.2	25.55	Peak	0.00	100	Horizontal	Pass
4**	13853.000	32.77	19.18	--	-32.77	AV	0.00	100	Horizontal	N/A
5	17461.000	50.16	26.17	68.2	18.04	Peak	85.60	100	Horizontal	Pass
5**	17461.000	41.87	26.17	--	-41.87	AV	85.60	100	Horizontal	N/A
6	17994.500	57.14	34.67	74.0	16.86	Peak	85.60	100	Horizontal	Pass
6**	17994.500	49.57	34.67	54.0	4.43	AV	85.60	100	Horizontal	Pass

WIFI5GB2-N40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.32.10

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.500	39.72	-15.26	74.0	34.28	Peak	53.50	100	Vertical	Pass
1**	1200.500	29.60	-15.26	54.0	24.40	AV	53.50	100	Vertical	Pass
2	1484.750	40.16	-14.70	74.0	33.84	Peak	67.60	100	Vertical	Pass
2**	1484.750	29.50	-14.70	54.0	24.50	AV	67.60	100	Vertical	Pass
3	2242.750	43.56	-10.31	74.0	30.44	Peak	264.50	100	Vertical	Pass
3**	2242.750	33.88	-10.31	54.0	20.12	AV	264.50	100	Vertical	Pass
4	2819.250	44.96	-7.32	74.0	29.04	Peak	311.80	100	Vertical	Pass
4**	2819.250	34.77	-7.32	54.0	19.23	AV	311.80	100	Vertical	Pass
5	3836.000	55.04	3.27	74.0	18.96	Peak	26.70	100	Vertical	Pass
5**	3836.000	43.94	3.27	54.0	10.06	AV	26.70	100	Vertical	Pass
6	4848.500	58.37	6.60	74.0	15.63	Peak	122.70	100	Vertical	Pass
6**	4848.500	47.07	6.60	54.0	6.93	AV	122.70	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.35.26

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8053.250	30.15	8.74	74.0	43.85	Peak	338.70	100	Vertical	Pass
1**	8053.250	21.06	8.74	54.0	32.94	AV	338.70	100	Vertical	Pass
2	10203.750	36.31	13.29	68.2	31.89	Peak	338.70	100	Vertical	Pass
2**	10203.750	26.47	13.29	--	-26.47	AV	338.70	100	Vertical	N/A
3	12442.250	39.62	16.86	74.0	34.38	Peak	259.00	100	Vertical	Pass
3**	12442.250	31.05	16.86	54.0	22.95	AV	259.00	100	Vertical	Pass
4	14215.999	45.76	23.08	68.2	22.44	Peak	225.90	100	Vertical	Pass
4**	14215.999	36.43	23.08	--	-36.43	AV	225.90	100	Vertical	N/A
5	17491.249	49.37	26.63	68.2	18.83	Peak	110.60	100	Vertical	Pass
5**	17491.249	41.52	26.63	--	-41.52	AV	110.60	100	Vertical	N/A
6	17988.999	56.80	34.31	74.0	17.20	Peak	193.20	100	Vertical	Pass
6**	17988.999	49.78	34.31	54.0	4.22	AV	193.20	100	Vertical	Pass

WIFI5GB2-N40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.50.19

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1189.750	38.25	-15.26	74.0	35.75	Peak	0.00	100	Horizontal	Pass
1**	1189.750	29.05	-15.26	54.0	24.95	AV	0.00	100	Horizontal	Pass
2	1387.250	40.12	-14.30	74.0	33.88	Peak	268.00	100	Horizontal	Pass
2**	1387.250	28.89	-14.30	54.0	25.11	AV	268.00	100	Horizontal	Pass
3	1549.500	39.13	-14.85	74.0	34.87	Peak	76.20	100	Horizontal	Pass
3**	1549.500	28.90	-14.85	54.0	25.10	AV	76.20	100	Horizontal	Pass
4	2814.750	44.39	-7.35	74.0	29.61	Peak	58.70	100	Horizontal	Pass
4**	2814.750	34.64	-7.35	54.0	19.36	AV	58.70	100	Horizontal	Pass
5	4038.500	55.37	4.04	74.0	18.63	Peak	248.00	100	Horizontal	Pass
5**	4038.500	44.29	4.04	54.0	9.71	AV	248.00	100	Horizontal	Pass
6	4849.500	58.30	6.66	74.0	15.70	Peak	233.10	100	Horizontal	Pass
6**	4849.500	46.99	6.66	54.0	7.01	AV	233.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.39.21

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8042.250	28.92	8.82	74.0	45.08	Peak	98.70	0	Horizontal	Pass
1**	8042.250	20.69	8.82	54.0	33.31	AV	98.70	0	Horizontal	Pass
2	10140.500	36.24	13.45	68.2	31.96	Peak	0.00	0	Horizontal	Pass
2**	10140.500	27.81	13.45	--	-27.81	AV	0.00	0	Horizontal	N/A
3	11254.250	38.49	16.10	74.0	35.51	Peak	98.70	0	Horizontal	Pass
3**	11254.250	30.16	16.10	54.0	23.84	AV	98.70	0	Horizontal	Pass
4	14562.500	46.45	21.35	68.2	21.75	Peak	196.20	0	Horizontal	Pass
4**	14562.500	36.31	21.35	--	-36.31	AV	196.20	0	Horizontal	N/A
5	17466.499	49.24	26.30	68.2	18.96	Peak	355.90	0	Horizontal	Pass
5**	17466.499	42.05	26.30	--	-42.05	AV	355.90	0	Horizontal	N/A
6	17999.999	57.72	35.03	74.0	16.28	Peak	66.70	0	Horizontal	Pass
6**	17999.999	49.20	35.03	54.0	4.80	AV	66.70	0	Horizontal	Pass

WIFI5GB2-N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.34.27

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.000	39.61	-15.27	74.0	34.39	Peak	43.10	100	Vertical	Pass
1**	1200.000	29.37	-15.27	54.0	24.63	AV	43.10	100	Vertical	Pass
2	1486.000	39.93	-14.70	74.0	34.07	Peak	182.30	100	Vertical	Pass
2**	1486.000	28.74	-14.70	54.0	25.26	AV	182.30	100	Vertical	Pass
3	2252.750	43.69	-10.04	74.0	30.31	Peak	88.50	100	Vertical	Pass
3**	2252.750	33.62	-10.04	54.0	20.38	AV	88.50	100	Vertical	Pass
4	2774.500	44.80	-7.77	74.0	29.20	Peak	73.30	100	Vertical	Pass
4**	2774.500	34.12	-7.77	54.0	19.88	AV	73.30	100	Vertical	Pass
5	3748.000	55.38	4.01	74.0	18.62	Peak	360.00	100	Vertical	Pass
5**	3748.000	44.81	4.01	54.0	9.19	AV	360.00	100	Vertical	Pass
6	4854.500	57.86	6.55	74.0	16.14	Peak	187.80	100	Vertical	Pass
6**	4854.500	47.24	6.55	54.0	6.76	AV	187.80	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.37.32

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7932.250	28.57	7.51	68.2	39.63	Peak	4.00	100	Vertical	Pass
1**	7932.250	20.35	7.51	--	-20.35	AV	4.00	100	Vertical	N/A
2	10096.500	35.34	13.53	68.2	32.86	Peak	160.50	100	Vertical	Pass
2**	10096.500	26.73	13.53	--	-26.73	AV	160.50	100	Vertical	N/A
3	11213.000	38.35	15.58	74.0	35.65	Peak	17.90	100	Vertical	Pass
3**	11213.000	28.96	15.58	54.0	25.04	AV	17.90	100	Vertical	Pass
4	13520.250	41.55	18.98	68.2	26.65	Peak	97.60	100	Vertical	Pass
4**	13520.250	32.69	18.98	--	-32.69	AV	97.60	100	Vertical	N/A
5	14763.250	45.84	22.97	68.2	22.36	Peak	209.60	100	Vertical	Pass
5**	14763.250	36.68	22.97	--	-36.68	AV	209.60	100	Vertical	N/A
6	17988.999	55.22	34.31	74.0	18.78	Peak	342.10	100	Vertical	Pass
6**	17988.999	48.87	34.31	54.0	5.13	AV	342.10	100	Vertical	Pass

WIFI5GB2-AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.59.38

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1202.000	39.25	-15.25	74.0	34.75	Peak	168.60	100	Horizontal	Pass
1**	1202.000	27.67	-15.25	54.0	26.33	AV	168.60	100	Horizontal	Pass
2	1343.250	39.75	-14.43	74.0	34.25	Peak	9.70	100	Horizontal	Pass
2**	1343.250	29.66	-14.43	54.0	24.34	AV	9.70	100	Horizontal	Pass
3	2215.750	43.72	-10.46	74.0	30.28	Peak	292.60	100	Horizontal	Pass
3**	2215.750	33.20	-10.46	54.0	20.80	AV	292.60	100	Horizontal	Pass
4	2791.500	45.00	-7.51	74.0	29.00	Peak	278.10	100	Horizontal	Pass
4**	2791.500	34.74	-7.51	54.0	19.26	AV	278.10	100	Horizontal	Pass
5	4118.000	54.68	3.75	74.0	19.32	Peak	188.20	100	Horizontal	Pass
5**	4118.000	45.35	3.75	54.0	8.65	AV	188.20	100	Horizontal	Pass
6	5029.500	59.33	6.73	74.0	14.67	Peak	58.00	100	Horizontal	Pass
6**	5029.500	47.84	6.73	54.0	6.16	AV	58.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_17.05.50

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8017.500	29.20	8.40	68.2	39.00	Peak	279.50	100	Horizontal	Pass
1**	8017.500	20.23	8.40	--	-20.23	AV	279.50	100	Horizontal	N/A
2	10132.250	36.79	13.51	68.2	31.41	Peak	104.30	100	Horizontal	Pass
2**	10132.250	27.52	13.51	--	-27.52	AV	104.30	100	Horizontal	N/A
3	13138.000	40.95	18.07	68.2	27.25	Peak	72.60	100	Horizontal	Pass
3**	13138.000	31.00	18.07	--	-31.00	AV	72.60	100	Horizontal	N/A
4	14196.750	45.99	23.48	68.2	22.21	Peak	72.60	100	Horizontal	Pass
4**	14196.750	37.14	23.48	--	-37.14	AV	72.60	100	Horizontal	N/A
5	15885.250	42.77	16.81	74.0	31.23	Peak	232.30	100	Horizontal	Pass
5**	15885.250	32.91	16.81	54.0	21.09	AV	232.30	100	Horizontal	Pass
6	17997.251	57.46	34.85	74.0	16.54	Peak	72.60	100	Horizontal	Pass
6**	17997.251	49.87	34.85	54.0	4.13	AV	72.60	100	Horizontal	Pass

WIFI5GB2-AC20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.07.30

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.500	39.64	-15.27	74.0	34.36	Peak	0.00	100	Vertical	Pass
1**	1190.500	33.38	-15.27	54.0	20.62	AV	0.00	100	Vertical	Pass
2	1574.500	39.79	-14.85	74.0	34.21	Peak	94.60	100	Vertical	Pass
2**	1574.500	31.29	-14.85	54.0	22.71	AV	94.60	100	Vertical	Pass
3	2258.000	44.25	-9.91	74.0	29.75	Peak	94.60	100	Vertical	Pass
3**	2258.000	34.25	-9.91	54.0	19.75	AV	94.60	100	Vertical	Pass
4	2778.500	45.47	-7.70	74.0	28.53	Peak	319.70	100	Vertical	Pass
4**	2778.500	35.28	-7.70	54.0	18.72	AV	319.70	100	Vertical	Pass
5	3901.500	55.27	4.61	74.0	18.73	Peak	234.30	100	Vertical	Pass
5**	3901.500	44.67	4.61	54.0	9.33	AV	234.30	100	Vertical	Pass
6	4974.500	59.36	6.00	74.0	14.64	Peak	359.00	100	Vertical	Pass
6**	4974.500	48.67	6.00	54.0	5.33	AV	359.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_17.07.52

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7918.500	29.35	7.34	68.2	38.85	Peak	74.10	100	Vertical	Pass
1**	7918.500	19.82	7.34	--	-19.82	AV	74.10	100	Vertical	N/A
2	10817.000	37.29	14.81	74.0	36.71	Peak	44.00	100	Vertical	Pass
2**	10817.000	28.69	14.81	54.0	25.31	AV	44.00	100	Vertical	Pass
3	12458.750	39.54	16.90	74.0	34.46	Peak	106.50	100	Vertical	Pass
3**	12458.750	32.13	16.90	54.0	21.87	AV	106.50	100	Vertical	Pass
4	14749.500	46.07	22.81	68.2	22.13	Peak	137.40	100	Vertical	Pass
4**	14749.500	38.22	22.81	--	-38.22	AV	137.40	100	Vertical	N/A
5	17466.499	49.91	26.30	68.2	18.29	Peak	199.10	100	Vertical	Pass
5**	17466.499	41.62	26.30	--	-41.62	AV	199.10	100	Vertical	N/A
6	17991.750	57.20	34.49	74.0	16.80	Peak	343.10	100	Vertical	Pass
6**	17991.750	48.83	34.49	54.0	5.17	AV	343.10	100	Vertical	Pass

WIFI5GB2-AC20-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_20.01.55

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.500	39.17	-15.28	74.0	34.83	Peak	266.50	100	Horizontal	Pass
1**	1195.500	28.21	-15.28	54.0	25.79	AV	266.50	100	Horizontal	Pass
2	1439.000	40.53	-14.42	74.0	33.47	Peak	55.70	100	Horizontal	Pass
2**	1439.000	30.24	-14.42	54.0	23.76	AV	55.70	100	Horizontal	Pass
3	2241.000	43.92	-10.36	74.0	30.08	Peak	151.90	100	Horizontal	Pass
3**	2241.000	33.40	-10.36	54.0	20.60	AV	151.90	100	Horizontal	Pass
4	2839.500	44.91	-7.14	74.0	29.09	Peak	39.00	100	Horizontal	Pass
4**	2839.500	34.95	-7.14	54.0	19.05	AV	39.00	100	Horizontal	Pass
5	4199.500	55.46	4.53	74.0	18.54	Peak	279.30	100	Horizontal	Pass
5**	4199.500	44.86	4.53	54.0	9.14	AV	279.30	100	Horizontal	Pass
6	4704.500	58.12	5.99	74.0	15.88	Peak	310.90	100	Horizontal	Pass
6**	4704.500	48.47	5.99	54.0	5.53	AV	310.90	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_17.11.52

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8212.750	29.73	7.94	74.0	44.27	Peak	257.50	100	Horizontal	Pass
1**	8212.750	20.74	7.94	54.0	33.26	AV	257.50	100	Horizontal	Pass
2	9384.250	34.22	11.71	74.0	39.78	Peak	160.80	100	Horizontal	Pass
2**	9384.250	24.57	11.71	54.0	29.43	AV	160.80	100	Horizontal	Pass
3	12434.000	40.20	16.85	74.0	33.80	Peak	225.50	100	Horizontal	Pass
3**	12434.000	31.49	16.85	54.0	22.51	AV	225.50	100	Horizontal	Pass
4	14191.250	46.00	23.59	68.2	22.20	Peak	64.00	100	Horizontal	Pass
4**	14191.250	38.26	23.59	--	-38.26	AV	64.00	100	Horizontal	N/A
5	17485.750	50.17	26.73	68.2	18.03	Peak	64.00	100	Horizontal	Pass
5**	17485.750	42.16	26.73	--	-42.16	AV	64.00	100	Horizontal	N/A
6	17991.750	58.47	34.49	74.0	15.53	Peak	96.40	100	Horizontal	Pass
6**	17991.750	48.58	34.49	54.0	5.42	AV	96.40	100	Horizontal	Pass

WIFI5GB2-AC20-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19:09:57

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.750	40.88	-15.27	74.0	33.12	Peak	0.00	100	Vertical	Pass
1**	1190.750	33.89	-15.27	54.0	20.11	AV	0.00	100	Vertical	Pass
2	1606.500	39.83	-14.82	74.0	34.17	Peak	46.30	100	Vertical	Pass
2**	1606.500	28.96	-14.82	54.0	25.04	AV	46.30	100	Vertical	Pass
3	2352.250	43.13	-10.57	74.0	30.87	Peak	60.10	100	Vertical	Pass
3**	2352.250	33.47	-10.57	54.0	20.53	AV	60.10	100	Vertical	Pass
4	2817.750	45.57	-7.33	74.0	28.43	Peak	76.10	100	Vertical	Pass
4**	2817.750	35.44	-7.33	54.0	18.56	AV	76.10	100	Vertical	Pass
5	4199.000	56.12	4.49	74.0	17.88	Peak	0.00	100	Vertical	Pass
5**	4199.000	45.49	4.49	54.0	8.51	AV	0.00	100	Vertical	Pass
6	4941.000	58.33	6.54	74.0	15.67	Peak	158.30	100	Vertical	Pass
6**	4941.000	47.61	6.54	54.0	6.39	AV	158.30	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_17.09.43

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8045.000	29.95	8.87	74.0	44.05	Peak	168.30	100	Vertical	Pass
1**	8045.000	20.61	8.87	54.0	33.39	AV	168.30	100	Vertical	Pass
2	11281.750	37.71	16.48	74.0	36.29	Peak	11.60	100	Vertical	Pass
2**	11281.750	30.21	16.48	54.0	23.79	AV	11.60	100	Vertical	Pass
3	13212.250	41.53	18.24	68.2	26.67	Peak	42.90	100	Vertical	Pass
3**	13212.250	32.36	18.24	--	-32.36	AV	42.90	100	Vertical	N/A
4	14196.750	45.71	23.48	68.2	22.49	Peak	360.00	100	Vertical	Pass
4**	14196.750	37.10	23.48	--	-37.10	AV	360.00	100	Vertical	N/A
5	17502.251	50.99	26.43	68.2	17.21	Peak	0.00	100	Vertical	Pass
5**	17502.251	41.07	26.43	--	-41.07	AV	0.00	100	Vertical	N/A
6	17994.500	56.04	34.67	74.0	17.96	Peak	265.00	100	Vertical	Pass
6**	17994.500	49.80	34.67	54.0	4.20	AV	265.00	100	Vertical	Pass

WIFI5GB2-AC20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_20.04.01

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.750	37.59	-15.68	74.0	36.41	Peak	360.00	100	Horizontal	Pass
1**	1151.750	30.85	-15.68	54.0	23.15	AV	360.00	100	Horizontal	Pass
2	1324.250	39.91	-14.65	74.0	34.09	Peak	249.40	100	Horizontal	Pass
2**	1324.250	28.73	-14.65	54.0	25.27	AV	249.40	100	Horizontal	Pass
3	1513.750	40.07	-14.81	74.0	33.93	Peak	249.40	100	Horizontal	Pass
3**	1513.750	28.59	-14.81	54.0	25.41	AV	249.40	100	Horizontal	Pass
4	2338.000	42.67	-10.44	74.0	31.33	Peak	97.20	100	Horizontal	Pass
4**	2338.000	33.22	-10.44	54.0	20.78	AV	97.20	100	Horizontal	Pass
5	2786.500	44.46	-7.55	74.0	29.54	Peak	0.00	100	Horizontal	Pass
5**	2786.500	34.31	-7.55	54.0	19.69	AV	0.00	100	Horizontal	Pass
6	4226.000	55.30	4.46	74.0	18.70	Peak	188.60	100	Horizontal	Pass
6**	4226.000	45.58	4.46	54.0	8.42	AV	188.60	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_17.13.47

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8848.000	30.44	9.41	68.2	37.76	Peak	99.80	100	Horizontal	Pass
1**	8848.000	22.86	9.41	--	-22.86	AV	99.80	100	Horizontal	N/A
2	10855.500	37.52	15.20	74.0	36.48	Peak	165.30	100	Horizontal	Pass
2**	10855.500	28.39	15.20	54.0	25.61	AV	165.30	100	Horizontal	Pass
3	13182.000	41.46	18.17	68.2	26.74	Peak	313.10	100	Horizontal	Pass
3**	13182.000	33.27	18.17	--	-33.27	AV	313.10	100	Horizontal	N/A
4	14210.500	46.54	23.19	68.2	21.66	Peak	360.00	100	Horizontal	Pass
4**	14210.500	38.12	23.19	--	-38.12	AV	360.00	100	Horizontal	N/A
5	17526.999	49.31	25.92	68.2	18.89	Peak	0.00	100	Horizontal	Pass
5**	17526.999	40.89	25.92	--	-40.89	AV	0.00	100	Horizontal	N/A
6	17997.251	56.63	34.85	74.0	17.37	Peak	132.20	100	Horizontal	Pass
6**	17997.251	48.49	34.85	54.0	5.51	AV	132.20	100	Horizontal	Pass

WIFI5GB2-AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.12.18

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1190.500	43.81	-15.27	74.0	30.19	Peak	96.20	100	Vertical	Pass
1**	1190.500	34.13	-15.27	54.0	19.87	AV	96.20	100	Vertical	Pass
2	1507.500	39.23	-14.84	74.0	34.77	Peak	180.60	100	Vertical	Pass
2**	1507.500	29.05	-14.84	54.0	24.95	AV	180.60	100	Vertical	Pass
3	2251.000	44.49	-10.09	74.0	29.51	Peak	360.00	100	Vertical	Pass
3**	2251.000	33.59	-10.09	54.0	20.41	AV	360.00	100	Vertical	Pass
4	2850.000	45.68	-7.11	74.0	28.32	Peak	63.40	100	Vertical	Pass
4**	2850.000	35.14	-7.11	54.0	18.86	AV	63.40	100	Vertical	Pass
5	3758.500	54.96	3.47	74.0	19.04	Peak	20.60	100	Vertical	Pass
5**	3758.500	44.39	3.47	54.0	9.61	AV	20.60	100	Vertical	Pass
6	4760.000	57.67	5.99	74.0	16.33	Peak	142.70	100	Vertical	Pass
6**	4760.000	47.25	5.99	54.0	6.75	AV	142.70	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_17.15.35

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7998.250	29.14	8.10	68.2	39.06	Peak	0.00	100	Vertical	Pass
1**	7998.250	20.28	8.10	--	-20.28	AV	0.00	100	Vertical	N/A
2	9906.750	34.37	13.85	68.2	33.83	Peak	360.00	100	Vertical	Pass
2**	9906.750	27.14	13.85	--	-27.14	AV	360.00	100	Vertical	N/A
3	11287.250	39.00	16.53	74.0	35.00	Peak	109.50	100	Vertical	Pass
3**	11287.250	30.40	16.53	54.0	23.60	AV	109.50	100	Vertical	Pass
4	14194.000	45.06	23.53	68.2	23.14	Peak	174.90	100	Vertical	Pass
4**	14194.000	37.72	23.53	--	-37.72	AV	174.90	100	Vertical	N/A
5	17466.499	49.86	26.30	68.2	18.34	Peak	109.50	100	Vertical	Pass
5**	17466.499	41.20	26.30	--	-41.20	AV	109.50	100	Vertical	N/A
6	17994.500	56.97	34.67	74.0	17.03	Peak	16.40	100	Vertical	Pass
6**	17994.500	49.16	34.67	54.0	4.84	AV	16.40	100	Vertical	Pass

WIFI5GB2-AC40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.43.26

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1151.750	39.27	-15.68	74.0	34.73	Peak	311.60	100	Horizontal	Pass
1**	1151.750	31.28	-15.68	54.0	22.72	AV	311.60	100	Horizontal	Pass
2	1440.750	40.77	-14.41	74.0	33.23	Peak	66.20	100	Horizontal	Pass
2**	1440.750	29.41	-14.41	54.0	24.59	AV	66.20	100	Horizontal	Pass
3	2254.250	43.96	-10.00	74.0	30.04	Peak	186.10	100	Horizontal	Pass
3**	2254.250	33.28	-10.00	54.0	20.72	AV	186.10	100	Horizontal	Pass
4	2789.750	44.59	-7.52	74.0	29.41	Peak	278.80	100	Horizontal	Pass
4**	2789.750	33.84	-7.52	54.0	20.16	AV	278.80	100	Horizontal	Pass
5	3750.500	54.28	4.18	74.0	19.72	Peak	348.50	100	Horizontal	Pass
5**	3750.500	44.67	4.18	54.0	9.33	AV	348.50	100	Horizontal	Pass
6	4885.500	57.55	6.00	74.0	16.45	Peak	238.80	100	Horizontal	Pass
6**	4885.500	46.77	6.00	54.0	7.23	AV	238.80	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.19.15

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7959.750	29.61	7.77	68.2	38.59	Peak	189.00	100	Horizontal	Pass
1**	7959.750	20.55	7.77	--	-20.55	AV	189.00	100	Horizontal	N/A
2	10055.250	35.73	13.37	68.2	32.47	Peak	285.00	100	Horizontal	Pass
2**	10055.250	27.54	13.37	--	-27.54	AV	285.00	100	Horizontal	N/A
3	11851.000	39.13	16.21	74.0	34.87	Peak	189.00	100	Horizontal	Pass
3**	11851.000	31.25	16.21	54.0	22.75	AV	189.00	100	Horizontal	Pass
4	14207.750	46.13	23.25	68.2	22.07	Peak	189.00	100	Horizontal	Pass
4**	14207.750	37.91	23.25	--	-37.91	AV	189.00	100	Horizontal	N/A
5	17480.249	50.23	26.63	68.2	17.97	Peak	221.00	100	Horizontal	Pass
5**	17480.249	41.82	26.63	--	-41.82	AV	221.00	100	Horizontal	N/A
6	17986.251	56.13	34.13	74.0	17.87	Peak	285.00	100	Horizontal	Pass
6**	17986.251	48.38	34.13	54.0	5.62	AV	285.00	100	Horizontal	Pass

WIFI5GB2-AC40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.27.07

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.500	40.10	-15.26	74.0	33.90	Peak	42.30	100	Vertical	Pass
1**	1201.500	28.64	-15.26	54.0	25.36	AV	42.30	100	Vertical	Pass
2	1444.250	39.60	-14.38	74.0	34.40	Peak	232.50	100	Vertical	Pass
2**	1444.250	29.52	-14.38	54.0	24.48	AV	232.50	100	Vertical	Pass
3	2287.750	43.94	-10.06	74.0	30.06	Peak	42.30	100	Vertical	Pass
3**	2287.750	33.18	-10.06	54.0	20.82	AV	42.30	100	Vertical	Pass
4	2838.500	44.67	-7.15	74.0	29.33	Peak	232.50	100	Vertical	Pass
4**	2838.500	35.45	-7.15	54.0	18.55	AV	232.50	100	Vertical	Pass
5	3846.500	54.02	3.14	74.0	19.98	Peak	147.50	100	Vertical	Pass
5**	3846.500	44.39	3.14	54.0	9.61	AV	147.50	100	Vertical	Pass
6	4874.500	57.79	6.43	74.0	16.21	Peak	196.60	100	Vertical	Pass
6**	4874.500	47.35	6.43	54.0	6.65	AV	196.60	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.20.54

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8075.250	29.26	8.26	74.0	44.74	Peak	77.80	100	Vertical	Pass
1**	8075.250	19.90	8.26	54.0	34.10	AV	77.80	100	Vertical	Pass
2	10192.750	35.97	13.30	68.2	32.23	Peak	360.00	100	Vertical	Pass
2**	10192.750	27.21	13.30	--	-27.21	AV	360.00	100	Vertical	N/A
3	12403.750	39.74	16.80	74.0	34.26	Peak	0.00	100	Vertical	Pass
3**	12403.750	30.88	16.80	54.0	23.12	AV	0.00	100	Vertical	Pass
4	14202.250	45.89	23.36	68.2	22.31	Peak	110.60	100	Vertical	Pass
4**	14202.250	37.52	23.36	--	-37.52	AV	110.60	100	Vertical	N/A
5	17430.749	49.62	25.54	68.2	18.58	Peak	28.70	100	Vertical	Pass
5**	17430.749	40.98	25.54	--	-40.98	AV	28.70	100	Vertical	N/A
6	17983.500	56.01	33.95	74.0	17.99	Peak	176.10	100	Vertical	Pass
6**	17983.500	48.83	33.95	54.0	5.17	AV	176.10	100	Vertical	Pass

WIFI5GB2-AC40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.45.35

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.500	38.66	-15.28	74.0	35.34	Peak	94.20	100	Horizontal	Pass
1**	1195.500	27.99	-15.28	54.0	26.01	AV	94.20	100	Horizontal	Pass
2	1344.250	39.89	-14.43	74.0	34.11	Peak	0.10	100	Horizontal	Pass
2**	1344.250	31.73	-14.43	54.0	22.27	AV	0.10	100	Horizontal	Pass
3	1477.000	40.17	-14.70	74.0	33.83	Peak	230.80	100	Horizontal	Pass
3**	1477.000	29.38	-14.70	54.0	24.62	AV	230.80	100	Horizontal	Pass
4	2377.750	44.39	-10.45	74.0	29.61	Peak	356.50	100	Horizontal	Pass
4**	2377.750	33.64	-10.45	54.0	20.36	AV	356.50	100	Horizontal	Pass
5	4004.000	55.87	5.17	74.0	18.13	Peak	261.70	100	Horizontal	Pass
5**	4004.000	45.21	5.17	54.0	8.79	AV	261.70	100	Horizontal	Pass
6	4852.000	57.62	6.63	74.0	16.38	Peak	144.10	100	Horizontal	Pass
6**	4852.000	46.80	6.63	54.0	7.20	AV	144.10	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.31.02

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8014.750	29.82	8.36	68.2	38.38	Peak	138.80	100	Horizontal	Pass
1**	8014.750	20.13	8.36	--	-20.13	AV	138.80	100	Horizontal	N/A
2	10121.250	37.27	13.59	68.2	30.93	Peak	0.00	100	Horizontal	Pass
2**	10121.250	28.11	13.59	--	-28.11	AV	0.00	100	Horizontal	N/A
3	13259.000	41.12	18.00	74.0	32.88	Peak	269.40	100	Horizontal	Pass
3**	13259.000	31.99	18.00	54.0	22.01	AV	269.40	100	Horizontal	Pass
4	14683.500	45.52	22.07	68.2	22.68	Peak	358.40	100	Horizontal	Pass
4**	14683.500	37.08	22.07	--	-37.08	AV	358.40	100	Horizontal	N/A
5	17444.499	49.21	25.81	68.2	18.99	Peak	358.40	100	Horizontal	Pass
5**	17444.499	40.73	25.81	--	-40.73	AV	358.40	100	Horizontal	N/A
6	17988.999	56.35	34.31	74.0	17.65	Peak	108.70	100	Horizontal	Pass
6**	17988.999	49.76	34.31	54.0	4.24	AV	108.70	100	Horizontal	Pass

WIFI5GB2-AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.29.38

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.250	40.20	-15.28	74.0	33.80	Peak	0.70	100	Vertical	Pass
1**	1197.250	29.77	-15.28	54.0	24.23	AV	0.70	100	Vertical	Pass
2	1383.500	39.99	-14.33	74.0	34.01	Peak	0.70	100	Vertical	Pass
2**	1383.500	29.51	-14.33	54.0	24.49	AV	0.70	100	Vertical	Pass
3	2248.250	44.58	-10.16	74.0	29.42	Peak	178.20	100	Vertical	Pass
3**	2248.250	34.21	-10.16	54.0	19.79	AV	178.20	100	Vertical	Pass
4	2840.250	45.12	-7.14	74.0	28.88	Peak	0.70	100	Vertical	Pass
4**	2840.250	35.64	-7.14	54.0	18.36	AV	0.70	100	Vertical	Pass
5	4210.000	55.56	4.79	74.0	18.44	Peak	358.50	100	Vertical	Pass
5**	4210.000	45.03	4.79	54.0	8.97	AV	358.50	100	Vertical	Pass
6	4769.000	57.99	6.20	74.0	16.01	Peak	122.00	100	Vertical	Pass
6**	4769.000	46.86	6.20	54.0	7.14	AV	122.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2023-08-19_16.28.35

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_6GHz-18GHz_B2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7951.500	29.58	7.70	68.2	38.62	Peak	212.20	100	Vertical	Pass
1**	7951.500	21.14	7.70	--	-21.14	AV	212.20	100	Vertical	N/A
2	10616.250	36.42	14.39	74.0	37.58	Peak	195.10	100	Vertical	Pass
	10616.250	27.24	14.39	54.0	26.76	AV	195.10	100	Vertical	Pass
3	13116.000	40.96	18.00	68.2	27.24	Peak	244.60	100	Vertical	Pass
3**	13116.000	32.74	18.00	--	-32.74	AV	244.60	100	Vertical	N/A
4	14755.000	45.43	22.88	68.2	22.77	Peak	244.60	100	Vertical	Pass
4**	14755.000	36.97	22.88	--	-36.97	AV	244.60	100	Vertical	N/A
5	17480.249	50.44	26.63	68.2	17.76	Peak	244.60	100	Vertical	Pass
5**	17480.249	42.06	26.63	--	-42.06	AV	244.60	100	Vertical	N/A
6	17980.750	56.64	33.77	74.0	17.36	Peak	244.60	100	Vertical	Pass
6**	17980.750	49.01	33.77	54.0	4.99	AV	244.60	100	Vertical	Pass

WIFI5GB2-AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2023-08-23_19.40.46

EUT Name: N.A

Test Engineer: LYG

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 25.2

Load: Full load

Hum.: 53%

Remark: DR-RSE01-E23060106-01#02

REmission Test case_FCC_Part 15E_FCC 15.407(5G)_1GHz-7GHz 5G_Band2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.250	40.88	-15.28	74.0	33.12	Peak	69.90	100	Horizontal	Pass
1**	1198.250	28.45	-15.28	54.0	25.55	AV	69.90	100	Horizontal	Pass
2	1504.500	38.95	-14.85	74.0	35.05	Peak	295.80	100	Horizontal	Pass
2**	1504.500	29.15	-14.85	54.0	24.85	AV	295.80	100	Horizontal	Pass
3	2238.750	43.08	-10.41	74.0	30.92	Peak	199.00	100	Horizontal	Pass
3**	2238.750	34.11	-10.41	54.0	19.89	AV	199.00	100	Horizontal	Pass
4	2735.000	45.51	-8.23	74.0	28.49	Peak	311.80	100	Horizontal	Pass
4**	2735.000	34.50	-8.23	54.0	19.50	AV	311.80	100	Horizontal	Pass
5	4013.000	55.62	4.90	74.0	18.38	Peak	89.20	100	Horizontal	Pass
5**	4013.000	45.01	4.90	54.0	8.99	AV	89.20	100	Horizontal	Pass
6	4969.000	57.30	6.05	74.0	16.70	Peak	360.00	100	Horizontal	Pass
6**	4969.000	46.90	6.05	54.0	7.10	AV	360.00	100	Horizontal	Pass