



Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6℃
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 41 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.730GHz	-50.23	-13.00	-37.23	PK	Hor
2*	4.657GHz	-46.93	-13.00	-33.93	PK	Hor
3*	8.931GHz	-42.10	-13.00	-29.10	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.862GHz	-50.09	-13.00	-37.09	PK	Ver
2*	4.878GHz	-48.58	-13.00	-35.58	PK	Ver
3*	11.336GHz	-42.50	-13.00	-29.50	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6℃
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 41 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.836GHz	-49.11	-13.00	-36.11	PK	Hor
2*	5.254GHz	-47.24	-13.00	-34.24	PK	Hor
3*	11.400GHz	-42.08	-13.00	-29.08	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.898GHz	-49.02	-13.00	-36.02	PK	Ver
2*	4.757GHz	-47.14	-13.00	-34.14	PK	Ver
3*	8.975GHz	-42.00	-13.00	-29.00	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6℃
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 41 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.864GHz	-50.10	-13.00	-37.10	PK	Hor
2*	4.844GHz	-48.31	-13.00	-35.31	PK	Hor
3*	8.979GHz	-42.65	-13.00	-29.65	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.282GHz	-49.62	-13.00	-36.62	PK	Ver
2*	6.706GHz	-45.25	-13.00	-32.25	PK	Ver
3*	11.372GHz	-42.37	-13.00	-29.37	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6℃
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 66 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.956GHz	-49.47	-13.00	-36.47	PK	Hor
2*	4.842GHz	-48.61	-13.00	-35.61	PK	Hor
3*	8.904GHz	-42.42	-13.00	-29.42	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.146GHz	-49.98	-13.00	-36.98	PK	Ver
2*	4.374GHz	-48.25	-13.00	-35.25	PK	Ver
3*	8.584GHz	-42.41	-13.00	-29.41	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6℃
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 66 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.310GHz	-49.50	-13.00	-36.50	PK	Hor
2*	6.204GHz	-47.17	-13.00	-34.17	PK	Hor
3*	11.252GHz	-42.99	-13.00	-29.99	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	1.846GHz	-53.68	-13.00	-40.68	PK	Ver
2*	4.424GHz	-48.94	-13.00	-35.94	PK	Ver
3*	8.874GHz	-41.77	-13.00	-28.77	PK	Ver

Project: LGT23B010	Test Engineer: Dylan.shi
EUT: Smart phone	Temperature: 24.6℃
M/N: Luna	Humidity: 47%RH
Test Voltage: Battery	Test Data: 2023-02-17
Test Mode: LTE Band 66 Middle	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.218GHz	-49.68	-13.00	-36.68	PK	Hor
2*	4.372GHz	-47.74	-13.00	-34.74	PK	Hor
3*	9.002GHz	-40.96	-13.00	-27.96	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.122GHz	-49.53	-13.00	-36.53	PK	Ver
2*	4.894GHz	-48.22	-13.00	-35.22	PK	Ver
3*	9.010GHz	-42.36	-13.00	-29.36	PK	Ver

※※※※※END OF THE REPORT※※※※※