

Test mode 3

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1477
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 18:15:57
Engineer Signature: alen
Distance: 3m

Note: Report NO.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	34.7601	45.06	-10.39	34.67	40.00	-5.33	QP			
2	44.7433	46.87	-12.58	34.29	40.00	-5.71	QP			
3	80.6441	51.79	-16.36	35.43	40.00	-4.57	QP			
4	188.4124	53.76	-12.66	41.10	43.50	-2.40	QP			
5	378.5842	49.94	-7.37	42.57	46.00	-3.43	QP			
6	752.7432	41.09	-1.00	40.09	46.00	-5.91	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161339

Page 57 of 94

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1476

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: AUX IN

Model: TQ-LT1502

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 18:11:04

Engineer Signature: alen

Distance: 3m

Note: Report NO.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.4059	46.00	-9.65	36.35	40.00	-3.65	QP			
2	81.2117	51.70	-16.25	35.45	40.00	-4.55	QP			
3	121.9755	50.09	-13.38	36.71	43.50	-6.79	QP			
4	162.6106	50.47	-14.50	35.97	43.50	-7.53	QP			
5	188.4124	51.33	-12.66	38.67	43.50	-4.83	QP			
6	219.0752	49.00	-11.74	37.26	46.00	-8.74	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1491
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 19:14:24
Engineer Signature: alen
Distance: 3m

Note: Report NO.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4474.465	43.53	-1.41	42.12	74.00	-31.88	peak			
2	4474.465	36.78	-1.41	35.37	54.00	-18.63	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161339

Page 59 of 94

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1490

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: AUX IN

Model: TQ-LT1502

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 19:10:10

Engineer Signature: alen

Distance: 3m

Note: Report NO.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4229.384	42.81	-1.70	41.11	74.00	-32.89	peak			
2	4229.384	34.24	-1.70	32.54	54.00	-21.46	AVG			

Test mode 4

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1452
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 185.15MHz RX
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:57:41
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	36.5236	52.34	-18.00	34.34	40.00	-5.66	QP			
2	74.2694	57.00	-23.08	33.92	40.00	-6.08	QP			
3	98.0301	62.00	-21.61	40.39	43.50	-3.11	QP			
4	103.6988	59.24	-21.83	37.41	43.50	-6.09	QP			
5	177.5178	62.00	-20.56	41.44	43.50	-2.06	QP			
6	355.9397	58.13	-14.44	43.69	46.00	-2.31	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161339

Page 61 of 94

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1451
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 185.15MHz RX
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:54:28
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.3348	52.48	-17.27	35.21	40.00	-4.79	QP			
2	36.6520	53.32	-18.03	35.29	40.00	-4.71	QP			
3	87.2980	57.68	-22.20	35.48	40.00	-4.52	QP			
4	92.9972	60.42	-21.67	38.75	43.50	-4.75	QP			
5	98.0301	60.00	-21.61	38.39	43.50	-5.11	QP			
6	177.5178	61.50	-20.56	40.94	43.50	-2.56	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1460
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 185.15MHz RX
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 16:29:20
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	3423.133	42.35	-4.11	38.24	74.00	-35.76	peak			
2	3423.133	35.76	-4.11	31.65	54.00	-22.35	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161339

Page 63 of 94

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1459
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 185.15MHz RX
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 16:26:51
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4739.852	42.24	-1.75	40.49	74.00	-33.51	peak			
2	4739.852	34.70	-1.75	32.95	54.00	-21.05	AVG			

Test mode 5

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1445
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: USB Play
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:32:03
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	38.5001	52.40	-18.63	33.77	40.00	-6.23	QP			
2	78.2887	56.88	-22.97	33.91	40.00	-6.09	QP			
3	90.4196	59.00	-21.91	37.09	43.50	-6.41	QP			
4	177.5178	61.72	-20.56	41.16	43.50	-2.34	QP			
5	211.6110	54.31	-18.46	35.85	43.50	-7.65	QP			
6	355.9397	57.73	-14.44	43.29	46.00	-2.71	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161339

Page 65 of 94

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1446

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: USB Play

Model: TQ-LT1502

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz

Date: 2016/07/07

Time: 15:35:59

Engineer Signature: alen

Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	30.0000	50.11	-16.80	33.31	40.00	-6.69	QP			
2	33.5700	52.76	-17.30	35.46	40.00	-4.54	QP			
3	36.7811	52.78	-18.07	34.71	40.00	-5.29	QP			
4	73.4907	53.60	-23.04	30.56	40.00	-9.44	QP			
5	98.0301	61.73	-21.61	40.12	43.50	-3.38	QP			
6	177.5178	61.55	-20.56	40.99	43.50	-2.51	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1461
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: USB Play
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 16:32:35
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4177.496	41.72	-2.50	39.22	74.00	-34.78	peak			
2	4177.496	34.17	-2.50	31.67	54.00	-22.33	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161339

Page 67 of 94

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1462

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: USB Play

Model: TQ-LT1502

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/07

Time: 16:35:06

Engineer Signature: alen

Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4686.433	41.15	-1.93	39.22	74.00	-34.78	peak			
2	4686.433	33.67	-1.93	31.74	54.00	-22.26	AVG			

Test mode 6

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1449
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: FM 88.1MHz
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:47:49
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	36.5236	50.44	-18.00	32.44	40.00	-7.56	QP			
2	73.2330	55.96	-23.03	32.93	40.00	-7.07	QP			
3	87.2980	57.42	-22.20	35.22	40.00	-4.78	QP			
4	98.0301	58.78	-21.61	37.17	43.50	-6.33	QP			
5	177.5179	61.94	-20.56	41.38	43.50	-2.12	QP			
6	355.9397	58.08	-14.44	43.64	46.00	-2.36	QP			

Job No.: STAR2016 #1450
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: FM 88.1MHz
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:50:09
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.5700	52.66	-17.30	35.36	40.00	-4.64	QP			
2	36.5236	53.42	-18.00	35.42	40.00	-4.58	QP			
3	86.9916	58.00	-22.24	35.76	40.00	-4.24	QP			
4	93.3247	61.32	-21.62	39.70	43.50	-3.80	QP			
5	97.3436	60.46	-21.57	38.89	43.50	-4.61	QP			
6	177.5178	61.14	-20.56	40.58	43.50	-2.92	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1456
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: FM 88.1MHz
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 16:14:48
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2791.399	45.20	-6.36	38.84	74.00	-35.16	peak			
2	2791.399	39.00	-6.36	32.64	54.00	-21.36	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161339

Page 71 of 94

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1455

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: FM 88.1MHz

Model: TQ-LT1502

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/07

Time: 16:11:37

Engineer Signature: alen

Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	2791.399	43.77	-6.36	37.41	74.00	-36.59	peak			
2	2791.399	36.14	-6.36	29.78	54.00	-24.22	AVG			

Test mode 7

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1453
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: GUITAR IN
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 16:01:10
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	38.5001	50.10	-18.63	31.47	40.00	-8.53	QP			
2	73.7496	58.06	-23.06	35.00	40.00	-5.00	QP			
3	86.9918	57.86	-22.24	35.62	40.00	-4.38	QP			
4	98.3752	59.70	-21.61	38.09	43.50	-5.41	QP			
5	177.5179	61.86	-20.56	41.30	43.50	-2.20	QP			
6	355.9397	58.01	-14.44	43.57	46.00	-2.43	QP			

**ACCURATE TECHNOLOGY CO., LTD.**

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161339

Page 73 of 94

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1454
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: GUITAR IN
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 16:05:32
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.4520	52.63	-17.28	35.35	40.00	-4.65	QP			
2	36.6520	53.40	-18.03	35.37	40.00	-4.63	QP			
3	86.9916	58.32	-22.24	36.08	40.00	-3.92	QP			
4	94.6456	61.14	-21.51	39.63	43.50	-3.87	QP			
5	98.0301	60.87	-21.61	39.26	43.50	-4.24	QP			
6	177.5178	61.81	-20.56	41.25	43.50	-2.25	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1457
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: GUITAR IN
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 16:18:45
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4880.026	41.11	-1.29	39.82	74.00	-34.18	peak			
2	4880.026	33.67	-1.29	32.38	54.00	-21.62	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161339

Page 75 of 94

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1458

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: GUITAR IN

Model: TQ-LT1502

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/07

Time: 16:22:27

Engineer Signature: alen

Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4701.634	42.36	-1.88	40.48	74.00	-33.52	peak			
2	4701.634	34.67	-1.88	32.79	54.00	-21.21	AVG			

Test mode 8

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1473
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: MIC IN
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 18:00:31
Engineer Signature: alen
Distance: 3m

Note: Report NO.:ATE20161339




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.8637	42.06	-10.21	31.85	40.00	-8.15	QP			
2	82.3588	50.70	-15.98	34.72	40.00	-5.28	QP			
3	126.3285	47.64	-13.77	33.87	43.50	-9.63	QP			
4	160.9088	51.24	-14.53	36.71	43.50	-6.79	QP			
5	188.4124	53.57	-12.66	40.91	43.50	-2.59	QP			
6	385.2805	50.09	-7.28	42.81	46.00	-3.19	QP			

Job No.: STAR2015 #1472
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: MIC IN
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 17:55:34
Engineer Signature: alen
Distance: 3m

Note: Report NO.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.7486	46.23	-9.75	36.48	40.00	-3.52	QP			
2	82.0705	51.70	-16.06	35.64	40.00	-4.36	QP			
3	87.4175	51.67	-15.23	36.44	40.00	-3.56	QP			
4	135.9822	50.10	-14.31	35.79	43.50	-7.71	QP			
5	162.0414	54.36	-14.52	39.84	43.50	-3.66	QP			
6	324.4560	46.47	-8.56	37.91	46.00	-8.09	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1496
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: MIC IN
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 19:32:44
Engineer Signature: alen
Distance: 3m

Note: Report NO.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4779.680	42.39	-0.43	41.96	74.00	-32.04	peak			
2	4779.680	34.91	-0.43	34.48	54.00	-19.52	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161339

Page 79 of 94

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1458
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: MIC IN
Model: TQ-LT1502
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 16:22:27
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161339



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4701.634	42.36	-1.88	40.48	74.00	-33.52	peak			
2	4701.634	34.67	-1.88	32.79	54.00	-21.21	AVG			

6. PHOTOGRAPHS

6.1.Photos of Radiated Emission Measurement



6.2.Photo of Conducted Emission Measurement



7. PHOTO OF EUT









