


7.Duty Cycle (x)

Test Mode	Test Channel	Ant	Duty Cycle[%]	10log(1/x) Factor[dB]
11A	5180	Ant1	44.24	3.54184881703358
11A	5220	Ant1	44.24	3.54184881703358
11A	5240	Ant1	44.24	3.54184881703358
11A	5745	Ant1	44.24	3.54184881703358
11A	5785	Ant1	44.44	3.5222594973117
11A	5825	Ant1	43.98	3.56744774975228
11N20	5180	Ant1	41.83	3.7851213541937
11N20	5220	Ant1	42.31	3.73556974668705
11N20	5240	Ant1	42.31	3.73556974668705
11N20	5745	Ant1	42.11	3.75614758579735
11N20	5785	Ant1	42.31	3.73556974668705
11N20	5825	Ant1	42.11	3.75614758579735
11N40	5190	Ant1	53.33	2.73028416317123
11N40	5230	Ant1	54.44	2.64081883468703
11N40	5755	Ant1	53.33	2.73028416317123
11N40	5795	Ant1	53.33	2.73028416317123
11AC20	5180	Ant1	39.09	4.07934329567753
11AC20	5220	Ant1	39.09	4.07934329567753
11AC20	5240	Ant1	38.89	4.1016205685254
11AC20	5745	Ant1	39.09	4.07934329567753
11AC20	5785	Ant1	38.89	4.1016205685254
11AC20	5825	Ant1	39.09	4.07934329567753
11AC40	5190	Ant1	50.6	2.95849483160201
11AC40	5230	Ant1	51.19	2.90814870449755
11AC40	5755	Ant1	50.6	2.95849483160201
11AC40	5795	Ant1	50	3.01029995663981
11AC80	5210	Ant1	69.7	1.56767221901991
11AC80	5775	Ant1	36.92	4.32738307646126


Test Mode	Test Channel	Ant	Duty Cycle[%]	10log(1/x) Factor[dB]
11A	5180	Ant2	44.44	3.5222594973117
11A	5220	Ant2	43.98	3.56744774975228
11A	5240	Ant2	44.44	3.5222594973117
11A	5745	Ant2	44.44	3.5222594973117
11A	5785	Ant2	44.44	3.5222594973117
11A	5825	Ant2	44.24	3.54184881703358
11N20	5180	Ant2	42.11	3.75614758579735
11N20	5220	Ant2	42.31	3.73556974668705
11N20	5240	Ant2	42.31	3.73556974668705
11N20	5745	Ant2	42.31	3.73556974668705
11N20	5785	Ant2	42.31	3.73556974668705
11N20	5825	Ant2	42.31	3.73556974668705
11N40	5190	Ant2	53.33	2.73028416317123
11N40	5230	Ant2	54.44	2.64081883468703
11N40	5755	Ant2	53.33	2.73028416317123
11N40	5795	Ant2	54.44	2.64081883468703
11AC20	5180	Ant2	38.89	4.1016205685254
11AC20	5220	Ant2	39.09	4.07934329567753
11AC20	5240	Ant2	38.58	4.13637776692134
11AC20	5745	Ant2	39.09	4.07934329567753
11AC20	5785	Ant2	39.09	4.07934329567753
11AC20	5825	Ant2	38.58	4.13637776692134
11AC40	5190	Ant2	51.16	2.91069464193384
11AC40	5230	Ant2	51.16	2.91069464193384
11AC40	5755	Ant2	51.76	2.86005732339356
11AC40	5795	Ant2	50.59	2.95935320591433
11AC80	5210	Ant2	36.92	4.32738307646126
11AC80	5775	Ant2	35.94	4.44421927227045

TEST PLOT


Duty Cycle_11A_5180_Ant1




Duty Cycle_11A_5220_Ant1




Duty Cycle_11A_5240_Ant1




Duty Cycle_11A_5745_Ant1




Duty Cycle_11A_5785_Ant1




Duty Cycle_11A_5825_Ant1




Duty Cycle_11N20_5180_Ant1




Duty Cycle_11N20_5220_Ant1




Duty Cycle_11N20_5240_Ant1




Duty Cycle_11N20_5745_Ant1




Duty Cycle_11N20_5785_Ant1




Duty Cycle_11N20_5825_Ant1




Duty Cycle_11N40_5190_Ant1




Duty Cycle_11N40_5230_Ant1




Duty Cycle_11N40_5755_Ant1



Duty Cycle_11N40_5795_Ant1




Duty Cycle_11AC20_5180_Ant1




Duty Cycle_11AC20_5220_Ant1




Duty Cycle_11AC20_5240_Ant1




Duty Cycle_11AC20_5745_Ant1




Duty Cycle_11AC20_5785_Ant1




Duty Cycle_11AC20_5825_Ant1




Duty Cycle_11AC40_5190_Ant1




Duty Cycle_11AC40_5230_Ant1




Duty Cycle_11AC40_5755_Ant1




Duty Cycle_11AC40_5795_Ant1



Duty Cycle_11AC80_5210_Ant1




Duty Cycle_11AC80_5775_Ant1




TEST PLOT


Duty Cycle_11A_5180_Ant2




Duty Cycle_11A_5220_Ant2



Duty Cycle_11A_5240_Ant2




Duty Cycle_11A_5745_Ant2




Duty Cycle_11A_5785_Ant2




Duty Cycle_11A_5825_Ant2




Duty Cycle_11N20_5180_Ant2




Duty Cycle_11N20_5220_Ant2




Duty Cycle_11N20_5240_Ant2




Duty Cycle_11N20_5745_Ant2




Duty Cycle_11N20_5785_Ant2




Duty Cycle_11N20_5825_Ant2




Duty Cycle_11N40_5190_Ant2




Duty Cycle_11N40_5230_Ant2




Duty Cycle_11N40_5755_Ant2




Duty Cycle_11N40_5795_Ant2




Duty Cycle_11AC20_5180_Ant2




Duty Cycle_11AC20_5220_Ant2




Duty Cycle_11AC20_5240_Ant2




Duty Cycle_11AC20_5745_Ant2




Duty Cycle_11AC20_5785_Ant2




Duty Cycle_11AC20_5825_Ant2




Duty Cycle_11AC40_5190_Ant2




Duty Cycle_11AC40_5230_Ant2




Duty Cycle_11AC40_5755_Ant2




Duty Cycle_11AC40_5795_Ant2



Duty Cycle_11AC80_5210_Ant2



Duty Cycle_11AC80_5775_Ant2




Antenna 1
802.11 a

Channel: 36

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5126.93	53.32	7.05	60.37	74	-13.63	Peak	Horizontal
2	5150	53.69	6.92	60.61	74	-13.39	Peak	Horizontal
3	5173.08	102.29	6.8	109.09	74	35.09	Peak	Horizontal
1	5129.06	38.67	7.05	45.72	54	-8.28	AV	Horizontal
2	5150	39.04	6.92	45.96	54	-8.04	AV	Horizontal
3	5187.28	86.46	6.72	93.18	54	39.18	AV	Horizontal

Peak



AV




802.11 a

Channel: 36

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5077.23	44.9	7.32	52.22	54	-1.78	Peak	Vertical
2	5150	44.35	6.92	51.27	54	-2.73	Peak	Vertical
3	5187.28	94.91	6.72	101.63	54	47.63	Peak	Vertical

Vertical




802.11 a


Channel: 149

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5720.79	48.04	6.82	54.86	74	-19.14	Peak	Horizontal
2	5725	49.44	6.82	56.26	74	-17.74	Peak	Horizontal
3	5742.99	93.49	6.79	100.28	74	26.28	Peak	Horizontal
1	5720.42	33.82	6.82	40.64	54	-33.36	AV	Horizontal
2	5725	34.96	6.82	41.78	54	-12.22	AV	Horizontal
3	5746.69	77.43	6.77	84.2	54	30.2	AV	Horizontal

Peak



AV




802.11 a


Channel: 149

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5720.79	46.16	6.82	52.98	74	-21.02	Peak	Vertical
2	5725	46.96	6.82	53.78	74	-20.22	Peak	Vertical
3	5742.99	95.08	6.79	101.87	74	27.87	Peak	Vertical
1	5720.42	33.6	6.82	40.42	54	-13.58	AV	Vertical
2	5725	34.81	6.82	41.63	54	-12.37	AV	Vertical
3	5746.69	78.57	6.77	85.34	54	31.34	AV	Vertical

Peak



AV




802.11 a


Channel: 165

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5822.8	89.15	6.65	95.8	54	41.8	Peak	Horizontal
2	5850	43.04	6.64	49.68	54	-4.32	Peak	Horizontal
3	5863.8	44.9	6.63	51.53	54	-2.47	Peak	Horizontal
1	5823.2	92.66	6.65	99.31	54	45.31	Peak	Vertical
2	5850	43.89	6.64	50.53	54	-3.47	Peak	Vertical
3	5885.8	45.87	6.61	52.48	54	-1.52	Peak	Vertical

Horizontal



Vertical




802.11 n(HT20)

Channel: 36


MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5112.73	45.01	7.13	52.14	54	-1.86	Peak	Horizontal
2	5150	44.46	6.92	51.38	54	-2.62	Peak	Horizontal
3	5172.37	94.37	6.81	101.18	54	47.18	Peak	Horizontal

Horizontal



MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5126.93	47.31	7.05	54.36	74	-19.64	Peak	Vertical
2	5150	48.36	6.92	55.28	74	-18.72	Peak	Vertical
3	5187.28	94.55	6.72	101.27	74	27.27	Peak	Vertical
1	5127.64	34.13	7.04	41.17	54	-12.83	AV	Vertical
2	5150	34.24	6.92	41.16	54	-12.84	AV	Vertical
3	5187.99	77.99	6.71	84.7	54	30.7	AV	Vertical

Peak



AV




802.11 n(HT20)


Channel: 149

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5723.75	54.37	6.82	61.19	74	-12.81	Peak	Horizontal
2	5725	55.11	6.82	61.93	74	-12.07	Peak	Horizontal
3	5742.99	98.3	6.79	105.09	74	31.09	Peak	Horizontal
1	5698.22	33.96	6.87	40.83	54	-13.17	AV	Horizontal
2	5725	36.82	6.82	43.64	54	-10.36	AV	Horizontal
3	5742.99	81.39	6.79	88.18	54	34.18	AV	Horizontal

Peak




AV



802.11 n(HT20)
Channel: 149

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5721.9	46.89	6.83	53.72	74	-20.28	Peak	Vertical
2	5725	47.58	6.82	54.4	74	-19.6	Peak	Vertical
3	5750.76	93.67	6.77	100.44	74	26.44	Peak	Vertical
1	5720.79	33.2	6.82	40.02	54	-13.98	AV	Vertical
2	5725	33.84	6.82	40.66	54	-13.34	AV	Vertical
3	5752.61	76.89	6.77	83.66	54	29.66	AV	Vertical

Peak



AV




802.11 n(HT20)


Channel: 165

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5823.4	95.15	6.65	101.8	74	27.8	Peak	Horizontal
2	5850	45.78	6.64	52.42	74	-21.58	Peak	Horizontal
3	5852.2	48.11	6.64	54.75	74	-19.25	Peak	Horizontal
1	5827.6	78.06	6.66	84.72	54	30.72	AV	Horizontal
2	5850	33.81	6.64	40.45	54	-13.55	AV	Horizontal
3	5853.4	33.53	6.64	40.17	54	-13.83	AV	Horizontal

Peak




AV




MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5829	92.94	6.66	99.6	74	25.6	Peak	Vertical
2	5850	45.31	6.64	51.95	74	-22.05	Peak	Vertical
3	5851	49.93	6.64	56.57	74	-17.43	Peak	Vertical
1	5826.4	75.87	6.66	82.53	54	28.53	AV	Vertical
2	5850	33.19	6.64	39.83	54	-14.17	AV	Vertical
3	5852.6	33.14	6.64	39.78	54	-14.22	AV	Vertical

Peak



AV




802.11 n(HT40)


Channel: 38

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5143.86	56.23	6.96	63.19	74	-10.81	Peak	Horizontal
2	5150	57.26	6.92	64.18	74	-9.82	Peak	Horizontal
3	5194.96	92.38	6.68	99.06	74	25.06	Peak	Horizontal
1	5075.24	36.15	7.33	43.48	54	-10.52	AV	Horizontal
2	5150	38.91	6.92	45.83	54	-8.17	AV	Horizontal
3	5205.18	77.91	6.65	84.56	54	30.56	AV	Horizontal

Peak



AV




802.11 n(HT40)


Channel: 38

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5147.51	57.42	6.94	64.36	74	-9.64	Peak	Vertical
2	5150	54.4	6.92	61.32	74	-12.68	Peak	Vertical
3	5188.39	92.7	6.71	99.41	74	25.41	Peak	Vertical
1	5147.51	35.54	6.94	42.48	54	-11.52	AV	Vertical
2	5150	36.03	6.92	42.95	54	-11.05	AV	Vertical
3	5187.66	77.52	6.71	84.23	54	30.23	AV	Vertical

Peak



AV



802.11 n(HT40)


Channel: 151

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5718.63	61.88	6.83	68.71	74	-5.29	Peak	Horizontal
2	5725	63.18	6.82	70	74	-4	Peak	Horizontal
3	5763.87	93.55	6.74	100.29	74	26.29	Peak	Horizontal
1	5722.92	42.47	6.83	49.3	54	-4.7	AV	Horizontal
2	5725	42.21	6.82	49.03	54	-4.97	AV	Horizontal
3	5761.53	78.57	6.74	85.31	54	31.31	AV	Horizontal

Peak



AV



802.11 n(HT40)


Channel: 151

MK.	Frequency (MHz)	Reading (dBUV/m)	Corrected factor(dB)	Result (dBUV/m)	Limit (dBUV/m)	Over Limit (dB)	Detector	Polarization
1	5723.7	62.56	6.82	69.38	74	-4.62	Peak	Vertical
2	5725	62.92	6.82	69.74	74	-4.26	Peak	Vertical
3	5746.71	93.84	6.77	100.61	74	26.61	Peak	Vertical
1	5722.53	42.11	6.83	48.94	54	-5.06	AV	Vertical
2	5725	43.41	6.82	50.23	54	-3.77	AV	Vertical
3	5749.05	79.24	6.77	86.01	54	32.01	AV	Vertical

Peak



AV




802.11 n(HT40)


Channel: 159

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5803.92	93.55	6.67	100.22	74	26.22	Peak	Horizontal
2	5850	48.18	6.64	54.82	74	-19.18	Peak	Horizontal
3	5852.16	49.29	6.64	55.93	74	-18.07	Peak	Horizontal
1	5782.56	78.6	6.7	85.3	54	31.3	AV	Horizontal
2	5850	34	6.64	40.64	54	-13.36	AV	Horizontal
3	5852.64	33.65	6.64	40.29	54	-13.71	AV	Horizontal

Peak



AV




802.11 n(HT40)


Channel: 159

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5781.6	88.86	6.7	95.56	74	21.56	Peak	Vertical
2	5850	48.74	6.64	55.38	74	-18.62	Peak	Vertical
3	5851.92	48.44	6.64	55.08	74	-18.92	Peak	Vertical
1	5777.76	74.39	6.71	81.1	54	27.1	AV	Vertical
2	5850	34.13	6.64	40.77	54	-13.23	AV	Vertical
3	5851.68	33.67	6.64	40.31	54	-13.69	AV	Vertical

Peak




AV



MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5119.12	48.12	7.1	55.22	74	-18.78	Peak	Horizontal
2	5150	45.17	6.92	52.09	74	-21.91	Peak	Horizontal
3	5177.34	96.31	6.77	103.08	74	29.08	Peak	Horizontal
1	5127.64	34.92	7.04	41.96	54	-12.04	AV	Horizontal
2	5150	34.73	6.92	41.65	54	-12.35	AV	Horizontal
3	5173.79	78.81	6.8	85.61	54	31.61	AV	Horizontal

Peak



AV




802.11 ac(VHT20)

Channel: 36

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5136.16	45.87	7	52.87	54	-1.13	Peak	Vertical
2	5150	45.41	6.92	52.33	54	-1.67	Peak	Vertical
3	5187.28	92.02	6.72	98.74	54	44.74	Peak	Vertical

Vertical




802.11 ac(VHT20)


Channel: 149

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5723.75	50.95	6.82	57.77	74	-16.23	Peak	Horizontal
2	5725	52.31	6.82	59.13	74	-14.87	Peak	Horizontal
3	5740.77	94.37	6.79	101.16	74	27.16	Peak	Horizontal
1	5721.53	34.21	6.83	41.04	54	-12.96	AV	Horizontal
2	5725	35.15	6.82	41.97	54	-12.03	AV	Horizontal
3	5740.03	75.59	6.79	82.38	54	28.38	AV	Horizontal

Peak



AV




802.11 ac(VHT20)

Channel: 149

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5714.5	44.74	6.84	51.58	54	-2.42	Peak	Vertical
2	5725	46.64	6.82	53.46	54	-0.54	Peak	Vertical
3	5741.51	94.2	6.79	100.99	54	46.99	Peak	Vertical

Peak




802.11 ac(VHT20)


Channel: 165

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5821.6	101.3	6.65	107.95	74	33.95	Peak	Horizontal
2	5850	51.64	6.64	58.28	74	-15.72	Peak	Horizontal
3	5851.6	52.87	6.64	59.51	74	-14.49	Peak	Horizontal
1	5827.6	82.7	6.66	89.36	54	35.36	AV	Horizontal
2	5850	36.68	6.64	43.32	54	-10.68	AV	Horizontal
3	5852.4	35.69	6.64	42.33	54	-11.67	AV	Horizontal

Peak



AV




802.11 ac(VHT20)

Channel: 165

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5820.6	92.78	6.65	99.43	54	45.43	Peak	Vertical
2	5850	44.38	6.64	51.02	54	-2.98	Peak	Vertical
3	5926.6	45.82	6.6	52.42	54	-1.58	Peak	Vertical

Peak



MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5147.51	64.65	6.94	71.59	74	-2.41	Peak	Horizontal
2	5150	62.65	6.92	69.57	74	-4.43	Peak	Horizontal
3	5192.77	98.69	6.69	105.38	74	31.38	Peak	Horizontal
1	5146.78	43.06	6.94	50	54	-4	AV	Horizontal
2	5150	44.67	6.92	51.59	54	-2.41	AV	Horizontal
3	5197.88	83.94	6.66	90.6	54	36.6	AV	Horizontal

Peak




AV




MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5148.24	54.46	6.94	61.4	74	-12.6	Peak	Vertical
2	5150	53.04	6.92	59.96	74	-14.04	Peak	Vertical
3	5195.69	95.88	6.67	102.55	74	28.55	Peak	Vertical
1	5129.26	35.56	7.04	42.6	54	-11.4	AV	Vertical
2	5150	36.03	6.92	42.95	54	-11.05	AV	Vertical
3	5194.23	79.21	6.68	85.89	54	31.89	AV	Vertical

Peak



AV



802.11 ac(VHT40)

Channel: 151

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5722.92	65.6	6.83	72.43	74	-1.57	Peak	Horizontal
2	5725	62.13	6.82	68.95	74	-5.05	Peak	Horizontal
3	5745.15	97.18	6.77	103.95	74	29.95	Peak	Horizontal
1	5722.53	43.3	6.83	50.13	54	-3.87	AV	Horizontal
2	5725	42.85	6.82	49.67	54	-4.33	AV	Horizontal
3	5762.7	81.37	6.74	88.11	54	34.11	AV	Horizontal

Peak



AV




802.11 ac(VHT40)

Channel: 151

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5721.36	55.53	6.82	62.35	74	-11.65	Peak	Vertical
2	5725	56.49	6.82	63.31	74	-10.69	Peak	Vertical
3	5760.75	95.4	6.74	102.14	74	28.14	Peak	Vertical
1	5721.75	38.76	6.83	45.59	54	-8.41	AV	Vertical
2	5725	39.48	6.82	46.3	54	-7.7	AV	Vertical
3	5762.7	79.97	6.74	86.71	54	32.71	AV	Vertical

Peak



AV




802.11 ac(VHT40)


Channel: 159

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5805.36	102.41	6.67	109.08	74	35.08	Peak	Horizontal
2	5850	57.14	6.64	63.78	74	-10.22	Peak	Horizontal
3	5854.56	59.41	6.64	66.05	74	-7.95	Peak	Horizontal
1	5808.48	86.87	6.67	93.54	54	39.54	AV	Horizontal
2	5850	41.2	6.64	47.84	54	-6.16	AV	Horizontal
3	5852.64	41.12	6.64	47.76	54	-6.24	AV	Horizontal

Peak



AV




802.11 ac(VHT40)


Channel: 159

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5809.92	92.26	6.67	98.93	74	24.93	Peak	Vertical
2	5850	49.9	6.64	56.54	74	-17.46	Peak	Vertical
3	5852.16	49.42	6.64	56.06	74	-17.94	Peak	Vertical
1	5807.76	77.11	6.66	83.77	54	29.77	AV	Vertical
2	5850	35.18	6.64	41.82	54	-12.18	AV	Vertical
3	5853.36	34.52	6.64	41.16	54	-12.84	AV	Vertical

Peak



AV




802.11 ac(VHT80)

Channel: 42

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5136.32	58.56	7	65.56	74	-8.44	Peak	Horizontal
2	5150	54.99	6.92	61.91	74	-12.09	Peak	Horizontal
3	5203.25	95.35	6.65	102	74	28	Peak	Horizontal
4	5350	44.89	6.98	51.87	74	-22.13	Peak	Horizontal
5	5372.03	46.96	7.14	54.1	74	-19.9	Peak	Horizontal
1	5146.02	40.04	6.94	46.98	54	-7.02	AV	Horizontal
2	5150	39.71	6.92	46.63	54	-7.37	AV	Horizontal
3	5204.22	78.75	6.65	85.4	54	31.4	AV	Horizontal
4	5350	33.59	6.98	40.57	54	-13.43	AV	Horizontal
5	5377.85	33.97	7.17	41.14	54	-12.86	AV	Horizontal

Peak



AV




802.11 ac(VHT80)


Channel: 42

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5129.53	55.16	7.04	62.2	74	-11.8	Peak	Vertical
2	5150	55.03	6.92	61.95	74	-12.05	Peak	Vertical
3	5247.87	91.11	6.65	97.76	74	23.76	Peak	Vertical
4	5350	44.09	6.98	51.07	74	-22.93	Peak	Vertical
5	5373	44.97	7.14	52.11	74	-21.89	Peak	Vertical
1	5125.65	36.5	7.06	43.56	54	-10.44	AV	Vertical
2	5150	36.51	6.92	43.43	54	-10.57	AV	Vertical
3	5243.99	73.8	6.65	80.45	54	26.45	AV	Vertical
4	5350	32.92	6.98	39.9	54	-14.1	AV	Vertical
5	5420.53	33.07	7.25	40.32	54	-13.68	AV	Vertical

Peak




AV




MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5706	55.55	6.86	62.41	74	-11.59	Peak	Horizontal
2	5725	55.53	6.82	62.35	74	-11.65	Peak	Horizontal
3	5805.2	88.3	6.67	94.97	74	20.97	Peak	Horizontal
4	5850	47.76	6.64	54.4	74	-19.6	Peak	Horizontal
5	5862.4	50.56	6.63	57.19	74	-16.81	Peak	Horizontal
1	5722.4	39.04	6.83	45.87	54	-8.13	AV	Horizontal
2	5725	37.94	6.82	44.76	54	-9.24	AV	Horizontal
3	5812.4	72.3	6.66	78.96	54	24.96	AV	Horizontal
4	5850	32.95	6.64	39.59	54	-14.41	AV	Horizontal
5	5862.4	33.19	6.63	39.82	54	-14.18	AV	Horizontal

Peak



AV




802.11 ac(VHT80)


Channel: 155

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5706.8	58.42	6.85	65.27	74	-8.73	Peak	Vertical
2	5725	57.52	6.82	64.34	74	-9.66	Peak	Vertical
3	5784.4	90.28	6.7	96.98	74	22.98	Peak	Vertical
4	5850	49.3	6.64	55.94	74	-18.06	Peak	Vertical
5	5868	48.23	6.63	54.86	74	-19.14	Peak	Vertical
1	5723.6	39.56	6.83	46.39	54	-7.61	AV	Vertical
2	5725	38.64	6.82	45.46	54	-8.54	AV	Vertical
3	5768.8	71.89	6.73	78.62	54	24.62	AV	Vertical
4	5850	33.84	6.64	40.48	54	-13.52	AV	Vertical
5	5887.6	33.96	6.61	40.57	54	-13.43	AV	Vertical

Peak



AV




Antenna 2
802.11 a


Channel: 36

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5087.3	47.18	7.26	54.44	74	-19.56	Peak	Horizontal
2	5150	47.74	6.92	54.66	74	-19.34	Peak	Horizontal
3	5187.4	93.34	6.72	100.06	74	26.06	Peak	Horizontal
1	5076.1	34.77	7.32	42.09	54	-11.91	AV	Horizontal
2	5150	35.09	6.92	42.01	54	-11.99	AV	Horizontal
3	5174.1	76.27	6.8	83.07	54	29.07	AV	Horizontal

Peak



AV




802.11 a


Channel: 36

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5126.22	47.88	7.05	54.93	74	-19.07	Peak	Vertical
2	5150	45.67	6.92	52.59	74	-21.41	Peak	Vertical
3	5173.08	95.29	6.8	102.09	74	28.09	Peak	Vertical
1	5127.64	34.83	7.04	41.87	54	-12.13	AV	Vertical
2	5150	34.74	6.92	41.66	54	-12.34	AV	Vertical
3	5173.79	78.85	6.8	85.65	54	31.65	AV	Vertical

Peak



AV




802.11 a

Channel: 149

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5723.01	47.48	6.83	54.31	74	-19.69	Peak	Horizontal
2	5725	46.48	6.82	53.3	74	-20.7	Peak	Horizontal
3	5752.24	93.42	6.77	100.19	74	26.19	Peak	Horizontal
1	5722.64	34.45	6.83	41.28	54	-12.72	AV	Horizontal
2	5725	35.01	6.82	41.83	54	-12.17	AV	Horizontal
3	5746.69	79.22	6.77	85.99	54	31.99	AV	Horizontal

Peak



AV



802.11 a

Channel: 149

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5721.53	47.7	6.83	54.53	74	-19.47	Peak	Vertical
2	5725	48.1	6.82	54.92	74	-19.08	Peak	Vertical
3	5743.36	96.22	6.79	103.01	74	29.01	Peak	Vertical
1	5720.05	34.7	6.82	41.52	54	-12.48	AV	Vertical
2	5725	35.66	6.82	42.48	54	-11.52	AV	Vertical
3	5746.69	80.21	6.77	86.98	54	32.98	AV	Vertical

Peak



AV




802.11 a

Channel: 165


MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5832.2	89.8	6.65	96.45	54	42.45	Peak	Horizontal
2	5850	44.66	6.64	51.3	54	-2.7	Peak	Horizontal
3	5858.6	44.73	6.63	51.36	54	-2.64	Peak	Horizontal
1	5822.8	90.62	6.65	97.27	54	43.27	Peak	Vertical
2	5850	44.42	6.64	51.06	54	-2.94	Peak	Vertical
3	5883.8	45.1	6.61	51.71	54	-2.29	Peak	Vertical

Horizontal



b

Vertical




802.11 n(HT20)

Channel: 36


MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5085.04	45.2	7.28	52.48	54	-1.52	Peak	Horizontal
2	5150	42.93	6.92	49.85	54	-4.15	Peak	Horizontal
3	5187.99	90.93	6.71	97.64	54	43.64	Peak	Horizontal

Horizontal



MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5124.8	47.04	7.06	54.1	74	-19.9	Peak	Vertical
2	5150	46.53	6.92	53.45	74	-20.55	Peak	Vertical
3	5173.08	95.78	6.8	102.58	74	28.58	Peak	Vertical
1	5126.93	34.2	7.05	41.25	54	-12.75	AV	Vertical
2	5150	34.22	6.92	41.14	54	-12.86	AV	Vertical
3	5187.99	79.03	6.71	85.74	54	31.74	AV	Vertical

Peak




AV




MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5722.64	61.99	6.83	68.82	74	-5.18	Peak	Horizontal
2	5725	58.27	6.82	65.09	74	-8.91	Peak	Horizontal
3	5742.62	98.48	6.79	105.27	74	31.27	Peak	Horizontal
1	5723.01	37.28	6.83	44.11	54	-9.89	AV	Horizontal
2	5725	38.77	6.82	45.59	54	-8.41	AV	Horizontal
3	5742.99	81.93	6.79	88.72	54	34.72	AV	Horizontal

Peak



AV




802.11 n(HT20)


Channel: 149

MK.	Frequency (MHz)	Reading (dBUV/m)	Corrected factor(dB)	Result (dBUV/m)	Limit (dBUV/m)	Over Limit (dB)	Detector	Polarization
1	5723.38	51.94	6.83	58.77	74	-15.23	Peak	Vertical
2	5725	50.41	6.82	57.23	74	-16.77	Peak	Vertical
3	5744.1	94.55	6.78	101.33	74	27.33	Peak	Vertical
1	5723.38	34.56	6.83	41.39	54	-12.61	AV	Vertical
2	5725	35.12	6.82	41.94	54	-12.06	AV	Vertical
3	5746.69	77.83	6.77	84.6	54	30.6	AV	Vertical

Peak



AV




802.11 n(HT20)


Channel: 165

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5830.2	98.7	6.66	105.36	74	31.36	Peak	Horizontal
2	5850	50.54	6.64	57.18	74	-16.82	Peak	Horizontal
3	5851.2	52.48	6.64	59.12	74	-14.88	Peak	Horizontal
1	5827.8	81.35	6.66	88.01	54	34.01	AV	Horizontal
2	5850	35.54	6.64	42.18	54	-11.82	AV	Horizontal
3	5851	35.19	6.64	41.83	54	-12.17	AV	Horizontal

Peak




AV




MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5826.4	94.02	6.66	100.68	74	26.68	Peak	Vertical
2	5850	46.73	6.64	53.37	74	-20.63	Peak	Vertical
3	5852.8	46.89	6.64	53.53	74	-20.47	Peak	Vertical
1	5826.6	76.26	6.66	82.92	54	28.92	AV	Vertical
2	5850	33.24	6.64	39.88	54	-14.12	AV	Vertical
3	5858.4	33.17	6.63	39.8	54	-14.2	AV	Vertical

Peak




AV



MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5146.78	60.86	6.94	67.8	74	-6.2	Peak	Horizontal
2	5150	59.83	6.92	66.75	74	-7.25	Peak	Horizontal
3	5175.98	95.96	6.78	102.74	74	28.74	Peak	Horizontal
1	5140.21	39.25	6.98	46.23	54	-7.77	AV	Horizontal
2	5150	41.53	6.92	48.45	54	-5.55	AV	Horizontal
3	5196.42	81.44	6.66	88.1	54	34.1	AV	Horizontal

Peak




AV



MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5148.97	58.04	6.94	64.98	74	-9.02	Peak	Vertical
2	5150	56.75	6.92	63.67	74	-10.33	Peak	Vertical
3	5193.5	94.29	6.69	100.98	74	26.98	Peak	Vertical
1	5129.26	35.69	7.04	42.73	54	-11.27	AV	Vertical
2	5150	36.99	6.92	43.91	54	-10.09	AV	Vertical
3	5194.23	79.63	6.68	86.31	54	32.31	AV	Vertical

Peak



AV




MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5723.31	57.34	6.83	64.17	74	-9.83	Peak	Horizontal
2	5725	56.25	6.82	63.07	74	-10.93	Peak	Horizontal
3	5742.81	92.17	6.79	98.96	74	24.96	Peak	Horizontal
1	5723.31	38.33	6.83	45.16	54	-8.84	AV	Horizontal
2	5725	38.35	6.82	45.17	54	-8.83	AV	Horizontal
3	5741.64	77.1	6.79	83.89	54	29.89	AV	Horizontal

Peak



AV




802.11 n(HT40)


Channel: 151

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5718.24	55.42	6.84	62.26	74	-11.74	Peak	Vertical
2	5725	51.56	6.82	58.38	74	-15.62	Peak	Vertical
3	5752.56	92.11	6.77	98.88	74	24.88	Peak	Vertical
1	5717.85	36.8	6.84	43.64	54	-10.36	AV	Vertical
2	5725	36.33	6.82	43.15	54	-10.85	AV	Vertical
3	5752.56	77.7	6.77	84.47	54	30.47	AV	Vertical

Peak



AV



802.11 n(HT40)

Channel: 159

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5789.04	95.95	6.69	102.64	74	28.64	Peak	Horizontal
2	5850	55.16	6.64	61.8	74	-12.2	Peak	Horizontal
3	5852.16	54.61	6.64	61.25	74	-12.75	Peak	Horizontal
1	5786.4	81.44	6.7	88.14	54	34.14	AV	Horizontal
2	5850	37.91	6.64	44.55	54	-9.45	AV	Horizontal
3	5852.64	37.78	6.64	44.42	54	-9.58	AV	Horizontal

Peak



AV




802.11 n(HT40)


Channel: 159

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5784.48	89.3	6.7	96	74	22	Peak	Vertical
2	5850	48.42	6.64	55.06	74	-18.94	Peak	Vertical
3	5851.44	50.43	6.64	57.07	74	-16.93	Peak	Vertical
1	5781.36	74.97	6.71	81.68	54	27.68	AV	Vertical
2	5850	34.4	6.64	41.04	54	-12.96	AV	Vertical
3	5852.64	34.24	6.64	40.88	54	-13.12	AV	Vertical

Peak



AV




802.11 ac(VHT20)

Channel: 36

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5143.26	51.27	6.96	58.23	74	-15.77	Peak	Horizontal
2	5150	49.59	6.92	56.51	74	-17.49	Peak	Horizontal
3	5178.05	98.89	6.76	105.65	74	31.65	Peak	Horizontal
1	5132.61	36.41	7.01	43.42	54	-10.58	AV	Horizontal
2	5150	36.64	6.92	43.56	54	-10.44	AV	Horizontal
3	5176.63	82.1	6.78	88.88	54	34.88	AV	Horizontal

Peak



AV




802.11 ac(VHT20)

Channel: 36

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5107.05	45.72	7.16	52.88	54	-1.12	Peak	Vertical
2	5150	44.51	6.92	51.43	54	-2.57	Peak	Vertical
3	5175.92	94.37	6.78	101.15	54	47.15	Peak	Vertical

Vertical




802.11 ac(VHT20)


Channel: 149

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5722.64	50.22	6.83	57.05	74	-16.95	Peak	Horizontal
2	5725	48.51	6.82	55.33	74	-18.67	Peak	Horizontal
3	5748.17	97.09	6.77	103.86	74	29.86	Peak	Horizontal
1	5722.27	34.58	6.83	41.41	54	-12.59	AV	Horizontal
2	5725	35.12	6.82	41.94	54	-12.06	AV	Horizontal
3	5747.8	79.2	6.77	85.97	54	31.97	AV	Horizontal

Peak



AV




802.11 ac(VHT20)


Channel: 149

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5724.49	47.56	6.82	54.38	74	-19.62	Peak	Vertical
2	5725	46.89	6.82	53.71	74	-20.29	Peak	Vertical
3	5740.77	93.19	6.79	99.98	74	25.98	Peak	Vertical
1	5718.94	33.05	6.82	39.87	54	-14.13	AV	Vertical
2	5725	34.37	6.82	41.19	54	-12.81	AV	Vertical
3	5742.99	75.81	6.79	82.6	54	28.6	AV	Vertical

Peak



AV



802.11 ac(VHT20)


Channel: 165

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5827.6	102.65	6.66	109.31	74	35.31	Peak	Horizontal
2	5850	59.29	6.64	65.93	74	-8.07	Peak	Horizontal
3	5853	56.39	6.64	63.03	74	-10.97	Peak	Horizontal
1	5827.6	84.55	6.66	91.21	54	37.21	AV	Horizontal
2	5850	38.94	6.64	45.58	54	-8.42	AV	Horizontal
3	5851	37.71	6.64	44.35	54	-9.65	AV	Horizontal

Peak



AV




802.11 ac(VHT20)

Channel: 165

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5822	93.22	6.65	99.87	54	45.87	Peak	Vertical
2	5850	42.84	6.64	49.48	54	-4.52	Peak	Vertical
3	5880.8	45.54	6.62	52.16	54	-1.84	Peak	Vertical

Peak




802.11 ac(VHT40)


Channel: 38

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5144.59	54.23	6.95	61.18	74	-12.82	Peak	Horizontal
2	5150	56.84	6.92	63.76	74	-10.24	Peak	Horizontal
3	5205.91	96.87	6.65	103.52	74	29.52	Peak	Horizontal
1	5127.07	34.47	7.05	41.52	54	-12.48	AV	Horizontal
2	5150	37.16	6.92	44.08	54	-9.92	AV	Horizontal
3	5203.72	81.41	6.65	88.06	54	34.06	AV	Horizontal

Peak



AV




802.11 ac(VHT40)

Channel: 38

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5143.13	48.57	6.96	55.53	74	-18.47	Peak	Vertical
2	5150	47.59	6.92	54.51	74	-19.49	Peak	Vertical
3	5194.96	94.98	6.68	101.66	74	27.66	Peak	Vertical
1	5102.98	33.78	7.18	40.96	54	-13.04	AV	Vertical
2	5150	34.22	6.92	41.14	54	-12.86	AV	Vertical
3	5194.23	77.61	6.68	84.29	54	30.29	AV	Vertical

Peak



AV




802.11 ac(VHT40)


Channel: 151

MK.	Frequency (MHz)	Reading (dBUV/m)	Corrected factor(dB)	Result (dBUV/m)	Limit (dBUV/m)	Over Limit (dB)	Detector	Polarization
1	5721.75	58.8	6.83	65.63	74	-8.37	Peak	Horizontal
2	5725	57.76	6.82	64.58	74	-9.42	Peak	Horizontal
3	5761.92	93.41	6.74	100.15	74	26.15	Peak	Horizontal
1	5722.53	40.83	6.83	47.66	54	-6.34	AV	Horizontal
2	5725	40.12	6.82	46.94	54	-7.06	AV	Horizontal
3	5742.81	78.3	6.79	85.09	54	31.09	AV	Horizontal

Peak



AV




802.11 ac(VHT40)


Channel: 151

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5718.63	52.14	6.83	58.97	74	-15.03	Peak	Vertical
2	5725	50.6	6.82	57.42	74	-16.58	Peak	Vertical
3	5749.44	94.1	6.77	100.87	74	26.87	Peak	Vertical
1	5724.09	35.52	6.82	42.34	54	-11.66	AV	Vertical
2	5725	35.75	6.82	42.57	54	-11.43	AV	Vertical
3	5750.22	77.79	6.77	84.56	54	30.56	AV	Vertical

Peak



AV



802.11 ac(VHT40)


Channel: 159

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5786.64	100.52	6.7	107.22	74	33.22	Peak	Horizontal
2	5850	55.97	6.64	62.61	74	-11.39	Peak	Horizontal
3	5852.16	56.85	6.64	63.49	74	-10.51	Peak	Horizontal
1	5782.56	85.43	6.7	92.13	54	38.13	AV	Horizontal
2	5850	39.46	6.64	46.1	54	-7.9	AV	Horizontal
3	5852.64	39.06	6.64	45.7	54	-8.3	AV	Horizontal

Peak



AV




802.11 ac(VHT40)


Channel: 159

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5785.2	90.41	6.7	97.11	74	23.11	Peak	Vertical
2	5850	48.08	6.64	54.72	74	-19.28	Peak	Vertical
3	5852.16	48.36	6.64	55	74	-19	Peak	Vertical
1	5782.56	75.45	6.7	82.15	54	28.15	AV	Vertical
2	5850	34.12	6.64	40.76	54	-13.24	AV	Vertical
3	5853.36	33.79	6.64	40.43	54	-13.57	AV	Vertical

Peak



AV




802.11 ac(VHT80)


Channel: 42

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5136.32	59.75	7	66.75	74	-7.25	Peak	Horizontal
2	5150	62.59	6.92	69.51	74	-4.49	Peak	Horizontal
3	5201.31	96.02	6.65	102.67	74	28.67	Peak	Horizontal
4	5350	44.96	6.98	51.94	74	-22.06	Peak	Horizontal
5	5387.55	48.03	7.24	55.27	74	-18.73	Peak	Horizontal
1	5146.02	39.94	6.94	46.88	54	-7.12	AV	Horizontal
2	5150	39.61	6.92	46.53	54	-7.47	AV	Horizontal
3	5204.22	78.72	6.65	85.37	54	31.37	AV	Horizontal
4	5350	33.55	6.98	40.53	54	-13.47	AV	Horizontal
5	5367.18	34.08	7.1	41.18	54	-12.82	AV	Horizontal

Peak



AV




802.11 ac(VHT80)


Channel: 42

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5136.32	57.06	7	64.06	74	-9.94	Peak	Vertical
2	5150	51.03	6.92	57.95	74	-16.05	Peak	Vertical
3	5207.13	93.23	6.64	99.87	74	25.87	Peak	Vertical
4	5350	43.7	6.98	50.68	74	-23.32	Peak	Vertical
5	5377.85	47.77	7.17	54.94	74	-19.06	Peak	Vertical
1	5136.32	35.91	7	42.91	54	-11.09	AV	Vertical
2	5150	36.29	6.92	43.21	54	-10.79	AV	Vertical
3	5222.65	75.88	6.65	82.53	54	28.53	AV	Vertical
4	5350	32.97	6.98	39.95	54	-14.05	AV	Vertical
5	5418.59	33.12	7.25	40.37	54	-13.63	AV	Vertical

Peak




AV




MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5717.6	60.47	6.84	67.31	74	-6.69	Peak	Horizontal
2	5725	56.42	6.82	63.24	74	-10.76	Peak	Horizontal
3	5746.4	92.68	6.77	99.45	74	25.45	Peak	Horizontal
4	5850	52.97	6.64	59.61	74	-14.39	Peak	Horizontal
5	5867.2	57.78	6.63	64.41	74	-9.59	Peak	Horizontal
1	5722.4	39.47	6.83	46.3	54	-7.7	AV	Horizontal
2	5725	38.1	6.82	44.92	54	-9.08	AV	Horizontal
3	5764	74.07	6.74	80.81	54	26.81	AV	Horizontal
4	5850	33.48	6.64	40.12	54	-13.88	AV	Horizontal
5	5861.2	33.46	6.63	40.09	54	-13.91	AV	Horizontal

Peak



AV




802.11 ac(VHT80)

Channel: 155

MK.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Over Limit (dB)	Detector	Polarization
1	5719.2	57.24	6.82	64.06	74	-9.94	Peak	Vertical
2	5725	57.08	6.82	63.9	74	-10.1	Peak	Vertical
3	5767.6	88.91	6.74	95.65	74	21.65	Peak	Vertical
4	5850	54.46	6.64	61.1	74	-12.9	Peak	Vertical
5	5857.6	54.92	6.63	61.55	74	-12.45	Peak	Vertical
1	5722.4	38.68	6.83	45.51	54	-8.49	AV	Vertical
2	5725	37.53	6.82	44.35	54	-9.65	AV	Vertical
3	5768.8	71.85	6.73	78.58	54	24.58	AV	Vertical
4	5850	35.39	6.64	42.03	54	-11.97	AV	Vertical
5	5852.8	35.33	6.64	41.97	54	-12.03	AV	Vertical

Peak



AV

