




Mode 2: LTE Band 4 / 66

LTE Band 66_1711.5 MHz_3M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 16:24:44

LTE Band 66_1711.5 MHz_3M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 16:24:54

LTE Band 66_1745 MHz_3M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 16:26:07

LTE Band 66_1745 MHz_3M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 16:26:13

LTE Band 66_1778.5 MHz_3M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 16:27:40

LTE Band 66_1778.5 MHz_3M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 16:27:40


LTE Band 66_1712.5 MHz_5M_1RB_QPSK_Below 1GHz




LTE Band 66_1712.5 MHz_5M_1RB_QPSK_Above 1GHz




LTE Band 66_1745 MHz_5M_1RB_QPSK_Below 1GHz




LTE Band 66_1745 MHz_5M_1RB_QPSK_Above 1GHz




LTE Band 66_1777.5 MHz_5M_1RB_QPSK_Below 1GHz



LTE Band 66_1777.5 MHz_5M_1RB_QPSK_Above 1GHz




LTE Band 66_1715 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16, DEC, 2024 16:34:56

LTE Band 66_1715 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16, DEC, 2024 16:35:05

LTE Band 66_1745 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16, DEC, 2024 16:36:12

LTE Band 66_1745 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16, DEC, 2024 16:36:20

LTE Band 66_1775 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16, DEC, 2024 16:37:45

LTE Band 66_1775 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16, DEC, 2024 16:37:53


LTE Band 66_1717.5 MHz_15M_1RB_QPSK_Below 1GHz




LTE Band 66_1717.5 MHz_15M_1RB_QPSK_Above 1GHz




LTE Band 66_1745 MHz_15M_1RB_QPSK_Below 1GHz




LTE Band 66_1745 MHz_15M_1RB_QPSK_Above 1GHz




LTE Band 66_1772.5 MHz_15M_1RB_QPSK_Below 1GHz




LTE Band 66_1772.5 MHz_15M_1RB_QPSK_Above 1GHz




LTE Band 66_1720 MHz_20M_1RB_QPSK_Below 1GHz




LTE Band 66_1720 MHz_20M_1RB_QPSK_Above 1GHz




LTE Band 66_1745 MHz_20M_1RB_QPSK_Below 1GHz




LTE Band 66_1745 MHz_20M_1RB_QPSK_Above 1GHz



LTE Band 66_1770 MHz_20M_1RB_QPSK_Below 1GHz




LTE Band 66_1770 MHz_20M_1RB_QPSK_Above 1GHz




Mode 3: LTE Band 5 / 26 (Part 22)


LTE Band 26_824.7 MHz_1.4M_1RB_QPSK_Below 1GHz




LTE Band 26_824.7 MHz_1.4M_1RB_QPSK_Above 1GHz




LTE Band 26_836.5 MHz_1.4M_1RB_QPSK_Below 1GHz




LTE Band 26_836.5 MHz_1.4M_1RB_QPSK_Above 1GHz




LTE Band 26_848.3 MHz_1.4M_1RB_QPSK_Below 1GHz




LTE Band 26_848.3 MHz_1.4M_1RB_QPSK_Above 1GHz




LTE Band 26_825.5 MHz_3M_1RB_QPSK_Below 1GHz




LTE Band 26_825.5 MHz_3M_1RB_QPSK_Above 1GHz




LTE Band 26_836.5 MHz_3M_1RB_QPSK_Below 1GHz




LTE Band 26_836.5 MHz_3M_1RB_QPSK_Above 1GHz




LTE Band 26_847.5 MHz_3M_1RB_QPSK_Below 1GHz




LTE Band 26_847.5 MHz_3M_1RB_QPSK_Above 1GHz




LTE Band 26_826.5 MHz_5M_1RB_QPSK_Below 1GHz




LTE Band 26_826.5 MHz_5M_1RB_QPSK_Above 1GHz




LTE Band 26_836.5 MHz_5M_1RB_QPSK_Below 1GHz




LTE Band 26_836.5 MHz_5M_1RB_QPSK_Above 1GHz




LTE Band 26_846.5 MHz_5M_1RB_QPSK_Below 1GHz



LTE Band 26_846.5 MHz_5M_1RB_QPSK_Above 1GHz




LTE Band 26_829 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 15:17:09

LTE Band 26_829 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 15:17:09

LTE Band 26_836.5 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 15:18:24

LTE Band 26_836.5 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 15:18:31

LTE Band 26_844 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 15:21:37

LTE Band 26_844 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 15:21:43

LTE Band 26_831.5 MHz_15M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 15:24:04

LTE Band 26_831.5 MHz_15M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 15:24:10

LTE Band 26_836.5 MHz_15M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 15:28:14

LTE Band 26_836.5 MHz_15M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 15:28:19

LTE Band 26_841.5 MHz_15M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 15:28:09


LTE Band 26_841.5 MHz_15M_1RB_QPSK_Above 1GHz



Date: 16.DEC.2024 15:28:14


Mode 4: LTE Band 7

LTE Band 7_2505 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 10:05:14

LTE Band 7_2505 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 10:05:20

LTE Band 7_2535 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 10:07:04

LTE Band 7_2535 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 10:07:11

LTE Band 7_2565 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 10:09:28

LTE Band 7_2565 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 10:09:33

LTE Band 7_2507.5 MHz_15M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 10:14:45

LTE Band 7_2507.5 MHz_15M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 10:15:00

LTE Band 7_2535 MHz_15M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 10:16:34

LTE Band 7_2535 MHz_15M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 10:16:43

LTE Band 7_2562.5 MHz_15M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 10:21:41

LTE Band 7_2562.5 MHz_15M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 10:21:48

LTE Band 7_2510 MHz_20M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 10:24:18

LTE Band 7_2510 MHz_20M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 10:24:28

LTE Band 7_2535 MHz_20M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 10:25:45

LTE Band 7_2535 MHz_20M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 10:25:55

LTE Band 7_2560 MHz_20M_1RB_QPSK_Below 1GHz



Date: 16.DEC.2024 10:27:47


LTE Band 7_2560 MHz_20M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 10:27:55

Mode 5: LTE Band 12


LTE Band 12_699.7 MHz_1.4M_1RB_QPSK_Below 1GHz




LTE Band 12_699.7 MHz_1.4M_1RB_QPSK_Above 1GHz




LTE Band 12_707.5 MHz_1.4M_1RB_QPSK_Below 1GHz




LTE Band 12_707.5 MHz_1.4M_1RB_QPSK_Above 1GHz




LTE Band 12_715.3 MHz_1.4M_1RB_QPSK_Below 1GHz




LTE Band 12_715.3 MHz_1.4M_1RB_QPSK_Above 1GHz




LTE Band 12_700.5 MHz_3M_1RB_QPSK_Below 1GHz




LTE Band 12_700.5 MHz_3M_1RB_QPSK_Above 1GHz




LTE Band 12_707.5 MHz_3M_1RB_QPSK_Below 1GHz




LTE Band 12_707.5 MHz_3M_1RB_QPSK_Above 1GHz




LTE Band 12_714.5 MHz_3M_1RB_QPSK_Below 1GHz



LTE Band 12_714.5 MHz_3M_1RB_QPSK_Above 1GHz




LTE Band 12_701.5 MHz_5M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 13:29:17

LTE Band 12_701.5 MHz_5M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 13:29:23

LTE Band 12_707.5 MHz_5M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 13:30:29

LTE Band 12_707.5 MHz_5M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 13:30:36

LTE Band 12_713.5 MHz_5M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 13:33:00

LTE Band 12_713.5 MHz_5M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 13:33:09

LTE Band 12_704 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 13:35:56

LTE Band 12_704 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 13:36:00

LTE Band 12_707.5 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 13:37:16

LTE Band 12_707.5 MHz_10M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 13:37:20

LTE Band 12_711 MHz_10M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 13:40:11


LTE Band 12_711 MHz_10M_1RB_QPSK_Above 1GHz



Date: 16.DEC.2024 13:40:16


Mode 6: LTE Band 13






Mode 7: LTE Band 26 (Part 90)

LTE Band 26_814.7 MHz_1.4M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 15:40:23

LTE Band 26_814.7 MHz_1.4M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 15:40:29

LTE Band 26_819 MHz_1.4M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 15:49:13

LTE Band 26_819 MHz_1.4M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 15:49:18

LTE Band 26_823.3 MHz_1.4M_1RB_QPSK_Below 1GHz




Date: 16.DEC.2024 15:51:58

LTE Band 26_823.3 MHz_1.4M_1RB_QPSK_Above 1GHz




Date: 16.DEC.2024 15:52:04


LTE Band 26_815.5 MHz_3M_1RB_QPSK_Below 1GHz




LTE Band 26_815.5 MHz_3M_1RB_QPSK_Above 1GHz




LTE Band 26_819 MHz_3M_1RB_QPSK_Below 1GHz




LTE Band 26_819 MHz_3M_1RB_QPSK_Above 1GHz




LTE Band 26_822.5 MHz_3M_1RB_QPSK_Below 1GHz




LTE Band 26_822.5 MHz_3M_1RB_QPSK_Above 1GHz




LTE Band 26_816.5 MHz_5M_1RB_QPSK_Below 1GHz




LTE Band 26_816.5 MHz_5M_1RB_QPSK_Above 1GHz




LTE Band 26_819 MHz_5M_1RB_QPSK_Below 1GHz




LTE Band 26_819 MHz_5M_1RB_QPSK_Above 1GHz




LTE Band 26_821.5 MHz_5M_1RB_QPSK_Below 1GHz




LTE Band 26_821.5 MHz_5M_1RB_QPSK_Above 1GHz






Mode 8: LTE Band 38

LTE Band 38_2572.5 MHz_5M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 09:52:42

LTE Band 38_2572.5 MHz_5M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 09:52:55

LTE Band 38_2595 MHz_5M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 09:54:06

LTE Band 38_2595 MHz_5M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 09:54:16

LTE Band 38_2617.5 MHz_5M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 09:56:32

LTE Band 38_2617.5 MHz_5M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 09:56:50

LTE Band 38_2575 MHz_10M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 09:59:22

LTE Band 38_2575 MHz_10M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 09:59:31

LTE Band 38_2595 MHz_10M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 09:00:36

LTE Band 38_2595 MHz_10M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 09:00:48

LTE Band 38_2615 MHz_10M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 09:03:08

LTE Band 38_2615 MHz_10M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 09:03:21


LTE Band 38_2577.5 MHz_15M_1RB_QPSK_Below 1GHz




LTE Band 38_2577.5 MHz_15M_1RB_QPSK_Above 1GHz




LTE Band 38_2595 MHz_15M_1RB_QPSK_Below 1GHz




LTE Band 38_2595 MHz_15M_1RB_QPSK_Above 1GHz




LTE Band 38_2612.5 MHz_15M_1RB_QPSK_Below 1GHz




LTE Band 38_2612.5 MHz_15M_1RB_QPSK_Above 1GHz




LTE Band 38_2580 MHz_20M_1RB_QPSK_Below 1GHz




LTE Band 38_2580 MHz_20M_1RB_QPSK_Above 1GHz




LTE Band 38_2595 MHz_20M_1RB_QPSK_Below 1GHz




LTE Band 38_2595 MHz_20M_1RB_QPSK_Above 1GHz



LTE Band 38_2610 MHz_20M_1RB_QPSK_Below 1GHz




LTE Band 38_2610 MHz_20M_1RB_QPSK_Above 1GHz




Mode 9: LTE Band 41

LTE Band 41_2498.5 MHz_5M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 10:01:17

LTE Band 41_2498.5 MHz_5M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 10:01:27

LTE Band 41_2593 MHz_5M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 10:03:04

LTE Band 41_2593 MHz_5M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 10:03:10

LTE Band 41_2687.5 MHz_5M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 10:04:47

LTE Band 41_2687.5 MHz_5M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 10:04:57


LTE Band 41_2501 MHz_10M_1RB_QPSK_Below 1GHz




LTE Band 41_2501 MHz_10M_1RB_QPSK_Above 1GHz




LTE Band 41_2593 MHz_10M_1RB_QPSK_Below 1GHz




LTE Band 41_2593 MHz_10M_1RB_QPSK_Above 1GHz




LTE Band 41_2685 MHz_10M_1RB_QPSK_Below 1GHz




LTE Band 41_2685 MHz_10M_1RB_QPSK_Above 1GHz




LTE Band 41_2503.5 MHz_15M_1RB_QPSK_Below 1GHz




LTE Band 41_2503.5 MHz_15M_1RB_QPSK_Above 1GHz




LTE Band 41_2593 MHz_15M_1RB_QPSK_Below 1GHz




LTE Band 41_2593 MHz_15M_1RB_QPSK_Above 1GHz




LTE Band 41_2682.5 MHz_15M_1RB_QPSK_Below 1GHz



LTE Band 41_2682.5 MHz_15M_1RB_QPSK_Above 1GHz




LTE Band 41_2506 MHz_20M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 10:20:43

LTE Band 41_2506 MHz_20M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 10:20:54

LTE Band 41_2593 MHz_20M_1RB_QPSK_Below 1GHz




Date: 19.DEC.2024 10:30:11

LTE Band 41_2593 MHz_20M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 10:30:22

LTE Band 41_2680 MHz_20M_1RB_QPSK_Below 1GHz



Date: 19.DEC.2024 10:32:00

LTE Band 41_2680 MHz_20M_1RB_QPSK_Above 1GHz




Date: 19.DEC.2024 10:32:11

Appendix D.2 Test Result of Radiated Spurious Emission

Mode 1: LTE Band 2 / 25

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band25_CH26140
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3720.000	-43.98	-13.00	-30.98	-36.83	-7.15	Peak
2	5580.000	-34.16	-13.00	-21.16	-32.35	-1.81	Peak
3	7440.000	-47.14	-13.00	-34.14	-51.21	4.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band25_CH26140
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3720.000	-39.95	-13.00	-26.95	-32.80	-7.15	Peak
2	5580.000	-30.49	-13.00	-17.49	-28.68	-1.81	Peak
3	7440.000	-39.90	-13.00	-26.90	-43.97	4.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band25_CH26365
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3765.000	-43.30	-13.00	-30.30	-36.37	-6.93	Peak
2	5647.500	-31.56	-13.00	-18.56	-29.95	-1.61	Peak
3	7530.000	-46.43	-13.00	-33.43	-50.58	4.15	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band25_CH26365
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	3765.000	-39.61	-13.00	-26.61	-32.68	-6.93	Peak
2	5647.500	-27.09	-13.00	-14.09	-25.48	-1.61	Peak
3	7530.000	-43.02	-13.00	-30.02	-47.17	4.15	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band25_CH26590
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3810.000	-41.78	-13.00	-28.78	-35.06	-6.72	Peak
2	5715.000	-26.82	-13.00	-13.82	-25.42	-1.40	Peak
3	7620.000	-47.73	-13.00	-34.73	-51.94	4.21	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band25_CH26590
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3810.000	-37.04	-13.00	-24.04	-30.32	-6.72	Peak
2	5715.000	-28.69	-13.00	-15.69	-27.29	-1.40	Peak
3	7620.000	-43.57	-13.00	-30.57	-47.78	4.21	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 2: LTE Band 4 / 66

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band66_CH132072
Test by :Brook Cheng




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3440.000	-46.76	-13.00	-33.76	-38.40	-8.36	Peak
2	5160.000	-35.94	-13.00	-22.94	-33.80	-2.14	Peak
3	6880.000	-39.83	-13.00	-26.83	-43.15	3.32	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band66_CH132072
Test by :Brook Cheng




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3440.000	-45.36	-13.00	-32.36	-37.00	-8.36	Peak
2	5160.000	-31.58	-13.00	-18.58	-29.44	-2.14	Peak
3	6880.000	-37.79	-13.00	-24.79	-41.11	3.32	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band66_CH132322
Test by :Brook Cheng




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3490.000	-48.75	-13.00	-35.75	-40.52	-8.23	Peak
2	5235.000	-35.48	-13.00	-22.48	-33.35	-2.13	Peak
3	6980.000	-39.73	-13.00	-26.73	-43.27	3.54	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band66_CH132322
Test by :Brook Cheng




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	3490.000	-44.06	-13.00	-31.06	-35.83	-8.23	Peak
2	5235.000	-31.21	-13.00	-18.21	-29.08	-2.13	Peak
3	6980.000	-37.58	-13.00	-24.58	-41.12	3.54	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band66_CH132572
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3540.000	-46.26	-13.00	-33.26	-38.25	-8.01	Peak
2	5310.000	-36.02	-13.00	-23.02	-33.91	-2.11	Peak
3	7080.000	-41.46	-13.00	-28.46	-45.13	3.67	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band66_CH132572
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3540.000	-47.89	-13.00	-34.89	-39.88	-8.01	Peak
2	5310.000	-31.32	-13.00	-18.32	-29.21	-2.11	Peak
3	7080.000	-39.43	-13.00	-26.43	-43.10	3.67	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 3: LTE Band 5 / 26 (Part 22)

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band26(part22)_CH26865
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1663.000	-50.26	-13.00	-37.26	-35.70	-14.56	Peak
2	2494.500	-55.13	-13.00	-42.13	-43.63	-11.50	Peak
3	3326.000	-56.68	-13.00	-43.68	-47.99	-8.69	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band26(part22)_CH26865
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1663.000	-51.43	-13.00	-38.43	-36.87	-14.56	Peak
2	2494.500	-58.08	-13.00	-45.08	-46.58	-11.50	Peak
3	3326.000	-56.54	-13.00	-43.54	-47.85	-8.69	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band26(part22)_CH26915
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1673.000	-52.41	-13.00	-39.41	-37.89	-14.52	Peak
2	2509.500	-52.59	-13.00	-39.59	-41.15	-11.44	Peak
3	3346.000	-56.49	-13.00	-43.49	-47.86	-8.63	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band26(part22)_CH26915
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1673.000	-51.70	-13.00	-38.70	-37.18	-14.52	Peak
2	2509.500	-53.28	-13.00	-40.28	-41.84	-11.44	Peak
3	3346.000	-56.68	-13.00	-43.68	-48.05	-8.63	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band26(part22)_CH26965
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1683.000	-46.53	-13.00	-33.53	-32.05	-14.48	Peak
2	2524.500	-53.10	-13.00	-40.10	-41.70	-11.40	Peak
3	3366.000	-56.77	-13.00	-43.77	-48.19	-8.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band26(part22)_CH26965
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1683.000	-49.31	-13.00	-36.31	-34.83	-14.48	Peak
2	2524.500	-54.51	-13.00	-41.51	-43.11	-11.40	Peak
3	3366.000	-56.07	-13.00	-43.07	-47.49	-8.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 4: LTE Band 7

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band7_CH20850
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5020.000	-37.72	-25.00	-12.72	-35.54	-2.18	Peak
2	7530.000	-38.41	-25.00	-13.41	-42.56	4.15	Peak
3	10040.000	-42.65	-25.00	-17.65	-50.71	8.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band7_CH20850
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5020.000	-29.28	-25.00	-4.28	-27.10	-2.18	Peak
2	7530.000	-33.01	-25.00	-8.01	-37.16	4.15	Peak
3	10040.000	-39.37	-25.00	-14.37	-47.43	8.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band7_CH21100
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5070.000	-33.33	-25.00	-8.33	-31.16	-2.17	Peak
2	7605.000	-40.44	-25.00	-15.44	-44.64	4.20	Peak
3	10140.000	-42.82	-25.00	-17.82	-50.96	8.14	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band7_CH21100
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5070.000	-29.15	-25.00	-4.15	-26.98	-2.17	Peak
2	7605.000	-33.42	-25.00	-8.42	-37.62	4.20	Peak
3	10140.000	-37.66	-25.00	-12.66	-45.80	8.14	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band7_CH21350
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5120.000	-33.96	-25.00	-8.96	-31.81	-2.15	Peak
2	7680.000	-37.92	-25.00	-12.92	-42.16	4.24	Peak
3	10240.000	-43.28	-25.00	-18.28	-51.51	8.23	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band7_CH21350
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5120.000	-29.43	-25.00	-4.43	-27.28	-2.15	Peak
2	7680.000	-35.51	-25.00	-10.51	-39.75	4.24	Peak
3	10240.000	-41.61	-25.00	-16.61	-49.84	8.23	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 5: LTE Band 12

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band12_CH23060
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1408.000	-50.76	-13.00	-37.76	-35.15	-15.61	Peak
2	2112.000	-58.52	-13.00	-45.52	-45.80	-12.72	Peak
3	2816.000	-57.26	-13.00	-44.26	-46.97	-10.29	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band12_CH23060
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1408.000	-52.52	-13.00	-39.52	-36.91	-15.61	Peak
2	2112.000	-59.09	-13.00	-46.09	-46.37	-12.72	Peak
3	2816.000	-57.48	-13.00	-44.48	-47.19	-10.29	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band12_CH23095
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1415.000	-52.77	-13.00	-39.77	-37.19	-15.58	Peak
2	2122.500	-59.07	-13.00	-46.07	-46.39	-12.68	Peak
3	2830.000	-56.53	-13.00	-43.53	-46.30	-10.23	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band12_CH23095
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1415.000	-54.34	-13.00	-41.34	-38.76	-15.58	Peak
2	2122.500	-59.03	-13.00	-46.03	-46.35	-12.68	Peak
3	2830.000	-57.64	-13.00	-44.64	-47.41	-10.23	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :LTE_Band12_CH23130
 Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1422.000	-52.16	-13.00	-39.16	-36.60	-15.56	Peak
2	2133.000	-56.21	-13.00	-43.21	-43.56	-12.65	Peak
3	2844.000	-56.95	-13.00	-43.95	-46.77	-10.18	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LTE_Band12_CH23130
 Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1422.000	-51.19	-13.00	-38.19	-35.63	-15.56	Peak
2	2133.000	-58.96	-13.00	-45.96	-46.31	-12.65	Peak
3	2844.000	-57.45	-13.00	-44.45	-47.27	-10.18	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 6: LTE Band 13

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band13_CH23230
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1564.000	-45.87	-40.00	-5.87	-30.86	-15.01	Peak
2	2346.000	-58.97	-13.00	-45.97	-47.00	-11.97	Peak
3	3128.000	-55.37	-13.00	-42.37	-46.12	-9.25	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band13_CH23230
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	Limit	Level	dB	
1	1564.000	-51.64	-40.00	-11.64	-36.63	-15.01	Peak
2	2346.000	-58.58	-13.00	-45.58	-46.61	-11.97	Peak
3	3128.000	-56.68	-13.00	-43.68	-47.43	-9.25	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 7: LTE Band 26 (Part 90)

Site :HC-CB02
 Condition :3m Horizontal
 Mode :LTE_Band26(part90)_CH26740
 Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1638.000	-52.25	-13.00	-39.25	-37.57	-14.68	Peak
2	2457.000	-51.91	-13.00	-38.91	-40.29	-11.62	Peak
3	3276.000	-55.54	-13.00	-42.54	-46.71	-8.83	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LTE_Band26(part90)_CH26740
 Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1638.000	-53.28	-13.00	-40.28	-38.60	-14.68	Peak
2	2457.000	-52.77	-13.00	-39.77	-41.15	-11.62	Peak
3	3276.000	-56.64	-13.00	-43.64	-47.81	-8.83	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 8: LTE Band 38

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band38_CH37850
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5160.000	-27.37	-25.00	-2.37	-25.23	-2.14	Peak
2	7740.000	-39.92	-25.00	-14.92	-44.20	4.28	Peak
3	10320.000	-43.81	-25.00	-18.81	-52.10	8.29	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band38_CH37850
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5160.000	-26.09	-25.00	-1.09	-23.95	-2.14	Peak
2	7740.000	-26.09	-25.00	-1.09	-30.37	4.28	Peak
3	10320.000	-38.69	-25.00	-13.69	-46.98	8.29	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band38_CH38000
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5190.000	-29.54	-25.00	-4.54	-27.40	-2.14	Peak
2	7785.000	-40.80	-25.00	-15.80	-45.11	4.31	Peak
3	10380.000	-44.35	-25.00	-19.35	-52.69	8.34	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band38_CH38000
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5190.000	-26.14	-25.00	-1.14	-24.00	-2.14	Peak
2	7785.000	-36.62	-25.00	-11.62	-40.93	4.31	Peak
3	10380.000	-38.42	-25.00	-13.42	-46.76	8.34	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8$ dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band38_CH38150
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5220.000	-27.87	-25.00	-2.87	-25.73	-2.14	Peak
2	7830.000	-41.36	-25.00	-16.36	-45.70	4.34	Peak
3	10440.000	-43.84	-25.00	-18.84	-52.23	8.39	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band38_CH38150
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	5220.000	-26.57	-25.00	-1.57	-24.43	-2.14	Peak
2	7830.000	-37.86	-25.00	-12.86	-42.20	4.34	Peak
3	10440.000	-39.52	-25.00	-14.52	-47.91	8.39	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
= 107 + 20log(3) - 104.8 = 11.8 dB
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Mode 9: LTE Band 41

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band41_CH39750
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	5012.000	-41.36	-25.00	-16.36	-39.19	-2.17	Peak
2	7518.000	-33.36	-25.00	-8.36	-37.50	4.14	Peak
3	10024.000	-43.95	-25.00	-18.95	-52.00	8.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band41_CH39750
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	5012.000	-34.44	-25.00	-9.44	-32.27	-2.17	Peak
2	7518.000	-29.27	-25.00	-4.27	-33.41	4.14	Peak
3	10024.000	-40.77	-25.00	-15.77	-48.82	8.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :LTE_Band41_CH40620
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	5186.000	-35.69	-25.00	-10.69	-33.56	-2.13	Peak
2	7779.000	-30.69	-25.00	-5.69	-34.99	4.30	Peak
3	10372.000	-42.33	-25.00	-17.33	-50.66	8.33	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LTE_Band41_CH40620
Test by :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBm	Line	Limit	Level	dB	
1	5186.000	-33.55	-25.00	-8.55	-31.42	-2.13	Peak
2	7779.000	-26.44	-25.00	-1.44	-30.74	4.30	Peak
3	10372.000	-42.01	-25.00	-17.01	-50.34	8.33	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :LTE_Band41_CH41490
 Test by :Brook Cheng




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	5360.000	-34.68	-25.00	-9.68	-32.59	-2.09	Peak
2	8040.000	-30.16	-25.00	-5.16	-34.69	4.53	Peak
3	10720.000	-39.95	-25.00	-14.95	-48.74	8.79	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :LTE_Band41_CH41490
 Test by :Brook Cheng




No.	Frequency MHz	Level dBm	Limit Line dBm	Over Limit dB	Read Level dBm	Factor dB	Remark
1	5360.000	-27.97	-25.00	-2.97	-25.88	-2.09	Peak
2	8040.000	-27.41	-25.00	-2.41	-31.94	4.53	Peak
3	10720.000	-38.81	-25.00	-13.81	-47.60	8.79	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuV/m) to EIRP (dBm)
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Appendix E. Test Result of Conducted Band Edge


Mode 1: LTE Band 2 / 25



LTE Band 25_1913.5 MHz_3M_QPSK_1RB



LTE Band 25_1913.5 MHz_3M_QPSK_FRB



LTE Band 25_1852.5 MHz_5M_QPSK_1RB



LTE Band 25_1852.5 MHz_5M_QPSK_FRB




LTE Band 25_1912.5 MHz_5M_QPSK_1RB




LTE Band 25_1912.5 MHz_5M_QPSK_FRB



LTE Band 25_1855 MHz_10M_QPSK_1RB



LTE Band 25_1855 MHz_10M_QPSK_FRB



LTE Band 25_1910 MHz_10M_QPSK_1RB



LTE Band 25_1910 MHz_10M_QPSK_FRB



LTE Band 25_1857.5 MHz_15M_QPSK_1RB



LTE Band 25_1857.5 MHz_15M_QPSK_FRB



LTE Band 25_1907.5 MHz_15M_QPSK_1RB




LTE Band 25_1907.5 MHz_15M_QPSK_FRB



LTE Band 25_1860 MHz_20M_QPSK_1RB



LTE Band 25_1860 MHz_20M_QPSK_FRB



LTE Band 25_1905 MHz_20M_QPSK_1RB



LTE Band 25_1905 MHz_20M_QPSK_FRB

