





Hobolite



Detachable Control Panel

OPERATION MANUAL

Features



Product Specifications

DETACHABLE CONTROL PANEL

Battery	3.7V 180mAh
Dimension	96x98x24mm / 3.78x3.85x0.94in
Net Weight	0.119kg / 0.26Lbs




WARNINGS

- Please thoroughly read the manual prior to operating the product and operate in strict accordance with the manual.
- Don't disassemble the product by yourself. If the product requires repair, contact our maintenance personnel.
- Product failures caused by unauthorized disassembly are not covered by warranty, and will be chargeable.
- Don't submerge the product in water or other liquid/s to avoid safety risk and product failure.
- Only use the originally supplied accessories to avoid product failure/s.

App Download

You can download the Hobolite app in the (Apple) App Store and Google Play store by scanning the following QR code.



Warranty Card

Product No.	
Product name	
Purchase date	
User name	
User telephone	
User address	
Dealer stamp	



AEC LIGHTING SOLUTIONS CO., LTD.

QUALIFIED: PASS

Hobolite

Add: 2548 Bao'an Highway, Jiading District,
Shanghai 201801, China

Warranty Terms

We provide a one-year warranty period for the original buyer of the product. For the detailed warranty scope, please log in our website www.hobolite.com.

Important notes:

- Please retain your original purchase invoice and warranty card and ensure that the complete supplier information is on the invoice, including the purchase date and product serial number, which will be needed when making a claim against the warranty.

The warranty does not cover:

- Damage caused by improper use, false wiring, incompatible, poor quality or mis-adjusted external devices
Damage to the appearance of the product from mishandling or abuse.
- Exposure to rain or water
- Damage caused by transportation. Please contact your dealer to issue a claim.
-

The warranty will be invalid if:

- The product serial number has been torn off or can't be identified.
- The product has been repaired or modified by unauthorized persons.



Hobolite

AEC LIGHTING SOLUTIONS CO., LTD.

Add: 2548 Bao'an Highway, Jiading District, Shanghai 201801, China

Tel: 86-021-69153369

f [@hobolite](#)

t [@hobolite](#)

ig [@hobolite](#)

in [@hobolite](#)

yt [@hobolite](#)

sk [@hobolite](#)

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.