



10M, Lowest Channel, Chain 1




ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 17 JUN 2025 11:24:01

10M, Middle Channel, Chain 1




ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 17 JUN 2025 11:25:12

10M, Highest Channel, Chain 1




ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 17 JUN 2025 11:26:34

20M, Lowest Channel, Chain 1




ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 17 JUN 2025 11:20:51

20M, Middle Channel, Chain 1



ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 17 JUN 2025 11:19:08

20M, Highest Channel, Chain 1



ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 17 JUN 2025 11:17:26

5.7 100 kHz Bandwidth of Frequency Band Edge

Test Information:

Serial No.:	32E4-3	Test Date:	2025/6/12~2025/6/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	Pass

Environmental Conditions:



Temperature: (°C)	25.8~26.2	Relative Humidity: (%)	51~57	ATM Pressure: (kPa)	100.5~100.6
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:


Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2024/09/05	2025/09/04
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM503	2025/06/06	2026/06/05

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:




20M, Lowest Channel, Chain 0




ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 13.JUN.2025 17:21:11

20M, Highest Channel, Chain 0




ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 13.JUN.2025 17:18:25

10M, Lowest Channel, Chain 1




ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 12.JUN.2025 19:27:21

10M, Highest Channel, Chain 1




ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 12.JUN.2025 19:37:08

20M, Lowest Channel, Chain 1



ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 13.JUN.2025 18:04:26

20M, Highest Channel, Chain 1



ProjectNo.:2502S56849E-RF Tester:Jojo Zhou
Date: 13.JUN.2025 18:15:12

5.8 Duty Cycle

Test Information:

Serial No.:	32E4-3	Test Date:	2025/6/12~2025/6/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	25.8~26.2	Relative Humidity: (%)	51~57	ATM Pressure: (kPa)	100.5~100.6
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101461	2024/09/05	2025/09/04
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM503	2025/06/06	2026/06/05

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Test Modes	Ton (ms)	Ton+off (ms)	Duty cycle (%)	Duty Cycle Factor (dB)	1/T (Hz)	VBW Setting (kHz)
10M	5.246	5.420	96.79	0.14	191	0.2
20M	5.217	5.420	96.25	0.14	191	0.2

Note: Test only was performed at Chain 0.





EXHIBIT A - EUT PHOTOGRAPHS

Please refer to the attachment 2502S56849E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2502S56849E-RF-INP EUT INTERNAL PHOTOGRAPHS.

EXHIBIT B - TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2502S56849E-RF-00C-TSP TEST SETUP PHOTOGRAPHS.

******* END OF REPORT *******