




Open, Close, and Monitor Status From Anywhere
Works With Voice Controllers and More

WIFI SMART
GARAGE DOOR OPENER


- This device can let you control your garage door from anywhere, and monitor your garage door status at anytime!
- You can share the device to your family and friends or visitors, and you also can take back the permission at nay time!
- Voice control with Alexa Echo/Dot/Tap and Google Home! Just ask!
- Works with IFTTT, DIY your applet. Just drive!



Made in China


☐ Black

☐ White






Wi-Fi SMART GARAGE DOOR OPENER



* The 5V USB adapter is not included in the package.

⚠️ Test Device For Opener Compatibility

1. Power up the Smart Garage Door Switch, the Red LED is off.
* The 5V USB adapter is not included in the package.
* The 5V adapter should be more than 1A (1000mA) output.
2. Use the included Red & Black wire connect the Smart Garage Door Switch to your opener: Put each end to the same terminals as the wall button wires are terminated to.
3. Use a tiny screw or nail to click the button in the Smart Garage Door Switch, your garage door should activate.




NOTE: Please have 5-second long press for network pairing

If this test fails, your device may not be compatible. For additional installation instructions and the list of compatible models, please visit our website.

Test OK! Click the button every time, the garage door will open or close.

Below are checklist before using the device:

- Your smart phone or tablet should have connected a 2.4G WiFi with internet.
- The device only supports 2.4G Wi-Fi. If you use a 5G router (it provides two Wi-Fi signals: 5G and 2.4G), please select the 2.4G WiFi to connect your smart phone.
- Download one of the APPs: "Tuya Smart" APP or "Smart Life" APP from APP Store or Google Play store.
- During pairing process, make sure that your iOS or Android device and the Smart Garage Door Switch are within the range of your WiFi router.
- Make sure your router is MAC-open. If not, please cancel the router's MAC filtering setting first.




* Install the "Tuya Smart" APP or "Smart Life" APP.

Add Device


- 1 Power up the Smart Garage Door Switch with your USB adapter, the Red LED is off.
- 2 Use a tiny screw or nail to keep pressing the button in the Smart Garage Door Switch for 5s, until the RED LED rapidly blinks (twice per second).
- 3 Launch APP, tap the icon "+" on the right top.
- 4 Slecet the "All Devices" → Slecet the "Door Window" type.
- 5 Tap "Confirm indicator rapidly blink" .
- 6 Input the correct 2.4G WiFi passwords. Then, tap Confirm.
- 7 It will auto-connect with the device. Once the process is completed, it will prompt you that you can rename the device. Enter a new name and Save.

If failed, please "View Help" then try again.



One Smart garage door switch can only control one garage door. But the APP can add multiple Smart garage door switch.

Tap to enter full function operation interface.



Rename/Share/OTA/Remove
Manage Group/Position
Device ID/IP/MAC/Feedback


Check the operation records

Tap to Open/Close.

Everytime the door is opened, you will receive an alarm.

⚠️ Do this installation After you successfully added the device to your app.

EASY INSTALLATION



1st Step : Power up.


* The 5V USB adapter is not included in the package.
* The 5V adapter should be more than 1A (1000mA) output.

2nd Step : Connect to the wall console.


Insert the Red & Black wire 2.0mm terminal to the smart garage door switch, then put each end to the same terminals as the wall button wires are terminated to.

3rd Step : Connect to the garage door.

Insert the 2.0mm terminal of the sensor to the smart garage door switch, then steady install the sensor and the magnet of the gap within 3mm to 15mm on your garage door with screws/bracket/3M gums/wall nail/line holders/ties.



If it is hard to install with screws , you can also use the 3M gums to finish.
If you are worried about the steady, you can use both screws and 3M gums.



Works With Alexa



- 1 Open Alexa App, tap on the menu on upper left corner. Go to Skills.
- 2 Enter "Tuya Smart" or "Smart Life" in the search field and search.
- 3 Tap "Tuya Smart" or "Smart Life" .
- 4 Enable the skill.
- 5 Enter your account information and tap on 'Log in' to link your account to your Amazon account. If your account is a phone number, you should select your country. If your account is an email address, please select a random country/region code.

Voice commands:
"Alexa, turn on (device name)"
"Alexa, turn off (device name)"



Works With iFTTT



Works With Google Home



- 1 Launch Google Home app, tap the menu.
- 2 Tap Home control.
- 3 Under Devices, tap the + icon.
- 4 Tap "Tuya Smart" or "Smart Life" .
- 5 Enter your account information and tap on 'Log in' to link your account to your Amazon account. If your account is a phone number, you should select your country. If your account is an email address, please select a random country/region code.

Voice commands:
"Hey google, turn on (device name)"
"OK google, turn off (device name)"

- 1 Launch IFTTT app, tap Search. Enter "Tuya Smart" or "Smart Life" to search.
- 2 Go to My Applets, tap "+" to create your own applet.

Warning:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE: This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter

RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter