



Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-45.65	-27	Pass
NVNT	a	5320	Ant1	-31.46	-27	Pass
NVNT	ac20	5260	Ant1	-52.95	-27	Pass
NVNT	ac20	5320	Ant1	-31.01	-27	Pass
NVNT	ac40	5270	Ant1	-53.83	-27	Pass
NVNT	ac40	5310	Ant1	-32.36	-27	Pass
NVNT	ac80	5290	Ant1	-45.53	-27	Pass
NVNT	n20	5260	Ant1	-46.51	-27	Pass
NVNT	n20	5320	Ant1	-30.31	-27	Pass
NVNT	n40	5270	Ant1	-46.2	-27	Pass
NVNT	n40	5310	Ant1	-28.57	-27	Pass


Band Edge NVNT a 5260MHz Low Ant1




Band Edge NVNT a 5320MHz High Ant1




Band Edge NVNT ac20 5260MHz Low Ant1



Band Edge NVNT ac20 5320MHz High Ant1




Band Edge NVNT ac40 5270MHz Low Ant1




Band Edge NVNT ac40 5310MHz High Ant1




Band Edge NVNT ac80 5290MHz Low Ant1




Band Edge NVNT n20 5260MHz Low Ant1




Band Edge NVNT n20 5320MHz High Ant1



Band Edge NVNT n40 5270MHz Low Ant1




Band Edge NVNT n40 5310MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-31.86	-27	Pass
NVNT	a	5280	Ant1	-32.32	-27	Pass
NVNT	a	5320	Ant1	-31.52	-27	Pass
NVNT	ac20	5260	Ant1	-32.29	-27	Pass
NVNT	ac20	5280	Ant1	-32.52	-27	Pass
NVNT	ac20	5320	Ant1	-32.25	-27	Pass
NVNT	ac40	5270	Ant1	-32.25	-27	Pass
NVNT	ac40	5310	Ant1	-31.91	-27	Pass
NVNT	ac80	5290	Ant1	-32.11	-27	Pass
NVNT	n20	5260	Ant1	-32.05	-27	Pass
NVNT	n20	5280	Ant1	-32.49	-27	Pass
NVNT	n20	5320	Ant1	-31.77	-27	Pass
NVNT	n40	5270	Ant1	-32.33	-27	Pass
NVNT	n40	5310	Ant1	-32.67	-27	Pass


Tx. Spurious NVNT a 5260MHz Ant1 Emission




Tx. Spurious NVNT a 5280MHz Ant1 Emission




Tx. Spurious NVNT a 5320MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5280MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission




Tx. Spurious NVNT ac40 5270MHz Ant1 Emission




Tx. Spurious NVNT ac40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac80 5290MHz Ant1 Emission




Tx. Spurious NVNT n20 5260MHz Ant1 Emission




Tx. Spurious NVNT n20 5280MHz Ant1 Emission




Tx. Spurious NVNT n20 5320MHz Ant1 Emission



Tx. Spurious NVNT n40 5270MHz Ant1 Emission



Tx. Spurious NVNT n40 5310MHz Ant1 Emission




WIFI 5.6G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5500	Ant1	91.16	0.4
NVNT	a	5600	Ant1	91.01	0.41
NVNT	a	5700	Ant1	91.05	0.41
NVNT	ac20	5500	Ant1	89.69	0.47
NVNT	ac20	5600	Ant1	89.66	0.47
NVNT	ac20	5700	Ant1	89.68	0.47
NVNT	ac40	5510	Ant1	81.41	0.89
NVNT	ac40	5590	Ant1	81.51	0.89
NVNT	ac40	5670	Ant1	81.51	0.89
NVNT	ac80	5530	Ant1	68.96	1.61
NVNT	ac80	5610	Ant1	70.14	1.54
NVNT	n20	5500	Ant1	89.59	0.48
NVNT	n20	5600	Ant1	89.67	0.47
NVNT	n20	5700	Ant1	89.68	0.47
NVNT	n40	5510	Ant1	81.93	0.87
NVNT	n40	5590	Ant1	81.62	0.88
NVNT	n40	5670	Ant1	80.61	0.94


Duty Cycle NVNT a 5500MHz Ant1




Duty Cycle NVNT a 5600MHz Ant1




Duty Cycle NVNT a 5700MHz Ant1




Duty Cycle NVNT ac20 5500MHz Ant1




Duty Cycle NVNT ac20 5600MHz Ant1




Duty Cycle NVNT ac20 5700MHz Ant1




Duty Cycle NVNT ac40 5510MHz Ant1




Duty Cycle NVNT ac40 5590MHz Ant1




Duty Cycle NVNT ac40 5670MHz Ant1




Duty Cycle NVNT ac80 5530MHz Ant1




Duty Cycle NVNT ac80 5610MHz Ant1




Duty Cycle NVNT n20 5500MHz Ant1




Duty Cycle NVNT n20 5600MHz Ant1




Duty Cycle NVNT n20 5700MHz Ant1




Duty Cycle NVNT n40 5510MHz Ant1



Duty Cycle NVNT n40 5590MHz Ant1



Duty Cycle NVNT n40 5670MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	9.215	0.4	9.615	24	Pass
NVNT	a	5600	Ant1	9.832	0.41	10.242	24	Pass
NVNT	a	5700	Ant1	10.059	0.41	10.469	24	Pass
NVNT	ac20	5500	Ant1	9.475	0.47	9.945	24	Pass
NVNT	ac20	5600	Ant1	10.07	0.47	10.54	24	Pass
NVNT	ac20	5700	Ant1	10.405	0.47	10.875	24	Pass
NVNT	ac40	5510	Ant1	9.118	0.89	10.008	24	Pass
NVNT	ac40	5590	Ant1	9.666	0.89	10.556	24	Pass
NVNT	ac40	5670	Ant1	9.561	0.89	10.451	24	Pass
NVNT	ac80	5530	Ant1	10.219	1.61	11.829	24	Pass
NVNT	ac80	5610	Ant1	10.09	1.54	11.63	24	Pass
NVNT	n20	5500	Ant1	9.475	0.48	9.955	24	Pass
NVNT	n20	5600	Ant1	10.077	0.47	10.547	24	Pass
NVNT	n20	5700	Ant1	10.345	0.47	10.815	24	Pass
NVNT	n40	5510	Ant1	9.071	0.87	9.941	24	Pass
NVNT	n40	5590	Ant1	9.697	0.88	10.577	24	Pass
NVNT	n40	5670	Ant1	9.771	0.94	10.711	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	22.76	Pass
NVNT	a	5600	Ant1	22.572	Pass
NVNT	a	5700	Ant1	21.625	Pass
NVNT	ac20	5500	Ant1	26.916	Pass
NVNT	ac20	5600	Ant1	24.239	Pass
NVNT	ac20	5700	Ant1	26.11	Pass
NVNT	ac40	5510	Ant1	40.656	Pass
NVNT	ac40	5590	Ant1	39.544	Pass
NVNT	ac40	5670	Ant1	40.453	Pass
NVNT	ac80	5530	Ant1	82.02	Pass
NVNT	ac80	5610	Ant1	84.228	Pass
NVNT	n20	5500	Ant1	25.835	Pass
NVNT	n20	5600	Ant1	24.922	Pass

NVNT	n20	5700	Ant1	24.707	Pass
NVNT	n40	5510	Ant1	39.352	Pass
NVNT	n40	5590	Ant1	39.321	Pass
NVNT	n40	5670	Ant1	42.61	Pass


-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5600MHz Ant1




-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT ac20 5500MHz Ant1




-26dB Bandwidth NVNT ac20 5600MHz Ant1




-26dB Bandwidth NVNT ac20 5700MHz Ant1




-26dB Bandwidth NVNT ac40 5510MHz Ant1




-26dB Bandwidth NVNT ac40 5590MHz Ant1




-26dB Bandwidth NVNT ac40 5670MHz Ant1




-26dB Bandwidth NVNT ac80 5530MHz Ant1




-26dB Bandwidth NVNT ac80 5610MHz Ant1




-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5600MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant1



-26dB Bandwidth NVNT n40 5590MHz Ant1




-26dB Bandwidth NVNT n40 5670MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.556
NVNT	a	5600	Ant1	16.552
NVNT	a	5700	Ant1	16.508
NVNT	ac20	5500	Ant1	17.625
NVNT	ac20	5600	Ant1	17.636
NVNT	ac20	5700	Ant1	17.621
NVNT	ac40	5510	Ant1	36.055
NVNT	ac40	5590	Ant1	36.064
NVNT	ac40	5670	Ant1	36.221
NVNT	ac80	5530	Ant1	75.525
NVNT	ac80	5610	Ant1	75.635
NVNT	n20	5500	Ant1	17.609
NVNT	n20	5600	Ant1	17.618
NVNT	n20	5700	Ant1	17.628
NVNT	n40	5510	Ant1	36.105
NVNT	n40	5590	Ant1	36.036
NVNT	n40	5670	Ant1	36.206


OBW NVNT a 5500MHz Ant1




OBW NVNT a 5600MHz Ant1




OBW NVNT a 5700MHz Ant1




OBW NVNT ac20 5500MHz Ant1




OBW NVNT ac20 5600MHz Ant1




OBW NVNT ac20 5700MHz Ant1




OBW NVNT ac40 5510MHz Ant1




OBW NVNT ac40 5590MHz Ant1




OBW NVNT ac40 5670MHz Ant1




OBW NVNT ac80 5530MHz Ant1




OBW NVNT ac80 5610MHz Ant1




OBW NVNT n20 5500MHz Ant1




OBW NVNT n20 5600MHz Ant1




OBW NVNT n20 5700MHz Ant1




OBW NVNT n40 5510MHz Ant1



OBW NVNT n40 5590MHz Ant1




OBW NVNT n40 5670MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-1.257	11	Pass
NVNT	a	5600	Ant1	-0.755	11	Pass
NVNT	a	5700	Ant1	-0.46	11	Pass
NVNT	ac20	5500	Ant1	-1.19	11	Pass
NVNT	ac20	5600	Ant1	-0.764	11	Pass
NVNT	ac20	5700	Ant1	-0.221	11	Pass
NVNT	ac40	5510	Ant1	-4.499	11	Pass
NVNT	ac40	5590	Ant1	-3.915	11	Pass
NVNT	ac40	5670	Ant1	-3.675	11	Pass
NVNT	ac80	5530	Ant1	-6.209	11	Pass
NVNT	ac80	5610	Ant1	-6.357	11	Pass
NVNT	n20	5500	Ant1	-1.321	11	Pass
NVNT	n20	5600	Ant1	-0.644	11	Pass
NVNT	n20	5700	Ant1	-0.384	10	Pass
NVNT	n40	5510	Ant1	-4.215	11	Pass
NVNT	n40	5590	Ant1	-3.544	11	Pass
NVNT	n40	5670	Ant1	-4.021	11	Pass


PSD NVNT a 5500MHz Ant1




PSD NVNT a 5600MHz Ant1




PSD NVNT a 5700MHz Ant1




PSD NVNT ac20 5500MHz Ant1




PSD NVNT ac20 5600MHz Ant1




PSD NVNT ac20 5700MHz Ant1




PSD NVNT ac40 5510MHz Ant1




PSD NVNT ac40 5590MHz Ant1




PSD NVNT ac40 5670MHz Ant1




PSD NVNT ac80 5530MHz Ant1




PSD NVNT ac80 5610MHz Ant1




PSD NVNT n20 5500MHz Ant1




PSD NVNT n20 5600MHz Ant1




PSD NVNT n20 5700MHz Ant1




PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5590MHz Ant1




PSD NVNT n40 5670MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-36.42	-27	Pass
NVNT	a	5700	Ant1	-28.05	-27	Pass
NVNT	ac20	5500	Ant1	-36.48	-27	Pass
NVNT	ac20	5700	Ant1	-29.67	-27	Pass
NVNT	ac40	5510	Ant1	-35.15	-27	Pass
NVNT	ac40	5670	Ant1	-42.01	-27	Pass
NVNT	ac80	5530	Ant1	-34.52	-27	Pass
NVNT	ac80	5610	Ant1	-47.61	-27	Pass
NVNT	n20	5500	Ant1	-34.27	-27	Pass
NVNT	n20	5700	Ant1	-27.17	-27	Pass
NVNT	n40	5510	Ant1	-35.13	-27	Pass
NVNT	n40	5670	Ant1	-43.04	-27	Pass


Band Edge NVNT a 5500MHz Low Ant1




Band Edge NVNT a 5700MHz High Ant1




Band Edge NVNT ac20 5500MHz Low Ant1




Band Edge NVNT ac20 5700MHz High Ant1



Band Edge NVNT ac40 5510MHz Low Ant1



Band Edge NVNT ac40 5670MHz High Ant1




Band Edge NVNT ac80 5530MHz Low Ant1




Band Edge NVNT ac80 5610MHz High Ant1




Band Edge NVNT n20 5500MHz Low Ant1




Band Edge NVNT n20 5700MHz High Ant1



Band Edge NVNT n40 5510MHz Low Ant1




Band Edge NVNT n40 5670MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-32.56	-27	Pass
NVNT	a	5600	Ant1	-31.81	-27	Pass
NVNT	a	5700	Ant1	-31.35	-27	Pass
NVNT	ac20	5500	Ant1	-32.69	-27	Pass
NVNT	ac20	5600	Ant1	-32.75	-27	Pass
NVNT	ac20	5700	Ant1	-32.35	-27	Pass
NVNT	ac40	5510	Ant1	-32.29	-27	Pass
NVNT	ac40	5590	Ant1	-32.28	-27	Pass
NVNT	ac40	5670	Ant1	-32.22	-27	Pass
NVNT	ac80	5530	Ant1	-32.41	-27	Pass
NVNT	ac80	5610	Ant1	-32.42	-27	Pass
NVNT	n20	5500	Ant1	-30.77	-27	Pass
NVNT	n20	5600	Ant1	-32.04	-27	Pass
NVNT	n20	5700	Ant1	-32.18	-27	Pass
NVNT	n40	5510	Ant1	-31.02	-27	Pass
NVNT	n40	5590	Ant1	-31.25	-27	Pass
NVNT	n40	5670	Ant1	-32.09	-27	Pass


Tx. Spurious NVNT a 5500MHz Ant1 Emission




Tx. Spurious NVNT a 5600MHz Ant1 Emission




Tx. Spurious NVNT a 5700MHz Ant1 Emission




Tx. Spurious NVNT ac20 5500MHz Ant1 Emission




Tx. Spurious NVNT ac20 5600MHz Ant1 Emission




Tx. Spurious NVNT ac20 5700MHz Ant1 Emission




Tx. Spurious NVNT ac40 5510MHz Ant1 Emission




Tx. Spurious NVNT ac40 5590MHz Ant1 Emission




Tx. Spurious NVNT ac40 5670MHz Ant1 Emission




Tx. Spurious NVNT ac80 5530MHz Ant1 Emission




Tx. Spurious NVNT ac80 5610MHz Ant1 Emission




Tx. Spurious NVNT n20 5500MHz Ant1 Emission




Tx. Spurious NVNT n20 5600MHz Ant1 Emission




Tx. Spurious NVNT n20 5700MHz Ant1 Emission




Tx. Spurious NVNT n40 5510MHz Ant1 Emission



Tx. Spurious NVNT n40 5590MHz Ant1 Emission



Tx. Spurious NVNT n40 5670MHz Ant1 Emission




WIFI 5.8G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5745	Ant1	91.16	0.4
NVNT	a	5785	Ant1	91.02	0.41
NVNT	a	5825	Ant1	91.15	0.4
NVNT	ac20	5745	Ant1	89.73	0.47
NVNT	ac20	5785	Ant1	89.68	0.47
NVNT	ac20	5825	Ant1	89.81	0.47
NVNT	ac40	5755	Ant1	81.51	0.89
NVNT	ac40	5795	Ant1	81.51	0.89
NVNT	ac80	5775	Ant1	64.39	1.91
NVNT	n20	5745	Ant1	89.68	0.47
NVNT	n20	5785	Ant1	89.68	0.47
NVNT	n20	5825	Ant1	89.55	0.48
NVNT	n40	5755	Ant1	80.54	0.94
NVNT	n40	5795	Ant1	80.54	0.94


Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ac80 5775MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1



Duty Cycle NVNT n40 5755MHz Ant1



Duty Cycle NVNT n40 5795MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	9.084	0.4	9.484	30	Pass
NVNT	a	5785	Ant1	9.151	0.41	9.561	30	Pass
NVNT	a	5825	Ant1	9.11	0.4	9.51	30	Pass
NVNT	ac20	5745	Ant1	9.453	0.47	9.923	30	Pass
NVNT	ac20	5785	Ant1	9.46	0.47	9.93	30	Pass
NVNT	ac20	5825	Ant1	9.617	0.47	10.087	30	Pass
NVNT	ac40	5755	Ant1	9.59	0.89	10.48	30	Pass
NVNT	ac40	5795	Ant1	9.951	0.89	10.841	30	Pass
NVNT	ac80	5775	Ant1	9.643	1.91	11.553	30	Pass
NVNT	n20	5745	Ant1	9.365	0.47	9.835	30	Pass
NVNT	n20	5785	Ant1	9.526	0.47	9.996	30	Pass
NVNT	n20	5825	Ant1	9.519	0.48	9.999	30	Pass
NVNT	n40	5755	Ant1	9.579	0.94	10.519	30	Pass
NVNT	n40	5795	Ant1	9.884	0.94	10.824	30	Pass


-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.412	0.5	Pass
NVNT	a	5785	Ant1	16.4	0.5	Pass
NVNT	a	5825	Ant1	16.402	0.5	Pass
NVNT	ac20	5745	Ant1	17.521	0.5	Pass
NVNT	ac20	5785	Ant1	17.52	0.5	Pass
NVNT	ac20	5825	Ant1	17.523	0.5	Pass
NVNT	ac40	5755	Ant1	36.065	0.5	Pass
NVNT	ac40	5795	Ant1	36.186	0.5	Pass
NVNT	ac80	5775	Ant1	75.782	0.5	Pass
NVNT	n20	5745	Ant1	17.536	0.5	Pass
NVNT	n20	5785	Ant1	17.541	0.5	Pass
NVNT	n20	5825	Ant1	17.6	0.5	Pass
NVNT	n40	5755	Ant1	36.206	0.5	Pass
NVNT	n40	5795	Ant1	36.26	0.5	Pass


-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1



-6dB Bandwidth NVNT ac20 5745MHz Ant1



-6dB Bandwidth NVNT ac20 5785MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant1