






Band Edge NVNT ac40 5270MHz Low Ant1




Band Edge NVNT ac40 5310MHz High Ant1




Band Edge NVNT ac80 5290MHz Low Ant1




Band Edge NVNT n20 5260MHz Low Ant1




Band Edge NVNT n20 5320MHz High Ant1



Band Edge NVNT n40 5270MHz Low Ant1




Band Edge NVNT n40 5310MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-31.57	-27	Pass
NVNT	a	5280	Ant1	-32.49	-27	Pass
NVNT	a	5320	Ant1	-31.78	-27	Pass
NVNT	ac20	5260	Ant1	-31.67	-27	Pass
NVNT	ac20	5280	Ant1	-32.17	-27	Pass
NVNT	ac20	5320	Ant1	-32.21	-27	Pass
NVNT	ac40	5270	Ant1	-31.95	-27	Pass
NVNT	ac40	5310	Ant1	-31.95	-27	Pass
NVNT	ac80	5290	Ant1	-32.48	-27	Pass
NVNT	n20	5260	Ant1	-31.52	-27	Pass
NVNT	n20	5280	Ant1	-32.42	-27	Pass
NVNT	n20	5320	Ant1	-32.57	-27	Pass
NVNT	n40	5270	Ant1	-32.87	-27	Pass
NVNT	n40	5310	Ant1	-31.7	-27	Pass


Tx. Spurious NVNT a 5260MHz Ant1 Emission




Tx. Spurious NVNT a 5280MHz Ant1 Emission




Tx. Spurious NVNT a 5320MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5280MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission




Tx. Spurious NVNT ac40 5270MHz Ant1 Emission




Tx. Spurious NVNT ac40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac80 5290MHz Ant1 Emission




Tx. Spurious NVNT n20 5260MHz Ant1 Emission




Tx. Spurious NVNT n20 5280MHz Ant1 Emission




Tx. Spurious NVNT n20 5320MHz Ant1 Emission



Tx. Spurious NVNT n40 5270MHz Ant1 Emission



Tx. Spurious NVNT n40 5310MHz Ant1 Emission




5.6G WIFI


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5500	Ant1	91.16	0.4
NVNT	a	5600	Ant1	91	0.41
NVNT	a	5700	Ant1	91.16	0.4
NVNT	ac20	5500	Ant1	90.57	0.43
NVNT	ac20	5600	Ant1	90.59	0.43
NVNT	ac20	5700	Ant1	90.57	0.43
NVNT	ac40	5510	Ant1	82.84	0.82
NVNT	ac40	5590	Ant1	82.85	0.82
NVNT	ac40	5670	Ant1	82.84	0.82
NVNT	ac80	5530	Ant1	71.06	1.48
NVNT	ac80	5610	Ant1	71.04	1.48
NVNT	n20	5500	Ant1	91.14	0.4
NVNT	n20	5600	Ant1	91.02	0.41
NVNT	n20	5700	Ant1	91.16	0.4
NVNT	n40	5510	Ant1	83.24	0.8
NVNT	n40	5590	Ant1	82.05	0.86
NVNT	n40	5670	Ant1	81.94	0.86


Duty Cycle NVNT a 5500MHz Ant1




Duty Cycle NVNT a 5600MHz Ant1




Duty Cycle NVNT a 5700MHz Ant1




Duty Cycle NVNT ac20 5500MHz Ant1




Duty Cycle NVNT ac20 5600MHz Ant1




Duty Cycle NVNT ac20 5700MHz Ant1




Duty Cycle NVNT ac40 5510MHz Ant1




Duty Cycle NVNT ac40 5590MHz Ant1




Duty Cycle NVNT ac40 5670MHz Ant1




Duty Cycle NVNT ac80 5530MHz Ant1




Duty Cycle NVNT ac80 5610MHz Ant1




Duty Cycle NVNT n20 5500MHz Ant1




Duty Cycle NVNT n20 5600MHz Ant1




Duty Cycle NVNT n20 5700MHz Ant1




Duty Cycle NVNT n40 5510MHz Ant1



Duty Cycle NVNT n40 5590MHz Ant1



Duty Cycle NVNT n40 5670MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	9.181	0.4	9.581	24	Pass
NVNT	a	5600	Ant1	9.158	0.41	9.568	24	Pass
NVNT	a	5700	Ant1	8.894	0.4	9.294	24	Pass
NVNT	ac20	5500	Ant1	9.503	0.43	9.933	24	Pass
NVNT	ac20	5600	Ant1	9.484	0.43	9.914	24	Pass
NVNT	ac20	5700	Ant1	9.113	0.43	9.543	24	Pass
NVNT	ac40	5510	Ant1	8.146	0.82	8.966	24	Pass
NVNT	ac40	5590	Ant1	8.879	0.82	9.699	24	Pass
NVNT	ac40	5670	Ant1	8.676	0.82	9.496	24	Pass
NVNT	ac80	5530	Ant1	7.786	1.48	9.266	24	Pass
NVNT	ac80	5610	Ant1	7.89	1.48	9.37	24	Pass
NVNT	n20	5500	Ant1	9.191	0.4	9.591	24	Pass
NVNT	n20	5600	Ant1	9.217	0.41	9.627	24	Pass
NVNT	n20	5700	Ant1	8.897	0.4	9.297	24	Pass
NVNT	n40	5510	Ant1	8.274	0.8	9.074	24	Pass
NVNT	n40	5590	Ant1	8.924	0.86	9.784	24	Pass
NVNT	n40	5670	Ant1	8.584	0.86	9.444	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	24.467	0.5	Pass
NVNT	a	5600	Ant1	23.209	0.5	Pass
NVNT	a	5700	Ant1	23.008	0.5	Pass
NVNT	ac20	5500	Ant1	27.454	0.5	Pass
NVNT	ac20	5600	Ant1	28.685	0.5	Pass
NVNT	ac20	5700	Ant1	26.112	0.5	Pass
NVNT	ac40	5510	Ant1	39.805	0.5	Pass
NVNT	ac40	5590	Ant1	41.116	0.5	Pass
NVNT	ac40	5670	Ant1	46.281	0.5	Pass
NVNT	ac80	5530	Ant1	86.633	0.5	Pass
NVNT	ac80	5610	Ant1	83.276	0.5	Pass
NVNT	n20	5500	Ant1	21.911	0.5	Pass
NVNT	n20	5600	Ant1	22.323	0.5	Pass
NVNT	n20	5700	Ant1	20.351	0.5	Pass

NVNT	n40	5510	Ant1	44.908	0.5	Pass
NVNT	n40	5590	Ant1	43.795	0.5	Pass
NVNT	n40	5670	Ant1	45.313	0.5	Pass


-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5600MHz Ant1




-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT ac20 5500MHz Ant1




-26dB Bandwidth NVNT ac20 5600MHz Ant1




-26dB Bandwidth NVNT ac20 5700MHz Ant1




-26dB Bandwidth NVNT ac40 5510MHz Ant1




-26dB Bandwidth NVNT ac40 5590MHz Ant1




-26dB Bandwidth NVNT ac40 5670MHz Ant1




-26dB Bandwidth NVNT ac80 5530MHz Ant1




-26dB Bandwidth NVNT ac80 5610MHz Ant1




-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5600MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant1



-26dB Bandwidth NVNT n40 5590MHz Ant1




-26dB Bandwidth NVNT n40 5670MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.582
NVNT	a	5600	Ant1	16.535
NVNT	a	5700	Ant1	16.553
NVNT	ac20	5500	Ant1	17.606
NVNT	ac20	5600	Ant1	17.608
NVNT	ac20	5700	Ant1	17.582
NVNT	ac40	5510	Ant1	35.998
NVNT	ac40	5590	Ant1	36.007
NVNT	ac40	5670	Ant1	36.245
NVNT	ac80	5530	Ant1	75.445
NVNT	ac80	5610	Ant1	75.475
NVNT	n20	5500	Ant1	16.553
NVNT	n20	5600	Ant1	16.534
NVNT	n20	5700	Ant1	16.563
NVNT	n40	5510	Ant1	36.014
NVNT	n40	5590	Ant1	36.028
NVNT	n40	5670	Ant1	36.256


OBW NVNT a 5500MHz Ant1




OBW NVNT a 5600MHz Ant1




OBW NVNT a 5700MHz Ant1




OBW NVNT ac20 5500MHz Ant1




OBW NVNT ac20 5600MHz Ant1




OBW NVNT ac20 5700MHz Ant1




OBW NVNT ac40 5510MHz Ant1




OBW NVNT ac40 5590MHz Ant1




OBW NVNT ac40 5670MHz Ant1




OBW NVNT ac80 5530MHz Ant1




OBW NVNT ac80 5610MHz Ant1




OBW NVNT n20 5500MHz Ant1




OBW NVNT n20 5600MHz Ant1




OBW NVNT n20 5700MHz Ant1




OBW NVNT n40 5510MHz Ant1



OBW NVNT n40 5590MHz Ant1




OBW NVNT n40 5670MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-1.425	0.4	-1.025	11	Pass
NVNT	a	5600	Ant1	-1.556	0.41	-1.146	11	Pass
NVNT	a	5700	Ant1	-1.601	0.4	-1.201	11	Pass
NVNT	ac20	5500	Ant1	-0.98	0.43	-0.55	11	Pass
NVNT	ac20	5600	Ant1	-1.212	0.43	-0.782	11	Pass
NVNT	ac20	5700	Ant1	-1.17	0.43	-0.74	11	Pass
NVNT	ac40	5510	Ant1	-5.451	0.82	-4.631	11	Pass
NVNT	ac40	5590	Ant1	-4.443	0.82	-3.623	11	Pass
NVNT	ac40	5670	Ant1	-4.813	0.82	-3.993	11	Pass
NVNT	ac80	5530	Ant1	-8.656	1.48	-7.176	11	Pass
NVNT	ac80	5610	Ant1	-8.278	1.48	-6.798	11	Pass
NVNT	n20	5500	Ant1	-1.357	0.4	-0.957	11	Pass
NVNT	n20	5600	Ant1	-1.294	0.41	-0.884	11	Pass
NVNT	n20	5700	Ant1	-1.545	0.4	-1.145	10	Pass
NVNT	n40	5510	Ant1	-5.303	0.8	-4.503	11	Pass
NVNT	n40	5590	Ant1	-4.672	0.86	-3.812	11	Pass
NVNT	n40	5670	Ant1	-5.02	0.86	-4.16	11	Pass


PSD NVNT a 5500MHz Ant1




PSD NVNT a 5600MHz Ant1




PSD NVNT a 5700MHz Ant1




PSD NVNT ac20 5500MHz Ant1




PSD NVNT ac20 5600MHz Ant1




PSD NVNT ac20 5700MHz Ant1




PSD NVNT ac40 5510MHz Ant1




PSD NVNT ac40 5590MHz Ant1




PSD NVNT ac40 5670MHz Ant1




PSD NVNT ac80 5530MHz Ant1




PSD NVNT ac80 5610MHz Ant1




PSD NVNT n20 5500MHz Ant1




PSD NVNT n20 5600MHz Ant1




PSD NVNT n20 5700MHz Ant1




PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5590MHz Ant1




PSD NVNT n40 5670MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-34.63	-27	Pass
NVNT	a	5700	Ant1	-27.35	-27	Pass
NVNT	ac20	5500	Ant1	-35.65	-27	Pass
NVNT	ac20	5700	Ant1	-28.12	-27	Pass
NVNT	ac40	5510	Ant1	-36.86	-27	Pass
NVNT	ac40	5670	Ant1	-45.18	-27	Pass
NVNT	ac80	5530	Ant1	-35.4	-27	Pass
NVNT	ac80	5610	Ant1	-48.54	-27	Pass
NVNT	n20	5500	Ant1	-36.87	-27	Pass
NVNT	n20	5700	Ant1	-28.29	-27	Pass
NVNT	n40	5510	Ant1	-30.24	-27	Pass
NVNT	n40	5670	Ant1	-44.69	-27	Pass


Band Edge NVNT a 5500MHz Low Ant1




Band Edge NVNT a 5700MHz High Ant1




Band Edge NVNT ac20 5500MHz Low Ant1



Band Edge NVNT ac20 5700MHz High Ant1




Band Edge NVNT ac40 5510MHz Low Ant1




Band Edge NVNT ac40 5670MHz High Ant1




Band Edge NVNT ac80 5530MHz Low Ant1




Band Edge NVNT ac80 5610MHz High Ant1




Band Edge NVNT n20 5500MHz Low Ant1




Band Edge NVNT n20 5700MHz High Ant1



Band Edge NVNT n40 5510MHz Low Ant1




Band Edge NVNT n40 5670MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-31.82	-27	Pass
NVNT	a	5600	Ant1	-31.64	-27	Pass
NVNT	a	5700	Ant1	-32.15	-27	Pass
NVNT	ac20	5500	Ant1	-32.06	-27	Pass
NVNT	ac20	5600	Ant1	-31.67	-27	Pass
NVNT	ac20	5700	Ant1	-32.27	-27	Pass
NVNT	ac40	5510	Ant1	-32.86	-27	Pass
NVNT	ac40	5590	Ant1	-32.51	-27	Pass
NVNT	ac40	5670	Ant1	-32.62	-27	Pass
NVNT	ac80	5530	Ant1	-32.22	-27	Pass
NVNT	ac80	5610	Ant1	-32.41	-27	Pass
NVNT	n20	5500	Ant1	-32.02	-27	Pass
NVNT	n20	5600	Ant1	-31.57	-27	Pass
NVNT	n20	5700	Ant1	-32.29	-27	Pass
NVNT	n40	5510	Ant1	-31.96	-27	Pass
NVNT	n40	5590	Ant1	-32.34	-27	Pass
NVNT	n40	5670	Ant1	-31.69	-27	Pass


Tx. Spurious NVNT a 5500MHz Ant1 Emission




Tx. Spurious NVNT a 5600MHz Ant1 Emission




Tx. Spurious NVNT a 5700MHz Ant1 Emission




Tx. Spurious NVNT ac20 5500MHz Ant1 Emission




Tx. Spurious NVNT ac20 5600MHz Ant1 Emission




Tx. Spurious NVNT ac20 5700MHz Ant1 Emission




Tx. Spurious NVNT ac40 5510MHz Ant1 Emission




Tx. Spurious NVNT ac40 5590MHz Ant1 Emission




Tx. Spurious NVNT ac40 5670MHz Ant1 Emission




Tx. Spurious NVNT ac80 5530MHz Ant1 Emission




Tx. Spurious NVNT ac80 5610MHz Ant1 Emission




Tx. Spurious NVNT n20 5500MHz Ant1 Emission




Tx. Spurious NVNT n20 5600MHz Ant1 Emission




Tx. Spurious NVNT n20 5700MHz Ant1 Emission




Tx. Spurious NVNT n40 5510MHz Ant1 Emission



Tx. Spurious NVNT n40 5590MHz Ant1 Emission



Tx. Spurious NVNT n40 5670MHz Ant1 Emission




5.8G WIFI


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5745	Ant1	91.03	0.41
NVNT	a	5785	Ant1	91.14	0.4
NVNT	a	5825	Ant1	91.16	0.4
NVNT	ac20	5745	Ant1	90.62	0.43
NVNT	ac20	5785	Ant1	90.62	0.43
NVNT	ac20	5825	Ant1	90.62	0.43
NVNT	ac40	5755	Ant1	82.85	0.82
NVNT	ac40	5795	Ant1	82.86	0.82
NVNT	ac80	5775	Ant1	64.19	1.93
NVNT	n20	5745	Ant1	90.84	0.42
NVNT	n20	5785	Ant1	90.72	0.42
NVNT	n20	5825	Ant1	90.77	0.42
NVNT	n40	5755	Ant1	82.37	0.84
NVNT	n40	5795	Ant1	83.36	0.79


Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ac80 5775MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1



Duty Cycle NVNT n40 5755MHz Ant1



Duty Cycle NVNT n40 5795MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	8.588	0.41	8.998	30	Pass
NVNT	a	5785	Ant1	8.834	0.4	9.234	30	Pass
NVNT	a	5825	Ant1	8.789	0.4	9.189	30	Pass
NVNT	ac20	5745	Ant1	8.565	0.43	8.995	30	Pass
NVNT	ac20	5785	Ant1	9.188	0.43	9.618	30	Pass
NVNT	ac20	5825	Ant1	9.183	0.43	9.613	30	Pass
NVNT	ac40	5755	Ant1	8.919	0.82	9.739	30	Pass
NVNT	ac40	5795	Ant1	8.562	0.82	9.382	30	Pass
NVNT	ac80	5775	Ant1	7.643	1.93	9.573	30	Pass
NVNT	n20	5745	Ant1	8.679	0.42	9.099	30	Pass
NVNT	n20	5785	Ant1	9.115	0.42	9.535	30	Pass
NVNT	n20	5825	Ant1	9.119	0.42	9.539	30	Pass
NVNT	n40	5755	Ant1	8.898	0.84	9.738	30	Pass
NVNT	n40	5795	Ant1	8.541	0.79	9.331	30	Pass


-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.407	0.5	Pass
NVNT	a	5785	Ant1	16.367	0.5	Pass
NVNT	a	5825	Ant1	16.381	0.5	Pass
NVNT	ac20	5745	Ant1	17.563	0.5	Pass
NVNT	ac20	5785	Ant1	17.56	0.5	Pass
NVNT	ac20	5825	Ant1	17.522	0.5	Pass
NVNT	ac40	5755	Ant1	36.336	0.5	Pass
NVNT	ac40	5795	Ant1	36.269	0.5	Pass
NVNT	ac80	5775	Ant1	76.067	0.5	Pass
NVNT	n20	5745	Ant1	17.554	0.5	Pass
NVNT	n20	5785	Ant1	17.532	0.5	Pass
NVNT	n20	5825	Ant1	17.524	0.5	Pass
NVNT	n40	5755	Ant1	36.279	0.5	Pass
NVNT	n40	5795	Ant1	36.433	0.5	Pass


-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac40 5755MHz Ant1



-6dB Bandwidth NVNT ac40 5795MHz Ant1