







6.2.1.2.5 Test Bandwidth = 15MHz

6.2.1.2.5.1 Test Channel = LCH

6.2.1.2.5.1.1 Test RB = RB1#0












6.2.1.2.5.2 Test Channel = MCH

6.2.1.2.5.2.1 Test RB = RB1#0











6.2.1.2.5.3 Test Channel = HCH

6.2.1.2.5.3.1 Test RB = RB1#0












6.2.1.2.6 Test Bandwidth = 20MHz

6.2.1.2.6.1 Test Channel = LCH

6.2.1.2.6.1.1 Test RB = RB1#0












6.2.1.2.6.2 Test Channel = MCH

6.2.1.2.6.2.1 Test RB = RB1#0












6.2.1.2.6.3 Test Channel = HCH

6.2.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note 1: We tested all modes & antennas, the data presented below is the worst case.

Note 2: For Below 30MHz, the data presented below is the worst case for all Channel Bandwidth.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = Band2

7.1.1.1 Test Bandwidth = 1.4MHz



7.1.1.2 Test Bandwidth = 20MHz



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band2	LTE/TM1	1.4	LCH	TN	VL	-0.00826	0.00000	PASS
					VN	-19.57091	-0.01057	PASS
					VH	-23.05286	-0.01246	PASS
			MCH	TN	VL	-6.47690	-0.00345	PASS
					VN	-6.76770	-0.00360	PASS
					VH	-1.54035	-0.00082	PASS
			HCH	TN	VL	-9.41506	-0.00493	PASS
					VN	-7.08235	-0.00371	PASS
					VH	-8.82098	-0.00462	PASS
		3	LCH	TN	VL	-5.70781	-0.00308	PASS
					VN	-12.14534	-0.00656	PASS
					VH	-10.76676	-0.00582	PASS
			MCH	TN	VL	-1.48432	-0.00079	PASS
					VN	-10.63532	-0.00566	PASS
					VH	-7.02820	-0.00374	PASS
			HCH	TN	VL	-1.66978	-0.00087	PASS
					VN	-8.49263	-0.00445	PASS
					VH	-10.08384	-0.00528	PASS
		5	LCH	TN	VL	0.28164	0.00015	PASS
					VN	-6.49953	-0.00351	PASS
					VH	-1.71353	-0.00092	PASS
			MCH	TN	VL	-3.99363	-0.00212	PASS
					VN	-7.69738	-0.00409	PASS
					VH	-5.05596	-0.00269	PASS
			HCH	TN	VL	-5.61640	-0.00294	PASS
					VN	-11.71627	-0.00614	PASS
					VH	-2.59889	-0.00136	PASS
		10	LCH	TN	VL	-0.37899	-0.00020	PASS
					VN	-3.44844	-0.00186	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2		MCH	TN	VH	-2.72362	-0.00147	PASS
					VL	-7.02783	-0.00374	PASS
					VN	-13.27303	-0.00706	PASS
					VH	-6.85653	-0.00365	PASS
			HCH	TN	VL	-3.78627	-0.00199	PASS
					VN	-8.45558	-0.00444	PASS
					VH	-5.93245	-0.00311	PASS
		15	LCH	TN	VL	-4.57094	-0.00246	PASS
					VN	-2.16220	-0.00116	PASS
					VH	-1.10820	-0.00060	PASS
			MCH	TN	VL	-9.89203	-0.00526	PASS
					VN	-3.35835	-0.00179	PASS
					VH	-10.05203	-0.00535	PASS
			HCH	TN	VL	-3.18262	-0.00167	PASS
					VN	-7.63604	-0.00401	PASS
					VH	-6.16336	-0.00324	PASS
		20	LCH	TN	VL	-2.04555	-0.00110	PASS
					VN	-5.58312	-0.00300	PASS
					VH	-5.62242	-0.00302	PASS
			MCH	TN	VL	-7.13470	-0.00380	PASS
					VN	-14.65824	-0.00780	PASS
					VH	-5.29736	-0.00282	PASS
			HCH	TN	VL	-1.70896	-0.00090	PASS
					VN	-2.38595	-0.00126	PASS
					VH	-6.25225	-0.00329	PASS
		1.4	LCH	TN	VL	-3.78466	-0.00204	PASS
					VN	-0.69878	-0.00038	PASS
					VH	2.29161	0.00124	PASS
			MCH	TN	VL	-8.74425	-0.00465	PASS
					VN	-13.07507	-0.00695	PASS
					VH	-6.58850	-0.00350	PASS
			HCH	TN	VL	-6.66162	-0.00349	PASS
					VN	-1.14118	-0.00060	PASS
					VH	-3.35800	-0.00176	PASS
		3	LCH	TN	VL	-5.18577	-0.00280	PASS
					VN	-7.55936	-0.00408	PASS
					VH	-11.95066	-0.00645	PASS
			MCH	TN	VL	-8.30812	-0.00442	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
				TN	VN	-3.40771	-0.00181	PASS	
					VH	-4.22001	-0.00224	PASS	
			HCH		VL	-8.59014	-0.00450	PASS	
					VN	-3.81504	-0.00200	PASS	
					VH	-4.36387	-0.00229	PASS	
					VH	-4.36387	-0.00229	PASS	
		5	LCH	TN	VL	-4.61871	-0.00249	PASS	
					VN	-2.72160	-0.00147	PASS	
					VH	-8.22522	-0.00444	PASS	
			MCH	TN	VL	-6.99998	-0.00372	PASS	
					VN	-3.31597	-0.00176	PASS	
					VH	-0.15490	-0.00008	PASS	
			HCH	TN	VL	-3.61741	-0.00190	PASS	
					VN	-3.92986	-0.00206	PASS	
					VH	-9.58854	-0.00503	PASS	
		10	LCH	TN	VL	0.42782	0.00023	PASS	
					VN	-8.18916	-0.00441	PASS	
					VH	-1.10014	-0.00059	PASS	
			MCH	TN	VL	-5.68288	-0.00302	PASS	
					VN	-2.13859	-0.00114	PASS	
					VH	-2.68173	-0.00143	PASS	
			HCH	TN	VL	-0.99955	-0.00052	PASS	
					VN	-8.03043	-0.00422	PASS	
					VH	-2.50478	-0.00131	PASS	
		15	LCH	TN	VL	-5.47102	-0.00295	PASS	
					VN	0.07114	0.00004	PASS	
					VH	-1.38233	-0.00074	PASS	
			MCH	TN	VL	-12.53314	-0.00667	PASS	
					VN	-5.01288	-0.00267	PASS	
					VH	-10.23001	-0.00544	PASS	
			HCH	TN	VL	-3.00968	-0.00158	PASS	
					VN	-4.09615	-0.00215	PASS	
					VH	-5.92274	-0.00311	PASS	
		20	LCH	TN	VL	-3.85968	-0.00208	PASS	
					VN	-2.58352	-0.00139	PASS	
					VH	-4.89017	-0.00263	PASS	
			MCH	TN	VL	-4.50365	-0.00240	PASS	
					VN	-11.60791	-0.00617	PASS	
					VH	-7.98972	-0.00425	PASS	



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VL	-8.36354	-0.00440	PASS
					VN	-4.92268	-0.00259	PASS
					VH	-6.76701	-0.00356	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band2	LTE/TM1	1.4	LCH	VN	-30	-24.33041	-0.01315	PASS
					-20	-25.56758	-0.01382	PASS
					-10	-28.98428	-0.01566	PASS
					0	-26.70632	-0.01443	PASS
					10	-23.75994	-0.01284	PASS
					20	-19.57091	-0.01057	PASS
					30	-22.31986	-0.01206	PASS
					40	-22.96073	-0.01241	PASS
					50	-23.37383	-0.01263	PASS
			MCH	VN	-30	-2.21896	-0.00118	PASS
					-20	-10.47250	-0.00557	PASS
					-10	1.26141	0.00067	PASS
					0	-5.93118	-0.00315	PASS
					10	-3.91001	-0.00208	PASS
					20	-6.76770	-0.00360	PASS
					30	-1.45001	-0.00077	PASS
					40	-8.88553	-0.00473	PASS
					50	-1.47235	-0.00078	PASS
			HCH	VN	-30	-10.45460	-0.00548	PASS
					-20	-12.93720	-0.00678	PASS
					-10	-10.93998	-0.00573	PASS
					0	-3.66331	-0.00192	PASS
					10	-7.04838	-0.00369	PASS
					20	-7.08235	-0.00371	PASS
					30	-6.30160	-0.00330	PASS
					40	-4.22499	-0.00221	PASS
					50	-6.32597	-0.00331	PASS
		3	LCH	VN	-30	-6.37228	-0.00344	PASS
					-20	-6.80321	-0.00367	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	-6.76642	-0.00365	PASS
					0	-6.98904	-0.00377	PASS
					10	-9.90185	-0.00535	PASS
					20	-12.14534	-0.00656	PASS
					30	-5.55539	-0.00300	PASS
					40	-11.63281	-0.00628	PASS
					50	-12.92399	-0.00698	PASS
			MCH	VN	-30	-2.61746	-0.00139	PASS
					-20	-0.99315	-0.00053	PASS
					-10	-2.29341	-0.00122	PASS
					0	-4.36653	-0.00232	PASS
					10	-9.01915	-0.00480	PASS
					20	-10.63532	-0.00566	PASS
					30	0.52444	0.00028	PASS
					40	-2.13874	-0.00114	PASS
					50	-6.45869	-0.00344	PASS
			HCH	VN	-30	-9.70597	-0.00509	PASS
					-20	-15.79436	-0.00828	PASS
					-10	-9.49525	-0.00498	PASS
					0	-10.49166	-0.00550	PASS
					10	-10.44583	-0.00547	PASS
					20	-8.49263	-0.00445	PASS
					30	-14.05941	-0.00737	PASS
					40	-10.44327	-0.00547	PASS
					50	-10.60664	-0.00556	PASS
		5	LCH	VN	-30	-4.09103	-0.00221	PASS
					-20	-0.82291	-0.00044	PASS
					-10	-5.39641	-0.00291	PASS
					0	-8.30282	-0.00448	PASS
					10	-8.84043	-0.00477	PASS
					20	-6.49953	-0.00351	PASS
					30	-8.96284	-0.00484	PASS
					40	-7.42288	-0.00401	PASS
					50	-3.14584	-0.00170	PASS
			MCH	VN	-30	-2.02432	-0.00108	PASS
					-20	-11.32469	-0.00602	PASS
					-10	-5.51163	-0.00293	PASS
					0	-0.22855	-0.00012	PASS
					10	-9.53342	-0.00507	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	-7.69738	-0.00409	PASS
					30	-7.40548	-0.00394	PASS
					40	-9.34124	-0.00497	PASS
					50	-1.47545	-0.00078	PASS
			HCH	VN	-30	-5.86595	-0.00308	PASS
					-20	-4.56237	-0.00239	PASS
					-10	-5.47350	-0.00287	PASS
					0	-1.87131	-0.00098	PASS
					10	-10.96050	-0.00575	PASS
					20	-11.71627	-0.00614	PASS
					30	-4.28126	-0.00224	PASS
					40	-3.93506	-0.00206	PASS
					50	-8.07274	-0.00423	PASS
		10	LCH	VN	-30	-0.05315	-0.00003	PASS
					-20	-0.94573	-0.00051	PASS
					-10	-3.05262	-0.00165	PASS
					0	-6.75168	-0.00364	PASS
					10	-0.35642	-0.00019	PASS
					20	-3.44844	-0.00186	PASS
					30	-7.65822	-0.00413	PASS
					40	-6.05389	-0.00326	PASS
					50	0.70666	0.00038	PASS
			MCH	VN	-30	-12.78534	-0.00680	PASS
					-20	-12.06724	-0.00642	PASS
					-10	-11.11478	-0.00591	PASS
					0	-0.31253	-0.00017	PASS
					10	-1.74809	-0.00093	PASS
					20	-13.27303	-0.00706	PASS
					30	-2.10447	-0.00112	PASS
					40	-10.14846	-0.00540	PASS
					50	-2.46501	-0.00131	PASS
			HCH	VN	-30	-8.10019	-0.00425	PASS
					-20	-7.13262	-0.00374	PASS
					-10	-10.82434	-0.00568	PASS
					0	-16.44383	-0.00863	PASS
					10	-1.24484	-0.00065	PASS
					20	-8.45558	-0.00444	PASS
					30	-3.24018	-0.00170	PASS
					40	-5.05068	-0.00265	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		15	LCH	VN	50	-10.17448	-0.00534	PASS
					-30	-4.96842	-0.00267	PASS
					-20	-5.54017	-0.00298	PASS
					-10	-5.58065	-0.00300	PASS
					0	-4.89889	-0.00264	PASS
					10	-5.84208	-0.00315	PASS
					20	-2.16220	-0.00116	PASS
					30	-6.75385	-0.00364	PASS
					40	-4.26532	-0.00230	PASS
					50	-3.00126	-0.00162	PASS
			MCH	VN	-30	-7.99782	-0.00425	PASS
					-20	-2.17025	-0.00115	PASS
					-10	-3.07282	-0.00163	PASS
					0	-9.10388	-0.00484	PASS
					10	-5.40251	-0.00287	PASS
					20	-3.35835	-0.00179	PASS
					30	-7.03822	-0.00374	PASS
					40	-11.22411	-0.00597	PASS
					50	-6.30606	-0.00335	PASS
			HCH	VN	-30	-7.41609	-0.00390	PASS
					-20	-6.23409	-0.00328	PASS
					-10	-5.21256	-0.00274	PASS
					0	-6.54020	-0.00344	PASS
					10	-5.55251	-0.00292	PASS
					20	-7.63604	-0.00401	PASS
					30	-2.68443	-0.00141	PASS
					40	-8.48005	-0.00446	PASS
					50	-6.95901	-0.00366	PASS
		20	LCH	VN	-30	-4.99458	-0.00269	PASS
					-20	-5.25762	-0.00283	PASS
					-10	-3.33764	-0.00179	PASS
					0	-4.12831	-0.00222	PASS
					10	-4.28374	-0.00230	PASS
					20	-5.58312	-0.00300	PASS
					30	-4.23434	-0.00228	PASS
					40	-3.76690	-0.00203	PASS
					50	-1.58993	-0.00085	PASS
			MCH	VN	-30	-5.58587	-0.00297	PASS
					-20	-6.14862	-0.00327	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	-14.16217	-0.00753	PASS
					0	-6.41911	-0.00341	PASS
					10	-11.02830	-0.00587	PASS
					20	-14.65824	-0.00780	PASS
					30	-3.55526	-0.00189	PASS
					40	-10.67357	-0.00568	PASS
					50	-7.87610	-0.00419	PASS
			HCH	VN	-30	-3.88476	-0.00204	PASS
					-20	-5.02432	-0.00264	PASS
					-10	-6.10597	-0.00321	PASS
					0	-4.86901	-0.00256	PASS
					10	-3.08761	-0.00163	PASS
					20	-2.38595	-0.00126	PASS
					30	-0.94547	-0.00050	PASS
					40	-3.55577	-0.00187	PASS
					50	-2.64397	-0.00139	PASS
	LTE/TM2	1.4	LCH	VN	-30	-4.56031	-0.00246	PASS
					-20	-1.93687	-0.00105	PASS
					-10	-7.32839	-0.00396	PASS
					0	-3.97452	-0.00215	PASS
					10	-1.75472	-0.00095	PASS
					20	-0.69878	-0.00038	PASS
					30	-3.13105	-0.00169	PASS
					40	-6.62046	-0.00358	PASS
					50	-4.52473	-0.00244	PASS
			MCH	VN	-30	-3.95600	-0.00210	PASS
					-20	-7.68260	-0.00409	PASS
					-10	-4.16637	-0.00222	PASS
					0	0.42459	0.00023	PASS
					10	-7.01671	-0.00373	PASS
					20	-13.07507	-0.00695	PASS
					30	3.22198	0.00171	PASS
					40	-2.77269	-0.00147	PASS
					50	-0.92213	-0.00049	PASS
			HCH	VN	-30	-1.16624	-0.00061	PASS
					-20	-0.05298	-0.00003	PASS
					-10	0.33457	0.00018	PASS
					0	1.30768	0.00068	PASS
					10	-3.27557	-0.00172	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	-1.14118	-0.00060	PASS
					30	-4.35486	-0.00228	PASS
					40	-2.45119	-0.00128	PASS
					50	0.27185	0.00014	PASS
		3	LCH	VN	-30	-0.16767	-0.00009	PASS
					-20	-5.07802	-0.00274	PASS
					-10	-7.37442	-0.00398	PASS
					0	-1.94809	-0.00105	PASS
					10	-4.24915	-0.00229	PASS
					20	-7.55936	-0.00408	PASS
					30	-1.99625	-0.00108	PASS
					40	-8.01913	-0.00433	PASS
					50	-5.82952	-0.00315	PASS
			MCH	VN	-30	-1.23185	-0.00066	PASS
					-20	2.70366	0.00144	PASS
					-10	-5.92045	-0.00315	PASS
					0	-4.92985	-0.00262	PASS
					10	-3.89685	-0.00207	PASS
					20	-3.40771	-0.00181	PASS
					30	-10.55095	-0.00561	PASS
					40	-0.35200	-0.00019	PASS
					50	-9.47395	-0.00504	PASS
			HCH	VN	-30	-5.42551	-0.00284	PASS
					-20	-4.70776	-0.00247	PASS
					-10	-3.86481	-0.00203	PASS
					0	3.67057	0.00192	PASS
					10	-5.49137	-0.00288	PASS
					20	-3.81504	-0.00200	PASS
					30	-2.08738	-0.00109	PASS
					40	-4.31234	-0.00226	PASS
					50	0.86253	0.00045	PASS
		5	LCH	VN	-30	-9.85589	-0.00532	PASS
					-20	-3.54321	-0.00191	PASS
					-10	-2.68357	-0.00145	PASS
					0	-2.60498	-0.00141	PASS
					10	-8.69879	-0.00470	PASS
					20	-2.72160	-0.00147	PASS
					30	-9.20021	-0.00497	PASS
					40	-6.34082	-0.00342	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	VN	50	-9.65268	-0.00521	PASS
					-30	-4.36544	-0.00232	PASS
					-20	-12.28089	-0.00653	PASS
					-10	-10.25165	-0.00545	PASS
					0	-6.62121	-0.00352	PASS
					10	-4.89435	-0.00260	PASS
					20	-3.31597	-0.00176	PASS
					30	-12.79111	-0.00680	PASS
					40	-3.85836	-0.00205	PASS
					50	-9.42079	-0.00501	PASS
			HCH	VN	-30	-3.27089	-0.00171	PASS
					-20	-8.63000	-0.00452	PASS
					-10	-4.13189	-0.00217	PASS
					0	-8.46762	-0.00444	PASS
					10	2.16279	0.00113	PASS
					20	-3.92986	-0.00206	PASS
					30	-0.93214	-0.00049	PASS
					40	0.54512	0.00029	PASS
					50	-8.88941	-0.00466	PASS
		10	LCH	VN	-30	-3.47435	-0.00187	PASS
					-20	-5.29598	-0.00285	PASS
					-10	-8.93915	-0.00482	PASS
					0	-5.98054	-0.00322	PASS
					10	-3.88957	-0.00210	PASS
					20	-8.18916	-0.00441	PASS
					30	-1.24136	-0.00067	PASS
					40	-8.58491	-0.00463	PASS
					50	-0.17651	-0.00010	PASS
			MCH	VN	-30	-7.51545	-0.00400	PASS
					-20	-5.67207	-0.00302	PASS
					-10	-10.19775	-0.00542	PASS
					0	-6.64191	-0.00353	PASS
					10	-7.46022	-0.00397	PASS
					20	-2.13859	-0.00114	PASS
					30	-2.45751	-0.00131	PASS
					40	-4.29433	-0.00228	PASS
					50	-2.97994	-0.00159	PASS
			HCH	VN	-30	-1.54807	-0.00081	PASS
					-20	-6.85795	-0.00360	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	-9.63137	-0.00506	PASS
					0	-7.79092	-0.00409	PASS
					10	-1.77205	-0.00093	PASS
					20	-8.03043	-0.00422	PASS
					30	-0.34231	-0.00018	PASS
					40	-5.14933	-0.00270	PASS
					50	-9.57858	-0.00503	PASS
		15	LCH	VN	-30	-10.96500	-0.00590	PASS
					-20	-5.86651	-0.00316	PASS
					-10	-3.45829	-0.00186	PASS
					0	-3.34280	-0.00180	PASS
					10	-4.32025	-0.00233	PASS
					20	0.07114	0.00004	PASS
					30	-5.16182	-0.00278	PASS
					40	-1.84873	-0.00100	PASS
					50	0.07688	0.00004	PASS
			MCH	VN	-30	-7.76878	-0.00413	PASS
					-20	-3.36023	-0.00179	PASS
					-10	-6.53239	-0.00347	PASS
					0	-5.78226	-0.00308	PASS
					10	-9.82689	-0.00523	PASS
					20	-5.01288	-0.00267	PASS
					30	-4.96869	-0.00264	PASS
					40	-12.01688	-0.00639	PASS
					50	-8.34547	-0.00444	PASS
			HCH	VN	-30	-3.15052	-0.00166	PASS
					-20	-7.23696	-0.00380	PASS
					-10	-2.93350	-0.00154	PASS
					0	-1.11254	-0.00058	PASS
					10	-5.16644	-0.00272	PASS
					20	-4.09615	-0.00215	PASS
					30	-3.71152	-0.00195	PASS
					40	-5.66944	-0.00298	PASS
					50	-5.12490	-0.00269	PASS
		20	LCH	VN	-30	-3.57788	-0.00192	PASS
					-20	-5.91913	-0.00318	PASS
					-10	-6.76776	-0.00364	PASS
					0	-0.89483	-0.00048	PASS
					10	-2.47283	-0.00133	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	-2.58352	-0.00139	PASS
					30	-6.98373	-0.00375	PASS
					40	-5.87165	-0.00316	PASS
					50	-6.23191	-0.00335	PASS
			MCH	VN	-30	-7.32941	-0.00390	PASS
					-20	-6.02933	-0.00321	PASS
					-10	-7.38701	-0.00393	PASS
					0	-4.84641	-0.00258	PASS
					10	-7.23233	-0.00385	PASS
					20	-11.60791	-0.00617	PASS
					30	-2.72830	-0.00145	PASS
					40	-9.78157	-0.00520	PASS
					50	-6.63285	-0.00353	PASS
			HCH	VN	-30	-8.27227	-0.00435	PASS
					-20	-6.39799	-0.00337	PASS
					-10	-6.97570	-0.00367	PASS
					0	-10.12352	-0.00533	PASS
					10	-4.45489	-0.00234	PASS
					20	-4.92268	-0.00259	PASS
					30	-2.96790	-0.00156	PASS
					40	-7.49762	-0.00395	PASS
					50	-5.94998	-0.00313	PASS

END