





Test Graphs





























**Appendix A3: Min emission bandwidth
Test Result**


Test Mode	Antenna	Channel	6db EBW [MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.16	0.5	PASS
		5785	15.12	0.5	PASS
		5825	15.12	0.5	PASS
11N20SISO	Ant1	5745	15.08	0.5	PASS
		5785	15.36	0.5	PASS
		5825	15.12	0.5	PASS
11N40SISO	Ant1	5755	35.04	0.5	PASS
		5795	35.12	0.5	PASS
11AC20SISO	Ant1	5745	15.08	0.5	PASS
		5785	15.12	0.5	PASS
		5825	15.72	0.5	PASS
11AC40SISO	Ant1	5755	35.04	0.5	PASS
		5795	35.12	0.5	PASS
11AC80SISO	Ant1	5775	75.20	0.5	PASS


Test Graphs











Appendix B: Maximum conducted output power Test Result

Test Mode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	5180	8.61	≤23.98	PASS
		5200	6.97	≤23.98	PASS
		5240	7.11	≤23.98	PASS
		5745	8.26	≤30.00	PASS
		5785	8.53	≤30.00	PASS
		5825	8.82	≤30.00	PASS
11N20SISO	Ant1	5180	7.72	≤23.98	PASS
		5200	6.94	≤23.98	PASS
		5240	6.78	≤23.98	PASS
		5745	8.23	≤30.00	PASS
		5785	8.34	≤30.00	PASS
		5825	8.69	≤30.00	PASS
11N40SISO	Ant1	5190	7.42	≤23.98	PASS
		5230	6.96	≤23.98	PASS
		5755	8.22	≤30.00	PASS
		5795	8.45	≤30.00	PASS
11AC20SISO	Ant1	5180	8.00	≤23.98	PASS
		5200	7.30	≤23.98	PASS
		5240	7.10	≤23.98	PASS
		5745	8.26	≤30.00	PASS
		5785	8.47	≤30.00	PASS
		5825	8.72	≤30.00	PASS
11AC40SISO	Ant1	5190	9.30	≤23.98	PASS
		5230	9.26	≤23.98	PASS
		5755	9.22	≤30.00	PASS
		5795	9.51	≤30.00	PASS
11AC80SISO	Ant1	5210	9.37	≤23.98	PASS
		5775	9.32	≤30.00	PASS


Appendix C: Maximum power spectral density Test Result

Test Mode	Antenna	Channel	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	-1.63	≤11.00	PASS
		5200	-3.33	≤11.00	PASS
		5240	-3.25	≤11.00	PASS
		5745	-4.86	≤30.00	PASS
		5785	-4.67	≤30.00	PASS
		5825	-4.19	≤30.00	PASS
11N20SISO	Ant1	5180	-2.73	≤11.00	PASS
		5200	-3.57	≤11.00	PASS
		5240	-3.7	≤11.00	PASS
		5745	-4.95	≤30.00	PASS
		5785	-4.94	≤30.00	PASS
		5825	-4.55	≤30.00	PASS
11N40SISO	Ant1	5190	-5.87	≤11.00	PASS
		5230	-6.26	≤11.00	PASS
		5755	-8.08	≤30.00	PASS
		5795	-7.74	≤30.00	PASS
11AC20SISO	Ant1	5180	-2.47	≤11.00	PASS
		5200	-3.22	≤11.00	PASS
		5240	-3.25	≤11.00	PASS
		5745	-5.07	≤30.00	PASS
		5785	-4.7	≤30.00	PASS
		5825	-4.68	≤30.00	PASS
11AC40SISO	Ant1	5190	-4.16	≤11.00	PASS
		5230	-3.96	≤11.00	PASS
		5755	-6.86	≤30.00	PASS
		5795	-6.75	≤30.00	PASS
11AC80SISO	Ant1	5210	-7.36	≤11.00	PASS
		5775	-9.97	≤30.00	PASS


Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2. The Duty Cycle Factor is compensated in the graph.


Test Graphs



11A_Ant1_5745



11A_Ant1_5785



11A_Ant1_5825

