

User Manual

Remote Control ERF2*36H*, supporting Wireless Communication. It's main functions:

Keyboard operation;


ERF2*36H* Components

ERF2*36H* mainly consists of one PCB (printed circuit board) which contains a MCU&BT chip.

ERF2*36H* contains an implementation of bluetooth technology, with integrating a bluetooth chip and a printed antenna.

ERF2*36H* is controlled byXF2472C. It will operate at infrared mode before paired with the host.

The bluetooth technology this remote control used accords with Bluetooth 4.2 Low Energy standard. It operates in the 2.4GHz ISM band, and the frequency band is 2402 ~ 2480MHz. There are 40 channels numbered 0~39. The bandwidth of each channel separation is 2MHz.

BUTTON	DESCRIPTION
	Power on/off
INPUT	Change TV input source
App	Quick access buttons to apps
	Media content control function buttons (Icons may vary depending on models.)
	The button for the Menu
	Special function buttons
	D-pad (up/down/left/right navigation buttons)
OK	Confirmation button
	Return to the previous place in the menu or app
EXIT	Exit the menu or app
+ VOL -	Volume (up/down)
^ CH v	Channel (up/down)
	Display the Home screen
LIVE TV	Enter Live TV source
	Mute and restore sound
MTS	Set the audio language (MTS)
Number / 123	Enter Channels/input numbers
	Select a digital sub-channel
CC	Turn Closed Caption On/Off and turn Closed Caption on when mute
	Activate the microphone

FCC NOTICE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or

television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for uncontrolled environment.

ISED Regulatory Compliance Statements :

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

This equipment complies with the ISED portable RF exposure limit set forth for an uncontrolled environment and are safe for intended operation as described in this manual. The further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available.