



尺寸：83x110mm
105铜版彩色，折叠

The following message will be displayed on your web browser:

AP Wizard

Wi-Fi SSID: Trifboost_2.4

Security Type: OPEN

☐ Static IP

Apply

SSID	Wireless SSID of the Device
Security type	Setup the wireless security and encryption to prevent from unauthorized access and monitoring. Supports WPA, WPA2, WPA/WPA2 encryption methods.
Security key	The " Wi-Fi Password " of the Device


Click on '**Apply**' button, The Device will restart.

After the reboot has been completed, please go to your device WLAN setting, connect to new Wi-Fi SSID.

10

Configure the Wi-Fi Router Mode

The Device is connected to a DSL or cable modem and works as a regular wireless router.
Internet access from DSL or cable modem is available for one user but more users need to share the Internet.



- 1.The mode selector must be set to the "Router" position for Router Mode.
- 2.Plug the Device into a wall socket
- 3.Connect your DSL Modem with the Device with RJ45 Cable
- 4.Follow process A3 to A7.
- 5.Click on the Router button

11

Choose your WAN Connection Type.

If PPPoE (ADSL Dial-up) is selected, please enter the **User Name and Password** from your ISP, These fields are case-sensitive.

Router Wizard

PPPoE Static IP Dynamic IP

Account: popoe_user

Password: *****

Wi-Fi SSID: Trifboost_2.4

Security Type: OPEN

Apply

Enter the Device wireless parameter. It's recommended that you rename an **SSID**, choose a **Security Type** and enter a **Wi-Fi Password**.

SSID	The " SSID " of the Device
Security type	Setup the wireless security and encryption to prevent from unauthorized access and monitoring. Supports WPA, WPA2, WPA/WPA2 encryption methods.
Security key	The " Wi-Fi Password " of the Device

12

If **Static IP** is selected, please enter the **IP Address, Subnet Mask, Default Gateway, DNS,etc.**

Router Wizard

PPPoE Static IP Dynamic IP

IP Address: 192.168.1.1

Subnet Mask: 255.255.255.0

Gateway: 192.168.1.254

DNS1:

DNS2:

Wi-Fi SSID: Trifboost_2.4

Security Type: OPEN

Apply

Enter the Device wireless parameter. It's recommended that you rename an **SSID**, choose a **Security Type** and enter a **Wi-Fi Password**.

Click '**Apply**' button, It will restart.
Wait for a few seconds the Device is ready for use.

13

If **Dynamic IP** is selected, the Device gets the IP address automatically from your Router or ISP DHCP serve. No configuration should be set and you can go on with the wireless configuration.

Router Wizard

PPPoE Static IP Dynamic IP

Wi-Fi SSID: Trifboost_2.4

Security Type: OPEN

Apply

Enter the Device wireless parameter. It's recommended that you rename an **SSID**, choose a **Security Type** and enter a **Wi-Fi Password**.

Click '**Apply**' button, It will restart.
Wait for a few seconds the Device is ready for use.

14

Management via Web Browser

Wireless Base Configuration

Please follow the following instructions: Click "**Wi-Fi -> Wi-Fi Setup**" located at the web management interface, the following message will be displayed on your web browser:

You could configure the basic setting of Wireless settings for communication, such as Network Name (**SSID**) . The Access Point can be set simply with only the minimum setting items.

Wi-Fi Setup

2.4G Wi-Fi Settings

Wi-Fi ON/OFF: ON

Hide Wi-Fi: OFF

Wi-Fi SSID: Trifboost_2.4

Security Type: OPEN

5G Wi-Fi Settings

Apply

Wireless Status	Wireless On/Off
SSID	Wireless SSID of the Device
Security type	Setup the Wireless security and encryption to prevent from unauthorized access and monitoring. Supports WPA, WPA2, WPA/WPA2 encryption methods.
Security key	The " Password " of the AP/Router

Click '**Apply**' button, The Device will restart.

15

Change Management password

Default password of the device is "**admin**", and it's displayed on the login prompt when accessed from web browser. There's a security risk if you don't change the default password, since everyone can see it. This is very important when you have wireless function enabled.

To change password, please follow the following instructions:
Please click "**Setup->Login Password**" menu on the management setting interface, the following message will be displayed on your web browser:

Login Password

Old Password:

New Password:

Confirm Password:

Apply

Click '**Apply**' button, The Device will log off.

If you forgot your existing password, you can reset the password by clicking the **reset button** on the side of the device.

16

Firmware Upgrade

The system software used by this router is called '**firmware**', just like any applications on your computer, when you replace the old application with a new one, your computer will be equipped with new function. You can also use this firmware upgrade function to add new functions to your router, even fix the bugs of this router.

Please click '**Setup-> Upgrade Firmware**' located at the management setting interface, and then the following message will be displayed on your web browser:

Upgrade Firmware

Version:R7582.V4300.191029

Select file No file selected

Do not power off the device during the firmware upgrade. Wait a few minutes for the firmware upgrade to complete and the device to reboot.

Apply

Click "**Select file**" button first; you'll be prompted to provide the filename of firmware upgrade file. Please download the latest firmware file from our website, and use it to upgrade your router.

After a firmware upgrade file is selected, click 'Apply' button, and the device will start firmware upgrade procedure automatically.
The procedure may take several minutes, please be patient.

NOTE: Never interrupt the upgrade procedure by closing the web browser or physically disconnect your computer from the device. If the firmware you uploaded is interrupt, the firmware upgrade will fail, and you may have to return the device to the dealer of purchase to ask for help.


Warranty voids if you interrupted the upgrade procedure.

17

How to connect your computer/laptop with the Device

Adding a Wireless computers to the device

- 1.Log on to the computer.
- 2.Open Connect to a Network by right-clicking the network icon (or) in the notification area.
- 3.Choose the wireless network from the list that appears, and then click **Connect**.
- 4.Type the network security key or passphrase if you are asked to do so, and then click **OK**. You'll see a confirmation message when you are connected to the network.



- 5.To confirm that you added the computer, do the following:
Open Network by clicking the **Start** button , and then clicking **Control Panel**. In the search box, type **network**, and then, under Network and Sharing Center, click **View network computers and devices**. You should see icons for the computer you added and for the other computers and devices that are part of the network.

Note: If you don't see icons in the Network folder, then network discovery and file sharing might be turned off.

18

Adding a Wireless computers to the Device with WPS Button

This is the easiest way to establish a connection to the AP. First, check whether your end device supports WPS. For further details, please read the operating instructions for your end device.

- 1.Log on to the computer.
- 2.Press the WPS button on the device for 2 seconds. The WPS LED now flashes for approx. 2 minutes.
- 3.Within these 2 minutes, please press the connection button (WPS) on your end device. (For further details, please read the operating instructions for your end device.)

Your end device then automatically connects to the Device and applies all of the settings. You should see icons for the computer you added and for the other computers and devices that are part of the network.

Adding a wired (Ethernet) computer to the Device

- 1.Plug the device to a socket. Connect your computer / laptop with the device with enclosed RJ45 Cable.
- 2.To Confirm that you added the computer, do the following:
Open Network by clicking the **Start** button , and then clicking **Control Panel**. In the search box, type **network**, and then, under Network and Sharing Center, click **View network computers and devices**. You should see icons for the computer you added and for the other computers and devices that are part of the network.

For more information:

<http://windows.microsoft.com/en-US/windows7/Add-a-device-or-computer-to-a-network>
<http://windows.microsoft.com/en-US/windows7/Setting-up-a-wireless-network>
<http://windows.microsoft.com/en-US/windows-vista/Setting-up-a-wireless-network>

WEEE Directive & Product Disposal



At the end of its serviceable life, this product should not be treated as household or general waste. It should be handed over to the applicable collection point for the recycling of electrical and electronic equipment, or returned to the supplier for disposal.

19

Federal Communications Commission (FCC) Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generate, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

RF exposure warning

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This product may not be collocated or operated in conjunction with any other antenna or transmitter.

This equipment must be installed and operated in accordance with provided instructions and the antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be collocated or operating in conjunction with any other antenna or transmitter.