

MWCD User Manual

GENERAL OPERATIONS

Setup:

1. Plug USB Type C into the port at the back of the unit.
2. Connect the other end of USB with the charger and plug it to the power supply. The decorative light turns on which indicate the unit is working.
3. Place your smart phone (wireless charging compatible) on the back panel. The decorative light will turn on when the unit is charging the smart phone.
4. Remove your smart phone and the decorative light will turn off.
5. You can turn on and off the decorative light by touching the front panel without placing any smartphone
6. Your smartphone can also be charged by plugging cable to the USB port at the back of base.

Note:

1. After complete charging please take away the smart phone from the unit.
2. In order to get more effective for wireless charging, please take off the protective case from the mobile phone.
3. To maximize charging performance, it is recommended to connect DC 9V/2A for power.

SPECIFICATIONS

DC IN Power	DC 5V/1A, 5V/2A, 9V/2A (Fast charging)
Output (Wireless)	DC 5V/1A, 9V/1A (10W max)
Output (Cable)	DC 5V/2A
Input Interface:	USB type C
Output Interface:	Wireless Charging, Cable through USB A Port
Charging distance:	< 8mm (Wireless Charging)

Specifications are typical, individual units might vary. They are subject to continuous improvement without notice and without incurring any obligation.

www.moustonworks.com



 moustonworks

 moustonworks

**MOUSETON
WORKS**

MWCD User Manual

GENERAL OPERATIONS

Setup:

1. Plug USB Type C into the port at the back of the unit.
2. Connect the other end of USB with the charger and plug it to the power supply. The decorative light turns on which indicate the unit is working.
3. Place your smart phone (wireless charging compatible) on the back panel. The decorative light will turn on when the unit is charging the smart phone.
4. Remove your smart phone and the decorative light will turn off.
5. You can turn on and off the decorative light by touching the front panel without placing any smartphone
6. Your smartphone can also be charged by plugging cable to the USB port at the back of base.

Note:

1. After complete charging please take away the smart phone from the unit.
2. In order to get more effective for wireless charging, please take off the protective case from the mobile phone.
3. To maximize charging performance, it is recommended to connect DC 9V/2A for power.

SPECIFICATIONS

DC IN Power	DC 5V/1A, 5V/2A, 9V/2A (Fast charging)
Output (Wireless)	DC 5V/1A, 9V/1A (10W max)
Input Interface:	USB type C
Output Interface:	Wireless Charging, Cable through USB A Port
Charging distance:	< 8mm (Wireless Charging)

Specifications are typical, individual units might vary. They are subject to continuous improvement without notice and without incurring any obligation.

www.moustonworks.com



 moustonworks

 moustonworks

MOUSTON WORKS

MWCD User Manual

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body