


MADE IN CHINA




LOCOCO®




**Wireless Audio Amplification System
LG-01**

INSTRUCTION MANUAL

ACCESSORIES



Transmitter



Receiver



3.5mm Adapter




2 In 1 USB Cable

INSTRUCTIONS


Transmitter

1. Power Switch
2. Volume +
3. Volume -
4. Indicator
5. USB-C Charging Port




Receiver

1. Power Switch
2. Volume +
3. Volume -
4. Indicator
5. USB-C Charging Port



Indicator

1. Pairing/Channel Indicator (Blue)
2. Power Indicator (Red)
3. Volume Indicator (Purple)




Channel: CH1 CH2 CH3 CH4
Volume: 25% 50% 75% 100%
Power: Low ----- Full

FUNCTION

Connect

1. Inserted the transmitter into the guitar, keyboard, etc electrical device output port(6.35mm hole).
- 2.Inserted the receiver into the amplifier instrument input pot or MIC port (6.35mm hole).

NOTE: The equipment with 3.5mm interface can be transferred through the 3.5mm adapter provided with the machine



BASIC OPERATION

Volume Adjustment	1.Press the Volume+ or Volume- buttons to adjust the volume, the current volume status can be judged by the purple indicator flashes.
Channel Switch (Transmitter)	1. Long press transmitter Volume- button to enter the channel switching mode. 2.Press the transmitter Volume+ and Volume- to channel switch in the channel switching mode, at the same time, the corresponding channel indicator flashes.
Battery Status	1. Long press Volume+ button and the indicator light turns red to display the power. 2. The low power indicator flashes slowly when the power is low. When the power is exhausted, the 4 red indicators flash for 3 times and automatically turn off.
Pairing	1. Long press Volume- button and turn on the transmitter power for 3 seconds, the "CH1-CH4" flashes quickly. 2. Turn on the power of receiver to waiting for pairing, 3 seconds later, press the transmitter Volume- button to pair. 3. After the pairing is successful, the blue light of the current channel is on, otherwise, the pairing fails, and the above operation is repeated.

SPECIFICATION

Frequency:	902.8MHz, 903.6MHz, 904.4MHz, 905.2MHz
Modulation Type:	FM
Battery Type:	Built-in Lithium Battery
Battery Capacity:	550mAh
Power Required:	USB 5V
Charging Time:	Around 2 Hours
Working Time:	Around 6 Hours

Federal Communications Commission (FCC) Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
 - (2) this device must accept any interference received, including interference that may cause undesired operation
- Note:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide Reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: Reorient or relocate the receiving antenna.

- . Increase the separation between the equipment and receiver.
- . Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- . Consult the dealer or an experienced radio/TV technician for help.

Warning: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

RF exposure statement: The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.