











-26dB Bandwidth NVNT ax40 5190MHz Ant1



-26dB Bandwidth NVNT ax40 5230MHz Ant1








Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.609
NVNT	a	5200	Ant1	16.603
NVNT	a	5240	Ant1	16.462
NVNT	a	5180	Ant2	16.504
NVNT	a	5200	Ant2	16.597
NVNT	a	5240	Ant2	16.345
NVNT	n20	5180	Ant1	17.71
NVNT	n20	5200	Ant1	17.581
NVNT	n20	5240	Ant1	17.593
NVNT	n20	5180	Ant2	17.623
NVNT	n20	5200	Ant2	17.689
NVNT	n20	5240	Ant2	17.56
NVNT	n40	5190	Ant1	36.284
NVNT	n40	5230	Ant1	36.092
NVNT	n40	5190	Ant2	36.416
NVNT	n40	5230	Ant2	36.098
NVNT	ac20	5180	Ant1	17.71
NVNT	ac20	5200	Ant1	17.617
NVNT	ac20	5240	Ant1	17.584
NVNT	ac20	5180	Ant2	17.683
NVNT	ac20	5200	Ant2	17.587
NVNT	ac20	5240	Ant2	17.575
NVNT	ac40	5190	Ant1	36.26
NVNT	ac40	5230	Ant1	36.056
NVNT	ac40	5190	Ant2	36.38
NVNT	ac40	5230	Ant2	36.086
NVNT	ac80	5210	Ant1	75.712
NVNT	ac80	5210	Ant2	76.024
NVNT	ax20	5180	Ant1	18.919
NVNT	ax20	5200	Ant1	18.868
NVNT	ax20	5240	Ant1	18.847
NVNT	ax20	5180	Ant2	18.919
NVNT	ax20	5200	Ant2	18.88
NVNT	ax20	5240	Ant2	18.814
NVNT	ax40	5190	Ant1	37.682
NVNT	ax40	5230	Ant1	37.538
NVNT	ax40	5190	Ant2	37.772
NVNT	ax40	5230	Ant2	37.544
NVNT	ax80	5210	Ant1	77.272
NVNT	ax80	5210	Ant2	77.524


Test Graphs



OBW NVNT a 5180MHz Ant1





OBW NVNT a 5200MHz Ant1

























































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-26.14	3.02	-23.12	11	Pass
NVNT	a	5200	Ant1	-24.25	3.09	-21.16	11	Pass
NVNT	a	5240	Ant1	-25.37	2.62	-22.75	11	Pass
NVNT	a	5180	Ant2	-21.45	2.97	-18.48	11	Pass
NVNT	a	5200	Ant2	-22.39	2.98	-19.41	11	Pass
NVNT	a	5240	Ant2	-23.25	2.62	-20.63	11	Pass
NVNT	n20	5180	Ant1	-23.8	3.11	-20.69	11	Pass
NVNT	n20	5200	Ant1	-21.81	3.16	-18.65	11	Pass
NVNT	n20	5240	Ant1	-22.96	3	-19.96	11	Pass
NVNT	n20	5180	Ant2	-24.8	2.69	-22.11	11	Pass
NVNT	n20	5200	Ant2	-22.25	3.11	-19.14	11	Pass
NVNT	n20	5240	Ant2	-26.77	3.15	-23.62	11	Pass
NVNT	n40	5190	Ant1	-33.71	4.53	-29.18	11	Pass
NVNT	n40	5230	Ant1	-32.79	4.86	-27.93	11	Pass
NVNT	n40	5190	Ant2	-32.01	4.85	-27.16	11	Pass
NVNT	n40	5230	Ant2	-35.51	4.86	-30.65	11	Pass
NVNT	ac20	5180	Ant1	-20.51	3.16	-17.35	11	Pass
NVNT	ac20	5200	Ant1	-26.25	3	-23.25	11	Pass
NVNT	ac20	5240	Ant1	-24.79	3.09	-21.7	11	Pass
NVNT	ac20	5180	Ant2	-25.51	3.12	-22.39	11	Pass
NVNT	ac20	5200	Ant2	-23.72	3.06	-20.66	11	Pass
NVNT	ac20	5240	Ant2	-23.57	3.07	-20.5	11	Pass
NVNT	ac40	5190	Ant1	-32.09	4.48	-27.61	11	Pass
NVNT	ac40	5230	Ant1	-33.16	4.72	-28.44	11	Pass
NVNT	ac40	5190	Ant2	-31.9	4.87	-27.03	11	Pass
NVNT	ac40	5230	Ant2	-35.66	4.83	-30.83	11	Pass
NVNT	ac80	5210	Ant1	-41.14	7.2	-33.94	11	Pass
NVNT	ac80	5210	Ant2	-40.51	6.26	-34.25	11	Pass
NVNT	ax20	5180	Ant1	-29.77	3.28	-26.49	11	Pass
NVNT	ax20	5200	Ant1	-25.57	3.71	-21.86	11	Pass
NVNT	ax20	5240	Ant1	-29.36	3.43	-25.93	11	Pass
NVNT	ax20	5180	Ant2	-28.34	3.75	-24.59	11	Pass
NVNT	ax20	5200	Ant2	-28.24	3.62	-24.62	11	Pass
NVNT	ax20	5240	Ant2	-29.47	3.75	-25.72	11	Pass
NVNT	ax40	5190	Ant1	-37.16	5.25	-31.91	11	Pass
NVNT	ax40	5230	Ant1	-35.94	4.77	-31.17	11	Pass
NVNT	ax40	5190	Ant2	-37.11	4.78	-32.33	11	Pass
NVNT	ax40	5230	Ant2	-37.18	4.79	-32.39	11	Pass
NVNT	ax80	5210	Ant1	-38.8	7.22	-31.58	11	Pass
NVNT	ax80	5210	Ant2	-44.62	7.78	-36.84	11	Pass

Test Graphs

PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1

