

Owner's Manual


Safety Instructions

- Please read this manual carefully before using
- Keep these instructions
- Do not disassemble
- Do not expose directly to sunlight or open flame
- Pay attention to the road and do not operate this product while driving

Introduction

Features:

- Input 12-24V
- Bluetooth hands-free calling
- USB 1: 5V/2.4A with intelligent input current management
- Type-C : PD 30W
- Support Aux in
- Car battery monitor




- | | |
|--|-------------------------|
| 1. Type-C charging port | 2. Microphone |
| 3. USB charging port | 4. Multifunction button |
| 5. Previous song | 6. Next song |
| 7. Aux in | |
| 8. Wheel button for :
change frequency; volume +/-; | |

LED Indicator	Status
13.5	Car battery voltage
BT	Bluetooth ready to pair


Get it Ready for Playing

1. Plug T16 into your car cigarette lighter socket.



2. Connecting Bluetooth: When LED display reads "bt," it is in pairing mode, and voice prompt will say "Waiting for connection."

On your smartphone, enable Bluetooth function, search for available devices, select " T16," and pair with it. Once connected, listen for voice prompt "Bluetooth connection success." You are now paired.



Play Music

Playing music from your phone:

After steps 1-5, you can start playing audio using your smartphone. The music will stream via the Bluetooth A2DP function

Play/Pause	Press 
Previous/Next track	Press  / 
Volume 	Rotate 

Play music from Aux in:

For your other player like MP3/MP4 etc. Connect your device to T16 with Aux cable.

Hands-Free Call

After you set up playing, you can also use the hands-free function.

Answer an incoming call	Press 
Reject an incoming call	Press and hold 
Hang up a call	Press 
Recall last incoming/outgoing call	Quickly press twice 

Under music playing status , if there is a call coming in, it will switch to call mode automatically. After hanging up, it will switch back to playing mode automatically.

Charge Your Device

Bluetooth has one Type-C port and two USB ports, with a total max 42w output in intelligent current sharing mode:

-  PD  Type-C" PD 30W
-  USB1: 5V/2.4A charging port

Specifications

DC input: 12V-24V
Output: Type.C PD 30W for iPhone
Bluetooth connect distance: 10m
USB capacity support: ≤64Gb
Working temperature range: -20°C to 40°C
Storage temperature range: -40°C to 75°C

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure statement

The device has been evaluatec to meel general RF exposure requirement. The device can be used in porlable exposure condition without restriction.