



4Go



快速使用指南
QUICK START GUIDE

TWS



将一台音箱连接到您的智能手机后,在两台相同音箱上同时长按蓝牙按键2秒钟即可进入真无线立体声(TWS)模式。

With one speaker connected to a smartphone, press and hold the Bluetooth button for 2 seconds on two speakers to enter TWS pairing mode.




NO ○
OFF ●

👉 < 2" | 👉 < 2"
NO" | OFF"



👉 x1 ▶/||



👉 x3 ||◀◀
👉 x2 ▶▶|

-/+

🔊 / 🔊

按键操作
Button Controls

12个月质保期 | 12-month limited warranty

输入:5V=1A Input: 5V=1A

充电时间(会根据所选择的适配器型号以及环境温度的不同而产生波动):4小时

Charging Time (may vary depending on the adapter model selected and ambient temperature): 4 Hours

本设备支持在充电过程中进行歌曲的播放(边充边放),在这种情况下充电时间将会延长。但我们并不建议您长时间边充边放,这会对电池寿命造成影响。若您持续进行边充边放超过一定的时间后,机器会自动停止充电以保护电路。

The speaker supports music playback during charging (simultaneous charging and playing). In this scenario, the charging time will be extended.

However, we do not recommend prolonged simultaneous charging and playing, as this may shorten battery life. If you continue to charge and play for an extended period, the device will automatically stop charging to protect the circuit.

续航时间(受音量和播放内容影响):长达20小时

Playtime (varies by volume level and playback content): Up to 20 Hours

Important Safety Information

- Operating temperature should be between 0°C to 40°C/32°F to 104°F.
- The product contains a battery pack, so it should not be exposed to excessive heat such as sunshine, fire or the like.

CAUTION: RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE.
DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

Frequency band: 2.4G band(2.402GHz-2.480GHz)



This symbol means the product must not be discarded as household waste, and should be delivered to an appropriate collection facility for recycling. Follow local rules and never dispose of the product and rechargeable batteries with normal household waste. Correct disposal of old products and rechargeable batteries helps prevent negative consequences for the environment and human health.



This symbol indicates "separate collection" for all batteries and accumulators. Danger of explosion if battery is incorrectly replaced. To reduce risk of fire, explosion or leakage of flammable liquid/gas, don't disassemble, crush, puncture, short external contacts, expose to temperature above 60°C (140°F), sunshine or like, expose to extremely low air pressure or dispose of in fire or water. Replace only with specified batteries.

High or low extreme temperatures that a battery can be subjected to during use, storage or transportation:

- During use: maximum 40°C(104°F)
- Storage:-20-45°C(-4-113°F)
- Transportation:5-35°C(41-95°F)

FCC Caution.

§ 15.19 Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

§ 15.21 Information to user.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

§ 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.