Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.48	0.43	10.92	16.33	Complies
46	5230	10.84	0.43	11.27	16.33	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.11	0.43	10.54	16.33	Complies
46	5230	9.89	0.43	10.33	16.33	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.09	0.43	10.52	16.33	Complies
46	5230	10.35	0.43	10.78	16.33	Complies

CH38



CH46



Test Mode	UNII-1_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	15.44	16.33	Complies
46	5230	15.58	16.33	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.68	0.76	7.44	16.33	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.24	0.76	7.01	16.33	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.92	0.76	6.68	16.33	Complies

CH42



Test Mode	UNII-1_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	11.82	16.33	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.86	0.17	5.03	10.07	Complies
60	5300	5.17	0.17	5.35	10.07	Complies
64	5320	5.04	0.17	5.22	10.07	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.03	0.17	5.20	10.07	Complies
60	5300	4.63	0.17	4.80	10.07	Complies
64	5320	4.56	0.17	4.73	10.07	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.07	0.17	5.24	10.07	Complies
60	5300	5.24	0.17	5.41	10.07	Complies
64	5320	5.33	0.17	5.50	10.07	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.93	10.07	Complies
60	5300	9.97	10.07	Complies
64	5320	9.93	10.07	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.56	0.18	4.74	10.07	Complies
60	5300	4.26	0.18	4.44	10.07	Complies
64	5320	4.31	0.18	4.49	10.07	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.45	0.18	4.63	10.07	Complies
60	5300	4.20	0.18	4.38	10.07	Complies
64	5320	4.22	0.18	4.40	10.07	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.69	0.18	4.87	10.07	Complies
60	5300	4.89	0.18	5.07	10.07	Complies
64	5320	4.75	0.18	4.93	10.07	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.52	10.07	Complies
60	5300	9.41	10.07	Complies
64	5320	9.39	10.07	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.85	0.36	4.21	10.07	Complies
62	5310	4.31	0.36	4.68	10.07	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.80	0.36	4.17	10.07	Complies
62	5310	4.46	0.36	4.82	10.07	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.39	0.36	4.76	10.07	Complies
62	5310	4.44	0.36	4.80	10.07	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	9.16	10.07	Complies
62	5310	9.54	10.07	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.58	0.70	3.28	10.07	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.61	0.70	3.31	10.07	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.08	0.70	3.79	10.07	Complies

CH58



Test Mode	UNII-2A_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	8.24	10.07	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.65	0.23	4.88	10.07	Complies
60	5300	4.78	0.23	5.01	10.07	Complies
64	5320	4.44	0.23	4.67	10.07	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.33	0.23	4.56	10.07	Complies
60	5300	4.79	0.23	5.02	10.07	Complies
64	5320	4.67	0.23	4.90	10.07	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.93	0.23	5.16	10.07	Complies
60	5300	5.11	0.23	5.34	10.07	Complies
64	5320	5.38	0.23	5.61	10.07	Complies

CH52



CH60



CH64



Test Mode	UNII-2A_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	9.64	10.07	Complies
60	5300	9.90	10.07	Complies
64	5320	9.85	10.07	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.38	0.43	4.81	10.07	Complies
62	5310	4.66	0.43	5.09	10.07	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.96	0.43	4.39	10.07	Complies
62	5310	4.73	0.43	5.16	10.07	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.57	0.43	5.00	10.07	Complies
62	5310	4.97	0.43	5.40	10.07	Complies

CH54



CH62



Test Mode	UNII-2A_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	9.51	10.07	Complies
62	5310	9.99	10.07	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.58	0.76	3.35	10.07	Complies

CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.48	0.76	3.25	10.07	Complies

CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.22	0.76	3.98	10.07	Complies

CH58



Test Mode	UNII-2A_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	8.31	10.07	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.74	0.17	4.92	10.08	Complies
116	5580	4.98	0.17	5.15	10.08	Complies
140	5700	5.19	0.17	5.36	10.08	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.05	0.17	5.22	10.08	Complies
116	5580	5.06	0.17	5.24	10.08	Complies
140	5700	4.67	0.17	4.84	10.08	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX A Mode_Ant.

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.33	0.17	4.50	10.08	Complies
116	5580	5.17	0.17	5.34	10.08	Complies
140	5700	4.74	0.17	4.92	10.08	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.66	10.08	Complies
116	5580	10.01	10.08	Complies
140	5700	9.82	10.08	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.52	0.18	4.70	10.08	Complies
116	5580	4.77	0.18	4.95	10.08	Complies
140	5700	4.68	0.18	4.86	10.08	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.64	0.18	4.82	10.08	Complies
116	5580	4.89	0.18	5.08	10.08	Complies
140	5700	4.34	0.18	4.52	10.08	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.66	0.18	4.84	10.08	Complies
116	5580	4.84	0.18	5.02	10.08	Complies
140	5700	4.58	0.18	4.76	10.08	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.56	10.08	Complies
116	5580	9.79	10.08	Complies
140	5700	9.48	10.08	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.33	0.36	4.69	10.08	Complies
110	5550	5.00	0.36	5.36	10.08	Complies
134	5670	4.69	0.36	5.06	10.08	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.49	0.36	4.85	10.08	Complies
110	5550	5.05	0.36	5.42	10.08	Complies
134	5670	4.53	0.36	4.90	10.08	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.34	0.36	4.70	10.08	Complies
110	5550	4.74	0.36	5.10	10.08	Complies
134	5670	4.79	0.36	5.15	10.08	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	9.52	10.08	Complies
110	5550	10.07	10.08	Complies
134	5670	9.81	10.08	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.37	0.70	3.07	10.08	Complies
122	5610	2.66	0.70	3.36	10.08	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.66	0.70	3.36	10.08	Complies
122	5610	2.00	0.70	2.70	10.08	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.62	0.70	3.32	10.08	Complies
122	5610	2.43	0.70	3.13	10.08	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	8.02	10.08	Complies
122	5610	7.85	10.08	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.02	0.23	5.25	10.08	Complies
116	5580	4.74	0.23	4.97	10.08	Complies
140	5700	4.79	0.23	5.02	10.08	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.81	0.23	5.04	10.08	Complies
116	5580	4.81	0.23	5.04	10.08	Complies
140	5700	4.24	0.23	4.47	10.08	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.84	0.23	5.07	10.08	Complies
116	5580	4.45	0.23	4.68	10.08	Complies
140	5700	4.35	0.23	4.58	10.08	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.89	10.08	Complies
116	5580	9.67	10.08	Complies
140	5700	9.47	10.08	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.47	0.43	4.90	10.08	Complies
110	5550	4.94	0.43	5.37	10.08	Complies
134	5670	4.31	0.43	4.74	10.08	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	4.03	0.43	4.46	10.08	Complies
110	5550	4.73	0.43	5.16	10.08	Complies
134	5670	4.64	0.43	5.07	10.08	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.08	0.43	5.51	10.08	Complies
110	5550	4.59	0.43	5.02	10.08	Complies
134	5670	5.04	0.43	5.47	10.08	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	9.75	10.08	Complies
110	5550	9.96	10.08	Complies
134	5670	9.87	10.08	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.76	0.76	3.52	10.08	Complies
122	5610	3.02	0.76	3.78	10.08	Complies

CH106



CH122



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.81	0.76	3.57	10.08	Complies
122	5610	2.66	0.76	3.42	10.08	Complies

CH106



CH122



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.07	0.76	3.83	10.08	Complies
122	5610	2.99	0.76	3.75	10.08	Complies

CH106



CH122



Test Mode	UNII-2C_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	8.42	10.08	Complies
122	5610	8.43	10.08	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.97	9.96	0.17	10.13	29.77	Pass
157	5785	3.18	10.17	0.17	10.34	29.77	Pass
165	5825	2.69	9.68	0.17	9.85	29.77	Pass
NOTE: $PSD_{dBm/500\ kHz} = PSD_{dBm/100\ kHz} + 10 \times \log(500\ kHz / 100\ kHz) = PSD_{dBm/100\ kHz} + 6.99\ dB$							

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.38	10.37	0.17	10.54	29.77	Pass
157	5785	3.62	10.61	0.17	10.78	29.77	Pass
165	5825	2.47	9.46	0.17	9.63	29.77	Pass
NOTE: $PSD_{dBm/500\ kHz} = PSD_{dBm/100\ kHz} + 10 \times \log(500\ kHz / 100\ kHz) = PSD_{dBm/100\ kHz} + 6.99\ dB$							

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.85	9.84	0.17	10.01	29.77	Pass
157	5785	3.31	10.30	0.17	10.47	29.77	Pass
165	5825	2.70	9.69	0.17	9.86	29.77	Pass
NOTE: $PSD_{dBm/500\ kHz} = PSD_{dBm/100\ kHz} + 10 \times \log(500\ kHz / 100\ kHz) = PSD_{dBm/100\ kHz} + 6.99\ dB$							

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.00	29.77	Pass
157	5785	15.31	29.77	Pass
165	5825	14.55	29.77	Pass