Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-12.01	0.41	-11.60	10.24	Complies
122	5610	-11.59	0.41	-11.18	10.24	Complies

CH106



CH122



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-11.81	0.41	-11.40	10.24	Complies
122	5610	-21.89	0.41	-21.48	10.24	Complies

CH106



CH122



Test Mode	UNII-2C_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-8.49	10.24	Complies
122	5610	-10.79	10.24	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-13.65	0.00	-13.65	10.24	Complies

CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-15.27	0.00	-15.27	10.24	Complies

CH114



Test Mode	UNII-2C_TX AX(HE160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-11.37	10.24	Complies

Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-4.90	0.23	-4.67	10.24	Complies
116	5580	-4.75	0.23	-4.52	10.24	Complies
140	5700	-5.27	0.23	-5.04	10.24	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-5.26	0.23	-5.03	10.24	Complies
116	5580	-5.94	0.23	-5.71	10.24	Complies
140	5700	-4.35	0.23	-4.12	10.24	Complies

CH100



CH116



CH140



Test Mode	UNII-2C_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.84	10.24	Complies
116	5580	-2.06	10.24	Complies
140	5700	-1.55	10.24	Complies

Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-8.33	0.31	-8.02	10.24	Complies
110	5550	-8.32	0.31	-8.01	10.24	Complies
134	5670	-9.61	0.31	-9.30	10.24	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-8.72	0.31	-8.41	10.24	Complies
110	5550	-9.54	0.31	-9.23	10.24	Complies
134	5670	-7.73	0.31	-7.42	10.24	Complies

CH102



CH110



CH134



Test Mode	UNII-2C_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-5.20	10.24	Complies
110	5550	-5.57	10.24	Complies
134	5670	-5.25	10.24	Complies

Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-11.99	0.41	-11.58	10.24	Complies
122	5610	-21.32	0.41	-20.91	10.24	Complies

CH106



CH122



Test Mode	UNII-2C_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-19.37	0.41	-18.96	10.24	Complies
122	5610	-11.30	0.41	-10.89	10.24	Complies

CH106



CH122



Test Mode	UNII-2C_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-10.85	10.24	Complies
122	5610	-10.48	10.24	Complies

Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-15.02	0.00	-15.02	10.24	Complies

CH114



Test Mode	UNII-2C_TX BE(EHT160) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-22.93	0.00	-22.93	10.24	Complies

CH114



Test Mode	UNII-2C_TX BE(EHT160) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-14.37	10.24	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.06	0.20	-3.86	29.24	Complies
157	5785	-3.35	0.20	-3.15	29.24	Complies
165	5825	-4.18	0.20	-3.98	29.24	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.76	0.20	-3.56	29.24	Complies
157	5785	-4.38	0.20	-4.18	29.24	Complies
165	5825	-3.70	0.20	-3.50	29.24	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-0.70	29.24	Complies
157	5785	-0.62	29.24	Complies
165	5825	-0.72	29.24	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.21	0.43	-4.78	29.24	Complies
157	5785	-5.82	0.43	-5.39	29.24	Complies
165	5825	-5.32	0.43	-4.89	29.24	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.64	0.43	-5.21	29.24	Complies
157	5785	-5.30	0.43	-4.87	29.24	Complies
165	5825	-5.72	0.43	-5.29	29.24	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX N(HT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-1.98	29.24	Complies
157	5785	-2.11	29.24	Complies
165	5825	-2.08	29.24	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-15.63	0.76	-14.87	29.24	Complies
159	5795	-7.99	0.76	-7.23	29.24	Complies

CH151



CH159



Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.21	0.76	-7.45	29.24	Complies
159	5795	-10.50	0.76	-9.74	29.24	Complies

CH151



CH159



Test Mode	UNII-3_TX N(HT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-6.73	29.24	Complies
159	5795	-5.30	29.24	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-6.12	0.34	-5.78	29.24	Complies
157	5785	-6.40	0.34	-6.06	29.24	Complies
165	5825	-5.70	0.34	-5.36	29.24	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-6.31	0.34	-5.97	29.24	Complies
157	5785	-5.79	0.34	-5.45	29.24	Complies
165	5825	-6.45	0.34	-6.11	29.24	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-2.86	29.24	Complies
157	5785	-2.73	29.24	Complies
165	5825	-2.71	29.24	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.60	0.84	-7.76	29.24	Complies
159	5795	-15.34	0.84	-14.5	29.24	Complies

CH151



CH159



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-17.33	0.84	-16.49	29.24	Complies
159	5795	-8.59	0.84	-7.75	29.24	Complies

CH151



CH159



Test Mode	UNII-3_TX AC(VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.21	29.24	Complies
159	5795	-6.92	29.24	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-13.49	0.00	-13.49	29.24	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-14.82	0.00	-14.82	29.24	Complies

CH155



Test Mode	UNII-3_TX AC(VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-11.09	29.24	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-7.97	0.00	-7.97	29.24	Complies
157	5785	-8.84	0.00	-8.84	29.24	Complies
165	5825	-7.70	0.00	-7.70	29.24	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-8.61	0.00	-8.61	29.24	Complies
157	5785	-7.75	0.00	-7.75	29.24	Complies
165	5825	-8.87	0.00	-8.87	29.24	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.27	29.24	Complies
157	5785	-5.25	29.24	Complies
165	5825	-5.24	29.24	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-18.77	0.48	-18.29	29.24	Complies
159	5795	-11.13	0.48	-10.65	29.24	Complies

CH151



CH159



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-11.50	0.48	-11.02	29.24	Complies
159	5795	-12.54	0.48	-12.06	29.24	Complies

CH151



CH159



Test Mode	UNII-3_TX AX(HE40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-10.27	29.24	Complies
159	5795	-8.29	29.24	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-24.02	0.41	-23.61	29.24	Complies

CH155



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-14.96	0.41	-14.55	29.24	Complies

CH155



Test Mode	UNII-3_TX AX(HE80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-14.04	29.24	Complies

Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-7.97	0.23	-7.74	29.24	Complies
157	5785	-8.91	0.23	-8.68	29.24	Complies
165	5825	-8.09	0.23	-7.86	29.24	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX BE(EHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-8.80	0.23	-8.57	29.24	Complies
157	5785	-8.23	0.23	-8.00	29.24	Complies
165	5825	-8.47	0.23	-8.24	29.24	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX BE(EHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.13	29.24	Complies
157	5785	-5.32	29.24	Complies
165	5825	-5.04	29.24	Complies

Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-11.58	0.31	-11.27	29.24	Complies
159	5795	-13.18	0.31	-12.87	29.24	Complies

CH151



CH159



Test Mode	UNII-3_TX BE(EHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-13.14	0.31	-12.83	29.24	Complies
159	5795	-11.40	0.31	-11.09	29.24	Complies

CH151



CH159



Test Mode	UNII-3_TX BE(EHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.97	29.24	Complies
159	5795	-8.88	29.24	Complies

Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-14.77	0.41	-14.36	29.24	Complies

CH155



Test Mode	UNII-3_TX BE(EHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-17.02	0.41	-16.61	29.24	Complies

CH155



Test Mode	UNII-3_TX BE(EHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-12.33	29.24	Complies

End of Test Report