Radio Technology = Bluetooth BDR, Operating Frequency = mid, Measurement range = 30 MHz - 1 GHz
(S01_377_AE01)



Radio Technology = Bluetooth BDR, Operating Frequency = high, Measurement range = 30 MHz - 1 GHz
(S01_374_BA01)



Radio Technology = Bluetooth BDR, Operating Frequency = high, Measurement range = 30 MHz - 1 GHz
(S01_377_AE01)



Radio Technology = WLAN b, Operating Frequency = mid, Measurement range = 9 kHz - 30 MHz
(S01_374_BA01)



Radio Technology = WLAN b, Operating Frequency = mid, Measurement range = 9 kHz - 30 MHz
(S01_377_AE01)



Antenna A

Radio Technology = Bluetooth BDR, Operating Frequency = mid, Measurement range = 9 kHz - 30 MHz
(S01_374_BA01)



Radio Technology = Bluetooth BDR, Operating Frequency = mid, Measurement range = 9 kHz - 30 MHz
(S01_377_AE01)



Radio Technology = Bluetooth LE 1 Mbps, Operating Frequency = mid, Measurement range = 30 MHz - 1 GHz
(S01_377_AE01)



Radio Technology = Bluetooth LE 1 Mbps, Operating Frequency = mid, Measurement range = 9 kHz - 30 MHz
(S01_377_AE01)



Radio Technology = WLAN b, Operating Frequency = mid, Measurement range = 30 MHz - 1 GHz
(S02_374_BA01)



Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---		---	---

Radio Technology = Bluetooth BDR, Operating Frequency = mid, Measurement range = 30 MHz - 1 GHz
(S02_374_BA01)



Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---		---	---

Radio Technology = WLAN b, Operating Frequency = mid, Measurement range = 9 kHz - 30 MHz
(S02_374_BB01)



Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---

Radio Technology = Bluetooth BDR, Operating Frequency = mid, Measurement range = 9 kHz - 30 MHz
(S02_374_BB01)



Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---

Radio Technology = WLAN b, Operating Frequency = mid, Measurement range = 9 kHz - 30 MHz
(S02_377_AB01)



Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---

Antenna A

Radio Technology = Bluetooth BDR, Operating Frequency = mid, Measurement range = 9 kHz - 30 MHz
(S02_377_AB01)



Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---

Radio Technology = Bluetooth BDR, Operating Frequency = mid, Measurement range = 30 MHz - 1 GHz
(S02_377_AD01)



Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---		---	---

Antenna A

Radio Technology = Bluetooth BDR, Operating Frequency = high, Measurement range = 30 MHz - 1 GHz
(S02_377_AD01)



Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---		---	---

Radio Technology = Bluetooth BDR, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S02_377_AB01)



Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
7322.750	---	44.2	54.00	9.80	1000.0	1000.000	150.0	H	49.0	92.0	-13.2
7322.750	52.2	---	74.00	21.78	1000.0	1000.000	150.0	H	49.0	92.0	-13.2
7322.875	---	44.4	54.00	9.55	1000.0	1000.000	150.0	H	54.0	91.0	-13.2
7322.875	52.1	---	74.00	21.95	1000.0	1000.000	150.0	H	54.0	91.0	-13.2
12204.295	---	43.3	54.00	10.68	1000.0	1000.000	150.0	H	5.0	81.0	-8.0
12204.295	54.9	---	74.00	19.07	1000.0	1000.000	150.0	H	5.0	81.0	-8.0
12205.135	---	45.6	54.00	8.41	1000.0	1000.000	150.0	H	4.0	89.0	-8.0
12205.135	54.7	---	74.00	19.30	1000.0	1000.000	150.0	H	4.0	89.0	-8.0
15570.575	---	41.9	54.00	12.09	1000.0	1000.000	150.0	V	148.0	-4.0	-1.4
15570.575	55.7	---	74.00	18.26	1000.0	1000.000	150.0	V	148.0	-4.0	-1.4
15578.508	---	42.0	54.00	11.95	1000.0	1000.000	150.0	H	127.0	12.0	-1.3
15578.508	54.6	---	74.00	19.43	1000.0	1000.000	150.0	H	127.0	12.0	-1.3
17777.850	---	45.9	54.00	8.13	1000.0	1000.000	150.0	H	159.0	-1.0	1.3
17777.850	59.0	---	74.00	14.95	1000.0	1000.000	150.0	H	159.0	-1.0	1.3
17791.050	---	45.9	54.00	8.06	1000.0	1000.000	150.0	V	91.0	15.0	1.2
17791.050	58.8	---	74.00	15.17	1000.0	1000.000	150.0	V	91.0	15.0	1.2

Radio Technology = Bluetooth BDR, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AE01)



19:16:42 04.08.2022

Radio Technology = Bluetooth BDR, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AE01)



19:14:27 04.08.2022

Radio Technology = Bluetooth BDR, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AE01)



19:33:34 04.08.2022

Radio Technology = Bluetooth BDR, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S02_374_BB01)



Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
4960.038	52.0	---	74.00	22.00	1000.0	1000.000	150.0	H	-90.0	105.0	4.4
4960.038	---	44.6	54.00	9.43	1000.0	1000.000	150.0	H	-90.0	105.0	4.4
7440.000	---	40.3	54.00	13.68	1000.0	1000.000	150.0	H	39.0	91.0	-13.2
7440.000	49.7	---	74.00	24.31	1000.0	1000.000	150.0	H	39.0	91.0	-13.2
12400.855	---	40.0	54.00	13.97	1000.0	1000.000	150.0	H	7.0	84.0	-5.6
12400.855	52.4	---	74.00	21.56	1000.0	1000.000	150.0	H	7.0	84.0	-5.6
17792.250	58.8	---	74.00	15.17	1000.0	1000.000	150.0	V	101.0	-15.0	1.2
17792.250	---	45.4	54.00	8.60	1000.0	1000.000	150.0	V	101.0	-15.0	1.2
17793.750	---	45.4	54.00	8.59	1000.0	1000.000	150.0	V	-111.0	6.0	1.3
17793.750	58.7	---	74.00	15.26	1000.0	1000.000	150.0	V	-111.0	6.0	1.3

Radio Technology = Bluetooth BDR, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 29.JUL.2022 16:36:57



Date: 29.JUL.2022 16:20:23

Radio Technology = Bluetooth BDR, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 29.JUL.2022 16:38:30



Date: 29.JUL.2022 16:18:49

Radio Technology = Bluetooth BDR, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 29.JUL.2022 16:47:32



Date: 29.JUL.2022 16:16:43

Radio Technology = Bluetooth EDR 2, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AE01)



19:19:14 04.08.2022

Radio Technology = Bluetooth EDR 2, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AE01)



19:12:03 04.08.2022

Radio Technology = Bluetooth EDR 2, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AE01)



19:30:37 04.08.2022

Radio Technology = Bluetooth EDR 2, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 29.JUL.2022 16:35:22



Date: 29.JUL.2022 16:24:10

Radio Technology = Bluetooth EDR 2, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 29.JUL.2022 16:39:54



Date: 29.JUL.2022 16:26:03

Radio Technology = Bluetooth EDR 2, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 29.JUL.2022 16:45:02



Date: 29.JUL.2022 16:27:29

Radio Technology = Bluetooth EDR 3, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AE01)



19:21:54 04.08.2022

Radio Technology = Bluetooth EDR 3, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AE01)



19:08:57 04.08.2022

Radio Technology = Bluetooth EDR 3, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AE01)



19:28:21 04.08.2022

Radio Technology = Bluetooth EDR 3, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 29.JUL.2022 16:33:58



Date: 29.JUL.2022 16:32:35

Radio Technology = Bluetooth EDR 3, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 29.JUL.2022 16:41:34



Date: 29.JUL.2022 16:29:12

Radio Technology = Bluetooth EDR 3, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 29.JUL.2022 16:43:11



Date: 29.JUL.2022 16:29:12

Radio Technology = Bluetooth LE 1 Mbps, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Radio Technology = Bluetooth LE 1 Mbps, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Radio Technology = Bluetooth LE 1 Mbps, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



11:55:48 04.02.2022

Radio Technology = Bluetooth LE 2 Mbps, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



12:04:48 04.02.2022

Radio Technology = Bluetooth LE 2 Mbps, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



12:08:17 04.02.2022

Radio Technology = Bluetooth LE 2 Mbps, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



12:11:44 04.02.2022

Radio Technology = WLAN b, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S02_377_AB01)



Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
19496.000	---	51.2	54.00	2.79	1000.0	1000.000	150.0	H	-36.0	80.0	17.3
19496.000	56.2	---	74.00	17.75	1000.0	1000.000	150.0	H	-36.0	80.0	17.3

Antenna A

Radio Technology = WLAN b, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S02_374_BB01)



Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
2483.995	---	34.7	54.00	19.29	1000.0	1000.000	150.0	H	-2.0	82.0	5.3
2483.995	47.9	---	74.00	26.08	1000.0	1000.000	150.0	H	-2.0	82.0	5.3
19696.090	---	50.7	54.00	3.29	1000.0	1000.000	150.0	H	41.0	98.0	17.4
19696.090	56.6	---	74.00	17.39	1000.0	1000.000	150.0	H	41.0	98.0	17.4

Radio Technology = WLAN b, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 1.AUG.2022 14:14:44



Date: 1.AUG.2022 14:21:51

Radio Technology = WLAN b, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_374_BA01)



Date: 1.AUG.2022 14:18:24



Date: 1.AUG.2022 14:19:56

Radio Technology = WLAN g, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN g, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN g, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN n 20 MHz, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN n 20 MHz, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN n 20 MHz, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN n 40 MHz, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN n 40 MHz, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN n 40 MHz, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN ax 20 MHz, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN ax 20 MHz, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN ax 20 MHz, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN ax 40 MHz, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN ax 40 MHz, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN ax 40 MHz, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A

Radio Technology = WLAN n 20 MHz MIMO, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A



Antenna B

Radio Technology = WLAN n 20 MHz MIMO, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A



Antenna B

Radio Technology = WLAN n 20 MHz MIMO, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A



Antenna B

Radio Technology = WLAN n 40 MHz MIMO, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A



Antenna B

Radio Technology = WLAN n 40 MHz MIMO, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A



Antenna B

Radio Technology = WLAN n 40 MHz MIMO, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A



Antenna B

Radio Technology = WLAN ax 20 MHz MIMO, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A



Antenna B

Radio Technology = WLAN ax 20 MHz MIMO, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A



Antenna B

Radio Technology = WLAN ax 20 MHz MIMO, Operating Frequency = high, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A



Antenna B

Radio Technology = WLAN ax 40 MHz MIMO, Operating Frequency = low, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A



Antenna B

Radio Technology = WLAN ax 40 MHz MIMO, Operating Frequency = mid, Measurement range = 1 GHz - 26 GHz
(S01_377_AA01)



Antenna A