

Manual
For **GDS TX S-Pen Cradle**

Contents

- PRODUCTION IMAGE & INFO.
- COMPANY INFO.
- INTRODUCTION & COMPONENT
- HOW TO USE

PRODUCTION IMAGE



PRODUCTION NAME : GDS Tab Pen Cradle

PRODUCTION INFO.:

Product Size :12 x 175 x 45(H) (MM)

MATERIAL:

Injection Part : PC / POM / Cable / PCB / Wire Recoiler / Magnetic / Silicone

ELECTRICITY INFO.:

Electric Power - 5V / 1A / 0.4W(Watt)



Manufacturer : CHAIGRAPHICS Co., Ltd.

Address :

26-20, Hannam-daero 27ga-gil, Yongsan-gu, Seoul, Republic of Korea

Telephone : +82) 02-536-8211

FAX : +82) 02-536-8299

E-mail : chaigraphics@chaigraphics.com

INTRODUCTION

The GDS T10 Pen Cradle is a display unit for S Pen of Samsung Tab Series. It effectively showcases the product and allows customers to easily experience it. The unit securely holds the S pen and provides protection as well as charges the S Pen when placed on it. When the power is disconnected, it activates the alarm connected to the control box.

.....

COMPONENT



GDS Tab Pen Cradle : 1ea
Hex Wrench (1.5mm) : 1ea
A Head bolt : 1ea

HOW TO USE

(A)



(B)



Assemble the GDS T10 Pen Cradle to the Tablet display unit screwing Head Bolt using Hex Wrench included in the package.

Then assemble the S Pen to the pen holder part of the GDS T10 Pen cradle.

Connect the USB port to the control box to charge and to activate the alarm system.

FCC Information to User

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution

Modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Compliance Information : This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation