




1. Bar code System: Code 128
2. Material: ART paper
3. Printing color: RAL 5004 (background) and Pantone 8001 C (8001 C := 75% 877 C + 25% 874 C).
The pink color content must be printed on the assembly line.
The green color content must be pre-printed in the label factory.
4. Tolerance: $\pm 0.2\text{mm}$
5. SIZE: 139.5(W)X39.5(H)mm
6. Print content:
 - A. Revision: RnX (provided by snom with PO), Printing Color: Black
R:= indicates revision number (fixed information)
n:=1st revision index (major changes) (numeric)
X:=2nd revision index (minor changes) (capital letter)
e.g. R3A
 - B. Barcode: Serial No. (16 digits) (Code 128), Printing Color: Black
XXX:= Country of Origin - ISO 3166-1 alpha-3 (3 digits)
YY:= Product of factory abbreviation - provided by snom (2 digits)
888888:= DDMMYY day, month, year (only last two digits)
99999:= Serial Number (5 digits, numeric)
 - C. Barcode: MAC Address (Code 128), Printing Color: Black
 - D. Year of production, Printing Color: Pantone 8001 C
 - E. Country of Origin (English name), Printing Color: Pantone 8001 C
7. Attach onto the backside of the phone enclosure
8. Do not rip off the label and never re-use it!

company	Snom Technology GmbH	revision	13	PS No.	29.6.	ERP No.	00004148	scale	1:1	total pages	1	page	1
model	snom D375												
product	Type Label												
filename	snom_D375_type_label_rev13.pdf												
created	2014-11-28												
last saved	2017-10-20												





show Label location only