



Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.65	0.00	7.65	11.00	Complies
116	5580	7.79	0.00	7.79	11.00	Complies
140	5700	7.70	0.00	7.70	11.00	Complies



Date: 13.APR.2022 11:10:13




Date: 13.APR.2022 11:12:37




Date: 13.APR.2022 14:42:43

Test Mode UNII-2C_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.12	0.00	7.12	11.00	Complies
116	5580	7.46	0.00	7.46	11.00	Complies
140	5700	6.90	0.00	6.90	11.00	Complies



Date: 13.APR.2022 14:36:13



Date: 13.APR.2022 14:36:44




Date: 13.APR.2022 14:41:14

Test Mode UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.40	11.00	Complies
116	5580	10.64	11.00	Complies
140	5700	10.33	11.00	Complies


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.59	0.00	7.59	11.00	Complies
116	5580	7.66	0.00	7.66	11.00	Complies
140	5700	7.80	0.00	7.80	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.25	0.00	7.25	11.00	Complies
116	5580	7.14	0.00	7.14	11.00	Complies
140	5700	7.44	0.00	7.44	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.43	11.00	Complies
116	5580	10.42	11.00	Complies
140	5700	10.63	11.00	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	7.55	0.12	7.67	11.00	Complies
110	5550	6.86	0.12	6.98	11.00	Complies
134	5670	6.80	0.12	6.92	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.97	0.12	7.09	11.00	Complies
110	5550	6.35	0.12	6.47	11.00	Complies
134	5670	6.06	0.12	6.18	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	10.40	11.00	Complies
110	5550	9.74	11.00	Complies
134	5670	9.58	11.00	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	4.75	0.24	4.99	11.00	Complies
122	5610	3.69	0.24	3.93	11.00	Complies




Date: 13.APR.2022 14:17:16




Date: 13.APR.2022 14:17:42

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.38	0.24	5.62	11.00	Complies
122	5610	3.64	0.24	3.88	11.00	Complies



Date: 13.APR.2022 15:26:27




Date: 13.APR.2022 15:26:56

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	8.33	11.00	Complies
122	5610	6.92	11.00	Complies

Test Mode UNII-2C_TX AX(HE20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.79	0.00	7.79	11.00	Complies
116	5580	7.64	0.00	7.64	11.00	Complies
140	5700	7.71	0.00	7.71	11.00	Complies



Date: 13.APR.2022 11:41:50




Date: 13.APR.2022 11:42:26




Date: 13.APR.2022 11:42:59

Test Mode UNII-2C_TX AX(HE20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.68	0.00	7.68	11.00	Complies
116	5580	7.23	0.00	7.23	11.00	Complies
140	5700	7.49	0.00	7.49	11.00	Complies



Date: 13.APR.2022 15:34:25



Date: 13.APR.2022 15:35:03




Date: 13.APR.2022 15:35:38

Test Mode UNII-2C_TX AX(HE20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	10.75	11.00	Complies
116	5580	10.45	11.00	Complies
140	5700	10.61	11.00	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.42	0.15	6.57	11.00	Complies
110	5550	6.83	0.15	6.98	11.00	Complies
134	5670	6.70	0.15	6.85	11.00	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.32	0.15	6.47	11.00	Complies
110	5550	6.65	0.15	6.80	11.00	Complies
134	5670	6.34	0.15	6.49	11.00	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	9.53	11.00	Complies
110	5550	9.90	11.00	Complies
134	5670	9.68	11.00	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.97	0.27	4.24	11.00	Complies
122	5610	3.64	0.27	3.91	11.00	Complies

CH106



Date: 13.APR.2022 14:07:29

CH122




Date: 13.APR.2022 14:09:47

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.84	0.27	4.11	11.00	Complies
122	5610	3.21	0.27	3.48	11.00	Complies

CH106



Date: 13.APR.2022 15:47:46

CH122




Date: 13.APR.2022 15:48:24

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	7.18	11.00	Complies
122	5610	6.71	11.00	Complies

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	9.37	0.00	9.37	30.00	Complies
157	5785	9.18	0.00	9.18	30.00	Complies
165	5825	9.27	0.00	9.27	30.00	Complies



Date: 13.APR.2022 14:21:15




Date: 13.APR.2022 14:21:48




Date: 13.APR.2022 14:22:18

Test Mode UNII-3_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.84	0.00	8.84	30.00	Complies
157	5785	8.31	0.00	8.31	30.00	Complies
165	5825	8.80	0.00	8.80	30.00	Complies



Date: 13.APR.2022 14:45:57



Date: 13.APR.2022 14:46:19






Date: 13.APR.2022 14:46:48

Test Mode UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.12	30.00	Complies
157	5785	11.78	30.00	Complies
165	5825	12.05	30.00	Complies




Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.70	0.00	8.70	30.00	Complies
157	5785	8.48	0.00	8.48	30.00	Complies
165	5825	8.71	0.00	8.71	30.00	Complies



Test Mode UNII-3_TX AC(VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.40	0.00	8.40	30.00	Complies
157	5785	8.24	0.00	8.24	30.00	Complies
165	5825	8.68	0.00	8.68	30.00	Complies





Test Mode UNII-3_TX AC(VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.56	30.00	Complies
157	5785	11.37	30.00	Complies
165	5825	11.71	30.00	Complies



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.49	0.12	5.61	30.00	Complies
159	5795	5.51	0.12	5.63	30.00	Complies



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.58	0.12	5.70	30.00	Complies
159	5795	6.06	0.12	6.18	30.00	Complies




Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.67	30.00	Complies
159	5795	8.92	30.00	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.33	0.24	2.57	30.00	Complies



Date: 13.APR.2022 14:18:18

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.03	0.24	2.27	30.00	Complies




Date: 13.APR.2022 15:27:30

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.43	30.00	Complies


Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.92	0.00	7.92	30.00	Complies
157	5785	7.53	0.00	7.53	30.00	Complies
165	5825	7.59	0.00	7.59	30.00	Complies



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.60	0.00	7.60	30.00	Complies
157	5785	7.05	0.00	7.05	30.00	Complies
165	5825	7.18	0.00	7.18	30.00	Complies





Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.77	30.00	Complies
157	5785	10.31	30.00	Complies
165	5825	10.40	30.00	Complies



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.28	0.15	5.43	30.00	Complies
159	5795	5.12	0.15	5.27	30.00	Complies



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.11	0.15	5.26	30.00	Complies
159	5795	4.94	0.15	5.09	30.00	Complies




Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.35	30.00	Complies
159	5795	8.19	30.00	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.07	0.27	2.34	30.00	Complies



Date: 13.APR.2022 14:12:31

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.97	0.27	2.24	30.00	Complies



Date: 13.APR.2022 15:49:10

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.30	30.00	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9999
120	5180.0151
102	5180.0000
Maximum Deviation (MHz)	0.0151
Maximum Deviation (ppm)	2.9199

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
5	5179.9999
15	5179.9799
25	5180.0000
35	5180.0000
45	5180.0000
Maximum Deviation (MHz)	0.0201
Maximum Deviation (ppm)	3.8827

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9999
120	5259.9800
102	5259.9999
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8047

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
5	5259.9999
15	5260.0150
25	5259.9951
35	5260.0150
45	5259.9800
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8070

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5500.0000
120	5500.0000
102	5500.0000
Maximum Deviation (MHz)	0.0000
Maximum Deviation (ppm)	0.0023

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
5	5499.9950
15	5500.0000
25	5500.0000
35	5499.9950
45	5499.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.5455

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9800
120	5745.0000
102	5744.9799
Maximum Deviation (MHz)	0.0201
Maximum Deviation (ppm)	3.5030

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
5	5744.9800
15	5744.9750
25	5745.0000
35	5744.9950
45	5744.9799
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.3516

End of Test Report