

ANNEX 2B - PLOTS OF MEASUREMENTS


PLOT # 19



KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
20 dB BW of the 1850-1865 MHz band pass gain
RF Input: -45 dBm, Tracking from 1800 - 1950 MHz

Date: May 17 2001
Tested by: Hung Trinh

Plot #19



ANNEX 2B - PLOTS OF MEASUREMENTS


PLOT # 20



KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
20 dB BW of the 1825-1880 MHz band pass gain
RF Input: -45 dBm, Tracking from 1800-1900 MHz

Date: May 19, 2001
Tested by: Hung Trinh

Plot #20



ANNEX 2B - PLOTS OF MEASUREMENTS


PLOT # 21



KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
20 dB BW of the 1880-1895 MHz band pass gain
RF Input: 45 dBm, Tracking from 1800-1950 MHz

Date: May 19 2001
Tested by: Hung Trinh

Plot #21



ANNEX 2B - PLOTS OF MEASUREMENTS


PLOT # 22



KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
20 dB BW of the 1895 - 1910 MHz band pass gain
RF Input: -45 dBm, Tracking from 1800 - 1950 MHz

Date: May 19 2001
Tested by: Hung Trinh

Plot #22



ANNEX 2B - PLOTS OF MEASUREMENTS


PLOT # 23



KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
20 dB BW of the 1930-1945 MHz band pass gain
RF Input: -45 dBm, Tracking from 1900-2570 MHz

Date: May 19, 2001
Tested by: Hung Trinh

Plot #23



ANNEX 2B - PLOTS OF MEASUREMENTS


PLOT # 24



KAVAI WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
20 dB BW of the 1945-1960 MHz band pass gain
RF Input: -45 dBm, Tracking from 1900-2500 MHz

Date: May 19 2001
Tested by: Hung Trinh

Plot # 24



ANNEX 2B - PLOTS OF MEASUREMENTS


PLOT # 25



KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
20 dB BW of the 1960-1975 MHz band pass gain
RF Input: -45 dBm, Tracking from 1900-8500 MHz

Date: May 19, 2001
Tested by: Hung Trinh

Plot #25



ANNEX 2B - PLOTS OF MEASUREMENTS


PLOT # 26



KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
20 dB BW of the 1960-1975 MHz band pass gain
RF Input: -45 dBm, Tracking from 1900 - 2500 MHz


Date: May 19, 2001
Tested by: Hung Trinh

Plot #26



ANNEX 2B - PLOTS OF MEASUREMENTS


PLOT # 27



Plot # 27

1% of -26dB BW = 30 kHz

99% OBW



1% of -26 dB BW = 30 kHz

ANNEX 2B - PLOTS OF MEASUREMENTS

PLOT # 28



KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
Frequency Band: 1850-1910 MHz
RF INPUT SIGNAL FITTED IN THE EMISSION MASK (CDMA).

Date: May 24, 2001
Tested by: Hung Trinh

Plot #28

1857.5 MHz (LOWEST)

Thu May 24 16:58:58 2001

REF -35.0 dBm
10dB/

ATT 0 dB

A_view B_view

MKR
1.85749 GHz

UNMODULATED (RF IN)

MARKER

1.85749 GHz
-46.72 dBm

CDMA

RBW
30 kHz
VBW
30 kHz
SWP
180 ms

START 1.84000 GHz

STOP 1.92000 GHz

