



845 Larch Ave.
Elmhurst, IL 60126
Phone 630.993.6306
Fax 630.530.6140
Email: barbara.kelkhoff@chamberlain.com

January 8, 2003

Federal Communications Commission
EQUIPMENT APPROVAL SERVICES
PO Box 358315
Pittsburgh, PA 15251-5315

Re: Request for Class II Permissive Change

Enclosed is an application fee in the amount of \$50 and exhibits for a Class II Permissive Change of remote control transmitter Model CPTK3, which is manufactured by The Chamberlain Group Inc. The original Date of Grant HBW1665 was August 2, 2002.

The transmitter referenced in the original test report ETR 31128-01 as Model G993LMK is identical to Model CPTK3. Both the model number and the FCC identifier are molded into the plastic case bottom (see drawing part no.093D0207 – 6).

We have made product improvements that resulted in an increase in output power. The new schematic is part number 195D1665D. Enclosed are the standard attachments along with the new report data from Elite Engineering – ETR 31567-01.

Also, please apply the Confidentiality Request of the original submission to this application. Please include the schematic, block diagram, and theory of operation as part of the confidentiality request.

We would appreciate your prompt attention to the submittal.

Sincerely,
THE CHAMBERLAIN GROUP, INC.

A handwritten signature in black ink that reads "Barbara P. Kelkhoff". The signature is written in a cursive, flowing style.

Barbara Kelkhoff
Manager, Regulatory Affairs


LIST OF EXHIBITS
3 FUNCTION, REMOTE CONTROL TRANSMITTER
Model CPTK3

1. Expository Statement
2. Theory of Operation
3. Schematic
4. Photographs
5. FCC Label Drawing
6. Operating Instructions
7. Test Report

EXPOSITORY STATEMENT
3 FUNCTION, REMOTE CONTROL TRANSMITTER
Model CPTK3

1. The instructions include statements required to assure compliance with the Commission's Rules; Part 15.
2. Labeling is in accordance with the Commission's labeling requirements, Parts 2 and 15, Section 15.19.
3. This transmitter is intended for use with the certified receivers of garage door and gate operator systems manufactured by Chamberlain®.
4. The transmitter is equipped with an automatically releasing push-button switch. Transmission is terminated upon release of the push-button.
5. The Model CPTK3 transmitter is factory set to $390 \pm 0.1\%$ MHz. It is not intended to be readjusted in the field, and specific instructions prohibiting tampering are provided to the user.
6. Test data for Model CPTK3 is part of this submission. No emissions were detected in the forbidden bands below 1.0 GHz.

Certified by:



Barbara P. Kelkhoff
Manager, Regulatory Affairs