



Wireless Keypad & Calculator and Mini Optical Mouse



F8E959ea



TABLE OF CONTENT

Introduction

- System Requirements
- Hardware
- Operating System

Setup

- Installing the Batteries
- Optical Mouse
- Wireless Keypad
- Connecting the Receiver
- To connect the receiver

Identification Code

- Setting the Identification Code
- Optical Mouse
- Wireless Keypad

Instruction

- MULTI MEDIA BUTTON Instruction
- Key Functionality Calculator/Keypad
- Send Result
- Contents

Specification

- Specification wireless keypad
- Specification wireless mouse

FCC/CE Statement

- DECLARATION OF CONFORMITY WITH FCC RULES
FOR ELECTROMAGNETIC COMPATIBILITY
- Caution: Exposure to Radio Frequency Radiation
- Federal Communications Commission Notice
- Europe-European Union Notice

Belkin Limited Lifetime Product Warranty

INTRODUCTION

Introduction

Congratulations on your purchase of the Belkin wireless keypad & calculator & mini optical mouse. This set offers the latest technology for interference-free operation with 27MHz wireless connection and 4,096 Ids (2048 ID for the mouse) per channel. Both keypad and mouse feature on/off switch and auto power saving management for effective power conservation.

This user's guide describes how to connect the receiver to your computer, install default software drivers and set up the radio link.

System Requirements

To use the keypad and mouse, your computer must meet the following hardware requirements and run one of the operating systems listed below.

Hardware

- PC with an Intel® Pentium® processor or equivalent
- USB 1.1 interface

Operating System

- Windows 95/Windows 98/WinNT /Windows me /WinXP /Windows 2000
- Driver required in Win95 /Win98 /WinNT

SETUP

Installing the Batteries

Optical Mouse

- Remove the battery cover from the top of the mouse by using release mechanism on the underside of the mouse.
- Insert the supplied batteries, making sure that the positive (+) and negative (-) ends of each battery match the polarity indicators inside the battery housing.
- Slide the battery cover back into position until it “clicks” firmly into place.
- Turn on the mouse by sliding the on/off switch on the bottom of the mouse to the “on” position.
- The optical sensor, located on the bottom of the mouse will glow red.

Wireless Keypad

- Remove the battery cover located on the bottom of the keypad.
- Insert the supplied batteries, making sure that the positive (+) and negative (-) ends of each battery match the polarity indicators inside the battery housing.
- Turn on the keypad by sliding the Power switch on the underside of the keypad to the “on” position.

WARNINGS: When replacing the batteries, you may use alkaline or other heavy-duty NiMH batteries. Never combine an alkaline with a NiMH battery in a device. Avoid mixing new and used batteries in a device.

Connecting the Receiver

To connect the receiver:

- Plug the USB receiver into an available USB port on your computer.
- Follow any on-screen instructions to complete the default driver installation.
- The “Lock LED” light turns on.
- You are now ready to set the identification code to establish a communication link with the receiver.

IDENTIFICATION CODE

Setting the Identification Code

After your computer detects the USB receiver and the driver software is installed, you must set the ID code between the receiver and the mouse as well as between the receiver and the keypad BEFORE you can use them. To do this, do the following:

NOTE: Make sure that your computer is turned on and has detected the USB receiver before you set the ID code.

Optical Mouse

- Press and release the setup key on the receiver. The Lock LED light turns on.
- Press the setup key on the bottom of the mouse.
- When the LED on the receiver goes out, the mouse is set up with an ID and the receiver is locked.
- You are now ready to use the mouse.


Wireless Keypad

- Press and release the setup key on the receiver again.
- Press the setup key on the keypad.
- When the LED on the receiver goes out, the keypad is set up with an ID and the receiver is locked.
- You are now ready to use the keypad.

Both the optical mouse and the wireless keypad/calculator are now ready to use and you should be able to work with them simultaneously via the receiver.

INSTRUCTION

MULTI MEDIA BUTTON instruction



Key Functionality Calculator/Keypad

- Press this key to alternate between the keypad and calculator mode.
- Keypad functionality allows you to input data on your screen using your windows applications.
- Calculator function allows you to view results on the keypad results screen.

Send Result

- Use this key whilst in calculator mode.
- Input your calculation and you will see the result on the keypad results screen.
- Open the application that you wish to use.
- Press the Send Result key and the figure will appear in your chosen application.

Contents

In addition to this user's guide, this package contains:

- Belkin Wireless Keypad
- Belkin Wireless Mini Optical Mouse
- USB Receiver
- USB extension cable
- 3xAAA batteries (2 for mouse, 1 for keypad)

SPECIFICATION

Specification wireless keypad

Keys	17 Standard Keys
	7 Multimedia Keys
Key Stroke life time	10,000,000 Cycles
Contact method	Membrane
Security Code	4096 different security code
RF Transmission mode	1 channel FSK RF Transmission 27.045MHz channel bandwidth: 25KHZ
Tx Emission Level	60dBuV/m ≤ E3m ≤ 80dBuV/m at 3m
Batteries	1 x AAA Size
Power consumption	Keyboard ≤ 10mA(Active) ≤ 50uA(Idle)
Battery life	240 hours at Active mode with Alkaline Battery
Operating Distance	2m
Storage temperature	-40°C ~55°C
Working temperature	0°C ~40°C
Operating humidity	40%~90%
Dimension	155x80x19mm
Low Battery Indicator	2.1v
Keypad	Calculator Function

SPECIFICATION

Specification wireless mouse

Keys	3 Buttons
	360° wheel
Key Stroke life time	Left/Right 1,000,000 Cycles
	Middle Key 100,000 Cycles
	Wheel Switch 100,000 Cycles
Security Code	2048 different security code
RF Transmission mode	1 channel FSK RF Transmission 27.145MHz
Tx Emission Level	60dBuV/m ≤ E3m ≤ 80dBuV/m at 3m
Batteries	2 x AAA Size
Power consumption	Keyboard ≤ 45mA(Active)
Battery life	20 hours at Active mode with Alkaline Battery
Resolution	800 DPI
Net Weight	41.5grams
Operating Distance	1.5m
Operating humidity	40%~90%
Dimension	86.7x45.4x30mm

P/N

F8E959ea

Description

Wireless Numeric Calculator Keypad
With Mini Optical Mouse

UPC

7-22868-55062-5

FCC/CE STATEMENT

DECLARATION OF CONFORMITY WITH FCC RULES FOR ELECTROMAGNETIC COMPATIBILITY

We, Belkin, declare under our sole responsibility that the product, F8E959ea, to which this declaration relates, complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: Exposure to Radio Frequency Radiation.

The radiated output power of this device is far below the FCC radio frequency exposure limits. Nevertheless, the device shall be used in such manner that the potential for human contact normal operation is minimized.

When connecting an external antenna to the device, the antenna shall be placed in such a manner to minimize the potential for human contact during normal operation. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, human proximity to the antenna shall not be less than 20cm (8 inches) during normal operation.

FCC/CE STATEMENT

This equipment generates, uses, and can radiate radio frequency energy. If not installed and used in accordance with the instructions, it may cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try and correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the distance between the equipment and the receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.

NOTE: THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE □ EQUIPMENT.

CAUTION

RISK OF EXPLOSION IF BATTERY IS REPLACED
BY AN INCORRECT TYPE.
DISPOSE OF USED BATTERIES ACCORDING
TO THE INSTRUCTIONS

FCC/CE STATEMENT

Europe-European Union Notice

Radio products with the CE alert marking comply with the R&TTE Directive (1995/5/EC) issued by the Commission of the European Community.

Compliance with this directive implies conformity to the following European Norms (in brackets are the equivalent international standards).

- EN 60950 (IEC60950) – Product Safety
- EN 300 328 Technical requirement for radio equipment.
- ETS 300 826 General EMC requirements for radio equipment.

To determine the type of transmitter, check the identification label on your Belkin product.

Products with the CE marking comply with the EMC Directive (89/336/EEC) and the Low Voltage Directive (72/23/EEC) issued by the Commission of the European Community.

Compliance with these directives implies conformity to the following European Norms (in brackets are the equivalent international standards).

- EN 55022 (CISPR 22) – Electromagnetic Interference
- EN 55024 (IEC61000-4-2,3,4,5,6,8,11) – Electromagnetic Immunity
- EN 61000-3-2 (IEC610000-3-2) – Power Line Harmonics
- EN 61000-3-3 (IEC610000) – Power Line Flicker
- EN 60950 (IEC60950) – Product Safety Products that contain the radio transmitter are labeled with CE 0682 or CE alert marking and may also carry the CE logo.

BELKIN WARRANTY

Belkin Limited Lifetime Product Warranty

Belkin warrants this product against defects in materials and workmanship for its lifetime. If a defect is discovered, Belkin will, at its option, repair or replace the product at no charge provided it is returned during the warranty period, with transportation charges prepaid, to the authorized Belkin dealer from whom you purchased the product. Proof of purchase may be required.

This warranty does not apply if the product has been damaged by accident, abuse, misuse, or misapplication; if the product has been modified without the written permission of Belkin; or if any Belkin serial number has been removed or defaced.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE IN LIEU OF ALL OTHERS, WHETHER ORAL OR WRITTEN, EXPRESSED OR IMPLIED. BELKIN SPECIFICALLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

No Belkin dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

BELKIN IS NOT RESPONSIBLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY BREACH OF WARRANTY, OR UNDER ANY OTHER LEGAL THEORY, INCLUDING BUT NOT LIMITED TO LOST PROFITS, DOWNTIME, GOODWILL, DAMAGE TO OR REPROGRAMMING, OR REPRODUCING ANY PROGRAM OR DATA STORED IN OR USED WITH BELKIN PRODUCTS.

Some states do not allow the exclusion or limitation of incidental or consequential damages or exclusions of implied warranties, so the above limitations of exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.



Belkin Ltd.

Express Business Park
Shipton Way • Rushden
NN10 6GL • United Kingdom
Tel: +44 (0) 1933 35 2000
Fax: +44 (0) 1933 31 2000

Belkin B.V.

Boeing Avenue 333
1119 PH Schiphol-Rijk
The Netherlands
Tel: +31 (0) 20 654 7300
Fax: +31 (0) 20 654 7349

Belkin GmbH

Hanebergstrasse 2
80637 Munich • Germany
Tel: +49 (0) 89 143405 0
Fax: +49 (0) 89 143405 100

Belkin SAS

5 Rue du Petit Robinson
3ème étage
78350 Jouy en Josas • France
Tel: +33 (0) 1 34 58 14 00
Fax: +33 (0) 1 39 46 62 89

Belkin Tech Support

Europe: 00 800 223 55 460
US: 877 736 5771

© 2005 Belkin Ltd.
All rights reserved.
All trade names are registered
trademarks of respective
manufacturers listed.

